

Pioneers in new technology!

PROFESSIONAL

Lighting

COLLECTION

CATÁLOGO DE ILUMINACIÓN
PROFESIONAL

aimuir[®]
ILUMINACIÓN

EUROLAMP[®]

TARIFA 06/2024

2024

aimur
ILUMINACION

EUROLAMP



Descarga nuestro
CATALOGO DE
TIRAS DE LED
con el Código QR
o pulsando aquí



LED STRIPS

CATALOGUE
2023-2024

aimur
ILUMINACION

Outdoor
LIGHTING
& GARDEN LIGHTS



OUTDOOR SPACE
ILLUMINATION

A
ARTE ILLUMINA



arte illumina

aimur
ILUMINACION

EUROLAMP

LIGHT FIXTURES COLLECTION

Pioneers in new technology!

Lamps
COLLECTION

aimur
ILUMINACION

EUROLAMP
2024

Certifications

Certificados



Suministro de productos y servicios, de acuerdo con las principales especificaciones y requisitos de calidad.

Aplicando estándares internacionales para un sistema unificado de gestión de calidad y medio ambiente, EUROLAMP está certificada según las normas ISO 9001:2015 e ISO 14001:2015 y participa en varios sistemas integrados de reciclaje.

En la industria de biocidas y productos clínicos funciona según con la norma ISO 13485:2016 e I/A 1348 para garantizar la distribución segura e inofensiva de sus productos certificados de acuerdo con la legislación europea e internacional.

Con la responsabilidad corporativa en primer plano y contando con más de 160 empleados, se obtuvieron las certificaciones, ISO 45001:2018 para la gestión de seguridad y salud en el trabajo, ISO 39001:2012 para la gestión de seguridad vial y protección ISO 37001 contra el soborno. También tiene instalado un sistema de gestión de seguridad de la información, conforme a la norma ISO 27001:2013.

Con una visión de desarrollo sustentable, está comprometido con el esfuerzo de reducir el consumo de energía y los contaminantes emitidos relacionados con las actividades de producción y comercialización de equipos eléctricos, a través del sistema de gestión de energía según la norma ISO 50001:2018..

Provision of products and services, in accordance with the leading specifications and quality requirements

Applying international standards for a complete quality management system and environmental management, EUROLAMP is certified according to **ISO 9001:2015** and **ISO 14001:2015** standards and participates in several integrated recycling systems.

In the biocides and clinical products industry, it works according to the **ISO 13485:2016** standard to ensure the safe and harmless distribution of its certified products in accordance with European and international legislation.

With corporate responsibility in the foreground and having more than 160 employees, EUROLAMP obtained further certifications such as **ISO 45001:2018** for the management of health and safety at work, **ISO 39001:2012** for the management of road safety, and **ISO 37001** for protection against bribery. It has also installed an information security management system compliant with the **ISO 27001:2013** standard.

With a vision of sustainable development, EUROLAMP is committed to the effort of reducing energy consumption and emissions of pollutants related to production and marketing of electrical equipment through the energy management system in accordance with the **ISO 50001:2018** standard.

New Energy Label

Nueva etiqueta energética

Para ayudar a los consumidores de la UE a reducir sus facturas de energía y su huella de carbono, está en vigor una nueva versión de la ampliamente reconocida etiqueta energética de la UE a partir del lunes 1 de marzo de 2021. El nuevo reglamento de la Unión Europea ha cambiado la forma en que se calcula la clase energética, así como la forma en que aparece en los paquetes.

Cabe señalar que con el nuevo método de cálculo no se han realizado cambios en los productos en los que se muestra la clase energética: la calidad y el rendimiento son los mismos. Lo que ha cambiado es la forma de calcular la clase energética según el reglamento 2019/2015 de la Unión Europea.

En los cálculos para la nueva clase energética ahora se tienen en cuenta muchos factores como la direccionalidad, la tensión de funcionamiento, etc.

To help EU consumers reduce their energy bills and carbon footprint, a brand new version of the widely recognized EU energy label comes into force from Monday 1 March 2021. The new European Directive which changes the way of calculation of the energy class, and the way which it appears on the packaging.


No changes were made at the products on which the energy class appears with the new energy label. Quality and efficiency are the same. The change which has been made, is the new way of calculation of the energy class, according to the European Directive 2019/2015.

In the calculation for the new energy class, many factors are calculated, such as directivity, operating voltage, etc.




Antigua etiqueta energética

Previous Energy Label



Nueva etiqueta energética

New Energy Label



Quality Classifications



PRO SERIES

Máxima calidad y última tecnología en productos seleccionados para uso doméstico y profesional. Altos estándares de seguridad, larga vida útil y garantía de hasta 5 años.

Premium quality and use of the most recent technological advancements, in a selected group of products that are suitable for domestic and commercial use. Higher safety standards, long lasting lifetime and up to 5 years of warranty.



PLUS SERIES

Serie de muy buena calidad, en una amplia gama de códigos para uso doméstico, profesional e industrial.

A Higher Quality series with a wide range of products suitable for domestic, professional and industrial use.



VALUE SERIES

La categoría incluye productos para uso doméstico y comercial, de alto rendimiento y bajo costo.

This category consists of high efficiency and low in cost products, that are suitable for general domestic and commercial applications.

Icons Explanation

W 48W	Power Potencia	V 220-240V	Voltage Voltaje	Lm/W 90	Lumen/Watt
(CRI) RA >80	Colour rendering index Índice de reproducción cromática	PF >0,90	Power factor Factor de Potencia	Life time Duración en horas	
ON OFF 15.000	Switches On/Off Número de encendidos	Weight Peso		Operating Temperature Temperatura Trabajo	
NON DIMMABLE	Non Dimmable Device No regulable	IP40	Ingress Protection rating Índice Protección estanqueidad	YEARS WARRANTY	Years of Guarantee Años de Garantía
DIMMABLE	Dimmable Device Regulable	IK07	Resistance level Índice de Resistencia	GROUNDING	Grounding Toma de Tierra
DALI DIMMING	Dimming Type/ Tipo de Regulación	CLASS II	Appliance Class Clase de aislamiento	MOTION SENSOR	Sensor Type Tipo de Sensor
FLICKER FREE	Flicker Free Sin parpadeo	T8 TYPE	Lamp type Tipo de Bombilla	G13 BASE	Lamp base type Portalámparas
LED MAX 7W	Maximum Watt for Led Lamp Potencia máxima para bombilla LED	SWITCH ON/OFF	Button switch on/off Interruptor on/off	AUTO ON/OFF	Auto switch on/off Activación Automática
COLOR WHITE	Product color Color del producto	120°	Detection Angle Ángulo de apertura	TEST BUTTON	Test button Botón de Test

Contents



09

LED Lighting Panels



27

LED SMD & COB Recessed Fixtures



53

LED Fixtures Surface Mounted



59

Hanging LED Fixtures for Professional Use



61

Emergency LED Lighting



71

Spot Recessed Aluminum Fixed / Movable / Waterproof



91

Plaster Lights LED Indoor use



101

Spot Recessed LED Architectural & Linear



103

Linear Light Fixture LED recessed & surface

Contents



113

Track Spot LED Lights & Magnetic Track



135

Track Spot LED Lights 2 lines



143

Track Spot LED Lights 4 lines



157

Lighting LED fixtures indoor use



163

LED Linear Lighting for professional use



173

Flood Lights LED for domestic outdoor use



193

Flood Lights LED for outdoor professional use



203

Street Lights LED



215

High Bay LED for professional use



221

Swimming pool lights & Underwater spot light



Discover our new LED lighting panels Nuevos paneles de iluminación LED ¡Descúbrellos!

Conozca la nueva gama de paneles LED que brindan soluciones económicas y de excelente rendimiento incluso en los espacios más exigentes. ¡Gestión y flexibilidad en temperaturas de color y potencia operativa como nunca antes!

Meet the brand new range of led panels that provide excellent performance and economy solutions even in the most demanding spaces. Management and flexibility in color temperatures and operating power like never before!

- Paneles con excelente calidad lumínica UGR<19, equipados con fuente de alimentación Tridonic para consumo personalizado con opción a través de 4 opciones de potencia operativa (vatios)

Panels with excellent light quality UGR<19, equipped with Tridonic power supply for customized consumption with a choice of 4 operating power options (wattage)

- Paneles equipados con fuente de alimentación Tridonic con soporte DALI para la gestión de la iluminación

Panels equipped with a Tridonic power supply with DALI support for light management

*DALI: Digital Addressable Lighting Interface / Interfaz Digital de Iluminación con Dirección Individual

- Rendimiento de luminosidad incomparable en proporción al consumo con un rendimiento de 180Lm/W

Incomparable brightness output in proportion to consumption with performance 180Lm/W

EMPOTRABLE BACKLIGHT TRIDONIC UGR16 RECESSED BACKLIGHT TRIDONIC UGR16




powered by
TRIDONIC
27W 34W 40W 48W



60x60cm

Volt: **220-240V 50/60Hz** • LED Type: **SMD2835**
Angulo de apertura / Beam Angle: **120°**
Clase Energética / Energy Class: **F**
Start Time: **0,5sec** • PF > **0,90** • CRI > **80**
Temperatura trabajo / Operating Temperature: **-20/+40°C**
Material: **Aluminio y plástico / Aluminium & Plastic**
Conexión / Connection: **Cable / Wire**



CODE	BARCODE	WATT	KELVIN	LUMEN/WATT	COLOR	PACKING	MOQ	PVP
145-56200	5207227202162	27-34-40-48	6500	105	WHITE	1/10	1	68,70€
145-56201	5207227202179	27-34-40-48	4000	105	WHITE	1/10	1	68,70€
145-56202	5207227202186	27-34-40-48	3000	105	WHITE	1/10	1	68,70€




powered by
TRIDONIC
27W 34W 40W 45W



120x30cm

Volt: **220-240V 50/60Hz** • LED Type: **SMD2835**
Angulo de apertura / Beam Angle: **120°**
Clase Energética / Energy Class: **F**
Start Time: **0,5sec** • PF > **0,90** • CRI > **80**
Temperatura trabajo / Operating Temperature: **-20/+40°C**
Material: **Aluminio y plástico / Aluminium & Plastic**
Conexión / Connection: **Cable / Wire**



CODE	BARCODE	WATT	KELVIN	LUMEN/WATT	COLOR	PACKING	MOQ	PVP
145-56203	5207227202193	27-34-40-45	6500	105	WHITE	1/5	1	85,45€
145-56204	5207227202209	27-34-40-45	4000	105	WHITE	1/5	1	85,45€
145-56205	5207227202216	27-34-40-45	3000	105	WHITE	1/5	1	85,45€

SUPERFICIE BACKLIGHT TRIDONIC UGR16 SURFACE BACKLIGHT TRIDONIC UGR16



powered by
TRIDONIC
27W 34W 40W 48W



60x60cm

Volt: **220-240V 50/60Hz** • LED Type: **SMD2835**
Angulo de apertura / Beam Angle: **120°**
Clase Energética/ Energy Class: **F**
Start Time: **0,5sec** • PF > **0,90** • CRI > **80**
Temperatura trabajo/ Operating Temperature: **-20/+40°C**
Material: **Aluminio y plástico / Aluminium & Plastic**
Conexión / Connection: **Cable / Wire**

NON DIMMABLE

CLASS I


2,129kg

50.000h

ON OFF
25.000

IP40

5 YEARS WARRANTY



CODE	BARCODE	WATT	KELVIN	LUMEN/WATT	COLOR	PACKING	MOQ	PVP
145-56209	5207227202223	27-34-40-48	6500	105	WHITE	1/7	1	89,25€
145-56210	5207227202230	27-34-40-48	4000	105	WHITE	1/7	1	89,25€
145-56211	5207227202247	27-34-40-48	3000	105	WHITE	1/7	1	89,25€



powered by
TRIDONIC
27W 34W 40W 45W



120x30cm

Volt: **220-240V 50/60Hz** • LED Type: **SMD2835**
Angulo de apertura/ Beam Angle: **120°**
Clase Energética/ Energy Class: **F**
Start Time: **0,5sec** • PF > **0,90** • CRI > **80**
Temperatura trabajo/ Operating Temperature: **-20/+40°C**
Material: **Aluminio y plástico / Aluminium & Plastic**
Conexión / Connection: **Cable / Wire**

NON DIMMABLE

CLASS I


2,438kg

50.000h

ON OFF
25.000

IP40

5 YEARS WARRANTY




CODE	BARCODE	WATT	KELVIN	LUMEN/WATT	COLOR	PACKING	MOQ	PVP
145-56212	5207227202254	27-34-40-45	6500	105	WHITE	1/5	1	111,40€
145-56213	5207227202261	27-34-40-45	4000	105	WHITE	1/5	1	111,40€
145-56214	5207227202278	27-34-40-45	3000	105	WHITE	1/5	1	111,40€

EMPOTRABLE BACKLIGHT 3CCT UGR19 RECESSED BACKLIGHT 3CCT UGR19



60x60cm

Volt: **220-240V 50/60Hz** • LED Type: **SMD2835**
3CCT: **2700K/4000K/6500K**
Angulo de apertura / Beam Angle: **90°**
Clase Energética / Energy Class: **F**
Start Time: **0,5sec** • PF > **0,90** • CRI > **80**
Temperatura trabajo / Operating Temperature: **-20/+40°C**
Material: **Aluminio y plástico / Aluminium & Plastic**
Conexión / Connection: **Cable / Wire**




CODE	BARCODE	WATT	KELVIN	LUMEN/WATT	COLOR	PACKING	MOQ	PVP
145-56350	5207227282942	36	3CCT	135	WHITE	1/5	1	51.30€



120x30cm

Volt: **220-240V 50/60Hz** • LED Type: **SMD2835**
3CCT: **2700K/4000K/6500K**
Angulo de apertura / Beam Angle: **90°**
Clase Energética / Energy Class: **F**
Start Time: **0,5sec** • PF > **0,90** • CRI > **80**
Temperatura trabajo / Operating Temperature: **-20/+40°C**
Material: **Aluminio y plástico / Aluminium & Plastic**
Conexión / Connection: **Cable / Wire**




CODE	BARCODE	WATT	KELVIN	LUMEN/WATT	COLOR	PACKING	MOQ	PVP
145-56351	5207227282966	36	3CCT	135	WHITE	1/5	1	51.30€

EMPOTRABLE BACKLIGHT UGR19 RECESSED BACKLIGHT UGR19



60x60cm

Volt: **220-240V 50/60Hz** • LED Type: **SMD2835**
Angulo de apertura / Beam Angle: **90°**
Clase Energética / Energy Class: **C**
Start Time: **0,5sec** • PF > **0,90** • CRI > **80**
Temperatura trabajo / Operating Temperature: **-20/+40°C**
Material: **Aluminio y plástico / Aluminium & Plastic**
Conexión / Connection: **Cable / Wire**




CODE	BARCODE	WATT	KELVIN	LUMEN/WATT	COLOR	PACKING	MOQ	PVP
145-56310	5207227282980	28	6500	180	WHITE	1/5	1	81,00€
145-56311	5207227283000	28	4000	180	WHITE	1/5	1	81,00€
145-56312	5207227283024	28	3000	180	WHITE	1/5	1	81,00€



120x30cm

Volt: **220-240V 50/60Hz** • LED Type: **SMD2835**
Angulo de apertura / Beam Angle: **90°**
Clase Energética / Energy Class: **C**
Start Time: **0,5sec** • PF > **0,90** • CRI > **80**
Temperatura trabajo / Operating Temperature: **-20/+40°C**
Material: **Aluminio y plástico / Aluminium & Plastic**
Conexión / Connection: **Cable / Wire**



CODE	BARCODE	WATT	KELVIN	LUMEN/WATT	COLOR	PACKING	MOQ	PVP
145-56313	5207227283048	28	6500	180	WHITE	1/5	1	84,40€
145-56314	5207227283062	28	4000	180	WHITE	1/5	1	84,40€
145-56315	5207227283086	28	3000	180	WHITE	1/5	1	84,40€

EMPOTRABLE BACKLIGHT TRIDONIC UGR19 RECESSED BACKLIGHT TRIDONIC UGR19




powered by
TRIDONIC
27W 34W 40W 48W



60x60cm

Volt: **220-240V 50/60Hz** • LED Type: **SMD2835**
Angulo de apertura/ Beam Angle: **120°**
Clase Energética/ Energy Class: **F**
Start Time: **0,5sec** • PF > **0,90** • CRI > **80**
Temperatura trabajo/ Operating Temperature: **-20/+40°C**
Material: **Aluminio y plástico / Aluminium & Plastic**
Conexión/ Connection: **Cable / Wire**



CODE	BARCODE	WATT	KELVIN	LUMEN/WATT	COLOR	PACKING	MOQ	PVP
145-56230	5207227256820	27-34-40-48	6500	105	WHITE	1/10	1	63,30€
145-56231	5207227243400	27-34-40-48	4000	105	WHITE	1/10	1	63,30€
145-56232	5207227243424	27-34-40-48	3000	105	WHITE	1/10	1	63,30€




powered by
TRIDONIC
27W 34W 40W 45W



120x30cm

Volt: **220-240V 50/60Hz** • LED Type: **SMD2835**
Angulo de apertura / Beam Angle: **120°**
Clase Energética/ Energy Class: **F**
Start Time: **0,5sec** • PF > **0,90** • CRI > **80**
Temperatura trabajo/ Operating Temperature: **-20/+40°C**
Material: **Aluminio y plástico / Aluminium & Plastic**
Conexión/ Connection: **Cable / Wire**



CODE	BARCODE	WATT	KELVIN	LUMEN/WATT	COLOR	PACKING	MOQ	PVP
145-56233	5207227256837	27-34-40-45	6500	105	WHITE	1/5	1	80,05€
145-56234	5207227246333	27-34-40-45	4000	105	WHITE	1/5	1	80,05€
145-56235	5207227246357	27-34-40-45	3000	105	WHITE	1/5	1	80,05€

SUPERFICIE BACKLIGHT TRIDONIC UGR19 SURFACE BACKLIGHT TRIDONIC UGR19




powered by
TRIDONIC
27W 34W 40W 48W



60x60cm

Volt: **220-240V 50/60Hz** • LED Type: **SMD2835**
Angulo de apertura/ Beam Angle: **120°**
Clase Energética/ Energy Class: **F**
Start Time: **0,5sec** • PF > **0,90** • CRI > **80**
Temperatura trabajo/ Operating Temperature: **-20/+40°C**
Material: **Aluminio y plástico / Aluminium & Plastic**
Conexión / Connection: **Cable / Wire**



CODE	BARCODE	WATT	KELVIN	LUMEN/WATT	COLOR	PACKING	MOQ	PVP
145-56240	5207227256844	27-34-40-48	6500	105	WHITE	1/7	1	84,20€
145-56241	5207227256851	27-34-40-48	4000	105	WHITE	1/7	1	84,20€
145-56242	5207227256875	27-34-40-48	3000	105	WHITE	1/7	1	84,20€
145-56243	5207227256868	27-34-40-48	6500	105	BLACK	1/7	1	84,20€
145-56244	5207227256882	27-34-40-48	4000	105	BLACK	1/7	1	84,20€
145-56245	5207227256899	27-34-40-48	3000	105	BLACK	1/7	1	84,20€




powered by
TRIDONIC
27W 34W 40W 45W




120x30cm

Volt: **220-240V 50/60Hz** • LED Type: **SMD2835**
Angulo de apertura / Beam Angle: **120°**
Clase Energética/ Energy Class: **F**
Start Time: **0,5sec** • PF > **0,90** • CRI > **80**
Temperatura trabajo/ Operating Temperature: **-20/+40°C**
Material: **Aluminio y plástico / Aluminium & Plastic**
Conexión / Connection: **Cable / Wire**




CODE	BARCODE	WATT	KELVIN	LUMEN/WATT	COLOR	PACKING	MOQ	PVP
145-56250	5207227256905	27-34-40-45	6500	105	WHITE	1/5	1	106,35€
145-56251	5207227256912	27-34-40-45	4000	105	WHITE	1/5	1	106,35€
145-56252	5207227256929	27-34-40-45	3000	105	WHITE	1/5	1	106,35€
145-56253	5207227256936	27-34-40-45	6500	105	BLACK	1/5	1	106,35€
145-56254	5207227256943	27-34-40-45	4000	105	BLACK	1/5	1	106,35€
145-56255	5207227256950	27-34-40-45	3000	105	BLACK	1/5	1	106,35€

EMPOTRABLE BACKLIGHT UGR19 RECESSED BACKLIGHT UGR19



30x60cm

Volt: **220-240V 50/60Hz** • LED Type: **SMD2835**
Angulo de apertura / Beam Angle: **120°**
Clase Energética / Energy Class: **F**
Start Time: **0,5sec** • PF > **0,90** • CRI > **80**
Temperatura trabajo / Operating Temperature: **-20/+40°C**
Material: **Aluminio y plástico / Aluminium & Plastic**
Conexión / Connection: **Cable / Wire**




CODE	BARCODE	WATT	KELVIN	LUMEN/WATT	COLOR	PACKING	MOQ	PVP
145-56140	5207227026119	30	6500	105	WHITE	1/10	1	40,85€
145-56141	5207227026133	30	4000	105	WHITE	1/10	1	40,85€
145-56142	5207227123108	30	3000	105	WHITE	1/10	1	40,85€



60x60cm

Volt: **220-240V 50/60Hz** • LED Type: **SMD2835**
Angulo de apertura / Beam Angle: **120°**
Clase Energética / Energy Class: **F**
Start Time: **0,5sec** • PF > **0,90** • CRI > **80**
Temperatura trabajo / Operating Temperature: **-20/+40°C**
Material: **Aluminio y plástico / Aluminium & Plastic**
Conexión / Connection: **Cable / Wire**




CODE	BARCODE	WATT	KELVIN	LUMEN/WATT	COLOR	PACKING	MOQ	PVP
145-56143	5207227123115	48	6500	105	WHITE	1/10	1	49.70€
145-56144	5207227123139	48	4000	105	WHITE	1/10	1	49.70€
145-56145	5207227123146	48	3000	105	WHITE	1/10	1	49.70€

EMPOTRABLE BACKLIGHT UGR19 RECESSED BACKLIGHT UGR19



120x60cm

Volt: 220-240V 50/60Hz • LED Type: SMD2835
Angulo de apertura / Beam Angle: 120°
Clase Energética / Energy Class: F
Start Time: 0,5sec • PF > 0,90 • CRI > 80
Temperatura trabajo / Operating Temperature: -20/+40°C
Material: Aluminio y plástico / Aluminium & Plastic
Conexión / Connection: Cable / Wire



CODE	BARCODE	WATT	KELVIN	LUMEN/WATT	COLOR	PACKING	MOQ	PVP
145-56146	5207227123153	45	6500	105	WHITE	1/5	1	68.35€
145-56147	5207227123177	45	4000	105	WHITE	1/5	1	68.35€
145-56148	5207227123092	45	3000	105	WHITE	1/5	1	68.35€




SUPERFICIE BACKLIGHT UGR19 SURFACE BACKLIGHT UGR19



30x60cm

Volt: 220-240V 50/60Hz • LED Type: SMD2835
Angulo de apertura / Beam Angle: 120°
Clase Energética / Energy Class: F
Start Time: 0,5sec • PF > 0,90 • CRI > 80
Temperatura trabajo / Operating Temperature: -20/+40°C
Material: Aluminio y plástico / Aluminium & Plastic
Conexión / Connection: Cable / Wire




CODE	BARCODE	WATT	KELVIN	LUMEN/WATT	COLOR	PACKING	MOQ	PVP
145-56150	5207227159206	30	6500	105	WHITE	1/5	1	53,20€
145-56151	5207227159220	30	4000	105	WHITE	1/5	1	53,20€
145-56152	5207227159244	30	3000	105	WHITE	1/5	1	53,20€



60x60cm

Volt: 220-240V 50/60Hz • LED Type: SMD2835
Angulo de apertura / Beam Angle: 120°
Clase Energética / Energy Class: F
Start Time: 0,5sec • PF > 0,90 • CRI > 80
Temperatura trabajo / Operating Temperature: -20/+40°C
Material: Aluminio y plástico / Aluminium & Plastic
Conexión / Connection: Cable / Wire




CODE	BARCODE	WATT	KELVIN	LUMEN/WATT	COLOR	PACKING	MOQ	PVP
145-56153	5207227159268	48	6500	105	WHITE	1/7	1	72,50€
145-56154	5207227159282	48	4000	105	WHITE	1/7	1	72,50€
145-56155	5207227159305	48	3000	105	WHITE	1/7	1	72,50€
145-56223	5207227256769	48	6500	105	BLACK	1/7	1	72,50€
145-56224	5207227256776	48	4000	105	BLACK	1/7	1	72,50€
145-56225	5207227256783	48	3000	105	BLACK	1/7	1	72,50€

SUPERFCIE BACKLIGHT UGR19 SURFACE BACKLIGHT UGR19



120x30cm

Volt: **220-240V 50/60Hz** • LED Type: **SMD2835**
Angulo de apertura / Beam Angle: **120°**
Clase Energética / Energy Class: **F**
Start Time: **0,5sec** • PF > **0,90** • CRI > **80**
Temperatura trabajo / Operating Temperature: **-20/+40°C**
Material: **Aluminio y plástico / Aluminium & Plastic**
Conexión / Connection: **Cable / Wire**



CODE	BARCODE	WATT	KELVIN	LUMEN/WATT	COLOR	PACKING	MOQ	PVP
145-56156	5207227159329	45	6500	105	WHITE	1/5	1	88.95€
145-56157	5207227159343	45	4000	105	WHITE	1/5	1	88.95€
145-56158	5207227159367	45	3000	105	WHITE	1/5	1	88.95€
145-56226	5207227256790	45	6500	105	BLACK	1/5	1	88.95€
145-56227	5207227256806	45	4000	105	BLACK	1/5	1	88.95€
145-56228	5207227256813	45	3000	105	BLACK	1/5	1	88.95€



EMPOTRABLE SLIM RECESSED SLIM BACKLIGHT



60x60cm

Volt: **220-240V 50/60Hz** • LED Type: **SMD4014**
Angulo de apertura / Beam Angle: **110°**
Clase Energética / Energy Class: **E**
Start Time: **0,5sec** • PF > **0,90** • CRI > **80**
Temperatura trabajo / Operating Temperature: **-20/+40°C**
Material: **Aluminio y plástico / Aluminium & Plastic**
Conexión / Connection: **Cable / Wire**

NON DIMMABLE

CLASS II


1,8kg

25.000h

ON OFF
15.000

IP20

2 YEARS WARRANTY



CODE	BARCODE	WATT	KELVIN	LUMEN/WATT	COLOR	PACKING	MOQ	PVP
145-56160	5207227033872	40	6500	115	WHITE	1/5	1	62,65€
145-56161	5207227033889	40	4000	113	WHITE	1/5	1	62,65€
145-56162	5207227033902	40	3000	110	WHITE	1/5	1	62,65€



120x30cm

Volt: **220-240V 50/60Hz** • LED Type: **SMD4014**
Angulo de apertura / Beam Angle: **120°**
Clase Energética / Energy Class: **E**
Start Time: **0,5sec** • PF > **0,90** • CRI > **80**
Temperatura trabajo / Operating Temperature: **-20/+40°C**
Material: **Aluminio y plástico / Aluminium & Plastic**
Conexión / Connection: **Cable / Wire**

NON DIMMABLE

CLASS II


2,3kg

25.000h

ON OFF
15.000

IP20

2 YEARS WARRANTY




CODE	BARCODE	WATT	KELVIN	LUMEN/WATT	COLOR	PACKING	MOQ	PVP
145-56163	5207227058561	40	6500	115	WHITE	1/5	1	73,70€
145-56164	5207227058585	40	4000	113	WHITE	1/5	1	73,70€
145-56165	5207227058608	40	3000	110	WHITE	1/5	1	73,70€

EMPOTRABLE SLIM UGR19 RECESSED SLIM BACKLIGHT UGR19



60x60cm

Volt: **220-240V 50/60Hz** • LED Type: **SMD4014**
Angulo de apertura / Beam Angle: **90°**
Clase Energética / Energy Class: **F**
Start Time: **0,5sec** • PF > **0,90** • CRI > **80**
Temperatura trabajo / Operating Temperature: **-20/+40°C**
Material: **Aluminio y plástico / Aluminium & Plastic**
Conexión / Connection: **Cable / Wire**




CODE	BARCODE	WATT	KELVIN	LUMEN/WATT	COLOR	PACKING	MOQ	PVP
145-56170	5207227061691	40	6500	110	WHITE	1/5	1	81,95€
145-56171	5207227061714	40	4000	105	WHITE	1/5	1	81,95€
145-56172	5207227061738	40	3000	95	WHITE	1/5	1	81,95€



120x30cm

Volt: **220-240V 50/60Hz** • LED Type: **SMD4014**
Angulo de apertura / Beam Angle: **90°**
Clase Energética / Energy Class: **F**
Start Time: **0,5sec** • PF > **0,90** • CRI > **80**
Temperatura trabajo / Operating Temperature: **-20/+40°C**
Material: **Aluminio y plástico / Aluminium & Plastic**
Conexión / Connection: **Cable / Wire**



CODE	BARCODE	WATT	KELVIN	LUMEN/WATT	COLOR	PACKING	MOQ	PVP
145-56173	5207227070082	40	6500	110	WHITE	1/5	1	92,35€
145-56174	5207227070105	40	4000	105	WHITE	1/5	1	92,35€
145-56175	5207227070129	40	3000	95	WHITE	1/5	1	92,35€

EMP. BACKLIGHT TRIDONIC DALI UGR19 RECESSED BACKLIGHT TRIDONIC DALI UGR19




powered by
TRIDONIC

NEW



60x60cm

Volt: **220-240V 50/60Hz** • LED Type: **DALI SMD2835**
Angulo de apertura / Beam Angle: **120°**
Clase Energética / Energy Class: **F**
Start Time: **0,5sec** • PF > **0,90** • CRI > **80**
Temperatura trabajo / Operating Temperature: **-20/+40°C**
Material: **Aluminio y plástico / Aluminium & Plastic**
Conexión / Connection: **Cable / Wire**



CODE	BARCODE	WATT	KELVIN	LUMEN/WATT	COLOR	PACKING	MOQ	PVP
145-56300	5207227268489	50	6500	105	WHITE	1/10	1	166,45€
145-56301	5207227268496	50	4000	105	WHITE	1/10	1	166,45€
145-56302	5207227268502	50	3000	105	WHITE	1/10	1	166,45€




powered by
TRIDONIC

NEW



120x30cm

Volt: **220-240V 50/60Hz** • LED Type: **DALI SMD2835**
Angulo de apertura / Beam Angle: **120°**
Clase Energética / Energy Class: **F**
Start Time: **0,5sec** • PF > **0,90** • CRI > **80**
Temperatura trabajo / Operating Temperature: **-20/+40°C**
Material: **Aluminio y plástico / Aluminium & Plastic**
Conexión / Connection: **Cable / Wire**



CODE	BARCODE	WATT	KELVIN	LUMEN/WATT	COLOR	PACKING	MOQ	PVP
145-56303	5207227268519	50	6500	105	WHITE	1/5	1	173,75€
145-56304	5207227268526	50	4000	105	WHITE	1/5	1	173,75€
145-56305	5207227268533	50	3000	105	WHITE	1/5	1	173,75€

ACCESORIOS LED PANEL ACCESSORIES FOR LED PANEL

BASE DE SUPERFICIE SURFACE BASE

Material:

Aluminio y plástico / Aluminium & Plastic



CODE	BARCODE	DIMENSIONS	WEIGHT	COLOR	PACKING	MOQ	PVP
145-56196	5207227026188	600x600x43mm	0,47kg	WHITE	1/25	1	16,05€
145-56390	5207227280177	600x600x70mm	0,8kg	WHITE	1/10	1	24,95€

BASE DE SUPERFICIE SURFACE BASE

Material:

Aluminio y plástico / Aluminium & Plastic



CODE	BARCODE	DIMENSIONS	WEIGHT	COLOR	PACKING	MOQ	PVP
145-56197	5207227031298	1200x300x43mm	0,57kg	WHITE	1/25	1	20,50€
145-56391	5207227280191	1200x300x70mm	0,99kg	WHITE	1/10	1	32,10€


MARCO ADAPTADOR PANEL 600X600 FRAME ADAPTOR PANEL 600X600

625x625mm

Peso/ Weight: **0,230kg**

Material: **Aluminio/ Aluminium**

CODE	BARCODE	COLOR	PACKING	MOQ	PVP
145-68095	5207227060335	SILVER	1/1	1	58,35€



ALAMBRE DE SUSPENSIÓN METÁLICO METAL SUSPENDING WIRE

Material:

Metal

CODE	BARCODE	PACKING	MOQ	PVP
145-56190	5206139052278	1/100	1	6,90€



PINZA DE SUJECCIÓN BACKLIGHT LED (CLIP) SPRING FASTENER & LED BACKLIGHT (CLIP)

Material:

Metal

CODE	BARCODE	PACKING	MOQ	PVP
145-56191	5207227058615 CLIP	1/100	1	3,65€
145-56192	5207227158827 BACKLIGHT CLIP	1/400	1	5,45€



145-56191



145-56192

DRIVERS PARA LED PANEL DRIVERS FOR LED PANEL



powered by
TRIDONIC



145-56290



145-56291

Volt: **220-240V 50/60Hz**
Output: **126V DC • PF > 0.95**
Operating Temperature: **-20/+40°C**
Material: **Metal**



CODE	BARCODE	WATT	DIMENSIONS	DIMMING	COLOR	PACKING	MOQ	PVP
145-56290	5207227202407	32-36-42-48	230x30x20mm	1-10V DC	SILVER	1/50	1	38,45€
145-56291	5207227202414	50	230x30x20mm	DALI	SILVER	1/50	1	102,80€



DIMMING
DALI or Button

Volt: **220-240V 50/60Hz**
Output: **3-42V DC • PF > 0.95**
Operating Temperature: **-20/+40°C**
Battery Charging Time: **24h**
Material: **Plastic**



CODE	BARCODE	WATT	DIMENSIONS	DIMMING	COLOR	PACKING	MOQ	PVP
145-56193	5207227124006	40	103x68x30mm	Dali	WHITE	1/48	1	72,30€



DIMMING
Dimmer 1-10V DC or Button

Volt: **220-240V 50/60Hz**
Output: **3-42V DC • PF > 0.95**
Operating Temperature: **-20/+40°C**
Material: **Plastic**



CODE	BARCODE	WATT	DIMENSIONS	DIMMING	COLOR	PACKING	MOQ	PVP
145-56194	5207227124013	40	103x68x30mm	Dali & 1-10V DC	WHITE	1/48	1	85,20€

REPUESTOS LED PANEL SPARE PARTS FOR LED PANEL



DRIVER LED LED DRIVER

Volt: **100-240V 50/60Hz**
Output: **25-42V DC • PF > 0.95**
Operating Temperature: **-20/+40°C**
Material: **Plastic**



CODE	BARCODE	WATT	DIMENSIONS	DIMMING	COLOR	PACKING	MOQ	PVP
145-56195	5206139044532	40	65x140x30mm	1-10V DC	WHITE	1/50	1	62,60€

DRIVER LED LED DRIVER

Volt: **200-240V 50/60Hz**
Output: **27-40V DC • PF > 0.90**
Operating Temperature: **-20/+45°C**
Material: **Plastic**



CODE	BARCODE	WATT	DIMENSIONS	Amperage	COLOR	PACKING	MOQ	PVP
145-56139	5207227038020	40	116x40x30mm	950mA	WHITE/BLUE	1/80	1	33,60€

DRIVER LED LED DRIVER

Volt: **175-265V 50/60Hz**
Operating Temperature: **-20/+40°C**
Material: **Plastic**



CODE	BARCODE	WATT	DIMENSIONS	COLOR	PACKING	MOQ	PVP
145-56186	5207227283123	45 / 48	70x30x20mm	WHITE/ORANGE	1/50	1	8,00€

DRIVER BATERIA UNIVERSAL 12-80W UNIVERSAL BATTERY DRIVER 12-80W

Volt: **220-240V 50/60Hz**
Output: **24-80V DC**
Operating Temperature: **-25/+70°C**
Battery type: **Lithium 7.4V 2200mAh**
Battery Charging Time: **24h** Material:
Plástico / Plastic

**0,265kg**

**15.000h**

ON
OFF

15.000

**IP20**

**2**
YEARS
WARRANTY



CODE	BARCODE	WATT	DIMENSIONS	PF	COLOR	PACKING	MOQ	PVP
145-56180	5207227058882	12-80W	202x41x27mm	>0.90	WHITE	1/50	1	41,45€



Iluminación Empotrada LED SMD & COB

LED SMD & COB
Recessed Fixtures

EMPOTRABLE LED RECESSED LED



Ø40x50mm

Volt: 220-240V 50/60Hz • Output: 25-42V DC • LED Type: COB

Angulo de apertura / Beam Angle: 36°

Clase Energética / Energy Class: F


Start Time: 0,5sec • PF > 0,50 • CRI > 80

Temperatura Trabajo/ Operating Temperature: -10/+60°C

Material: Aluminio y plástico / Aluminium & Plastic



NEW



CODE	BARCODE	WATT	KELVIN	LUMEN/WATT	COLOR	PACKING	MOQ	PVP
145-65011	5207227282751	5	4000	100	WHITE	1/50	1	24,50€
145-65012	5207227282768	5	3000	100	WHITE	1/50	1	24,50€



Ø60x60mm

Volt: 220-240V 50/60Hz • Output: 33-40V DC • LED Type: COB

Angulo de apertura / Beam Angle: 36°

Clase Energética / Energy Class: F



Start Time: 0,5sec • PF > 0,50 • CRI > 80

Temperatura Trabajo/ Operating Temperature: -10/+60°C

Material: Aluminio y plástico / Aluminium & Plastic



NEW



CODE	BARCODE	WATT	KELVIN	LUMEN/WATT	COLOR	PACKING	MOQ	PVP
145-65014	5207227282713	12	4000	100	WHITE	1/50	1	35,55€
145-65015	5207227282720	12	3000	100	WHITE	1/50	1	35,55€



Ø75x75mm

Volt: 220-240V 50/60Hz • Output: 33-40V DC • LED Type: COB

Angulo de apertura / Beam Angle: 36°

Clase Energética / Energy Class: F



Start Time: 0,5sec • PF > 0,50 • CRI > 80

Temperatura Trabajo/ Operating Temperature: -10/+60°C

Material: Aluminio y plástico / Aluminium & Plastic



NEW



CODE	BARCODE	WATT	KELVIN	LUMEN/WATT	COLOR	PACKING	MOQ	PVP
145-65017	5207227282744	18	4000	100	WHITE	1/20	1	54,30€
145-65018	5207227282737	18	3000	100	WHITE	1/20	1	54,30€

EMPOTRABLE ORIENTABLE LED RECESSED LED WITH MOVABLE BASE



Ø110x120mm

Volt: 220-240V 50/60Hz • Output: 33-40V DC • LED Type: COB



Angulo de apertura / Beam Angle: 36°

Clase Energética / Energy Class: F

Start Time: 0,5sec • PF > 0,50 • CRI > 80

Temperatura Trabajo/ Operating Temperature: -10/+60°C

Material: Aluminio y plástico / Aluminium & Plastic



CODE	BARCODE	WATT	KELVIN	LUMEN/WATT	COLOR	PACKING	MOQ	PVP
145-65020	5207227282775	12	4000	100	WHITE	1/20	1	57,95€
145-65021	5207227282782	12	3000	100	WHITE	1/20	1	57,95€



Ø110x120mm

Volt: 220-240V 50/60Hz • Output: 33-40V DC • LED Type: COB

3CCT: 3000K/4000K/6500K


Angulo de apertura / Beam Angle: 36°

Clase Energética / Energy Class: F

Start Time: 0,5sec • PF > 0,50 • CRI > 80

Temperatura Trabajo/ Operating Temperature: -10/+60°C

Material: Aluminio y plástico / Aluminium & Plastic



CODE	BARCODE	WATT	KELVIN	LUMEN/WATT	COLOR	PACKING	MOQ	PVP
145-65022	5207227282799	20	3CCT	100	WHITE	1/20	1	50,95€



Ø134x120mm

Volt: 220-240V 50/60Hz • Output: 33-40V DC • LED Type: COB

3CCT: 3000K/4000K/6500K


Angulo de apertura / Beam Angle: 36°

Clase Energética / Energy Class: F

Start Time: 0,5sec • PF > 0,50 • CRI > 80

Temperatura Trabajo/ Operating Temperature: -10/+60°C

Material: Aluminio y plástico / Aluminium & Plastic





CODE	BARCODE	WATT	KELVIN	LUMEN/WATT	COLOR	PACKING	MOQ	PVP
145-65023	5207227282805	30	3CCT	100	WHITE	1/20	1	54,65€

EMPOTRABLE LED 3CCT RECESSED LED 3CCT



Ø130x68mm

Volt: 220-240V 50/60Hz • Output: 33-40V DC • LED Type: COB
3CCT: 3000K/4000K/6500K
Angulo de apertura / Beam Angle: 60°
Clase Energética / Energy Class: F
Start Time: 0,5sec • PF > 0,90 • CRI > 80
Temperatura Trabajo/ Operating Temperature: -10/+60°C
Material: Aluminio y plástico / Aluminium & Plastic




CODE	BARCODE	WATT	KELVIN	LUMEN/WATT	COLOR	PACKING	MOQ	PVP
145-65200	5207227282843	15	3CCT	100	WHITE	1/20	1	63,95€



Ø165x90mm

Volt: 220-240V 50/60Hz • Output: 33-40V DC • LED Type: COB
3CCT: 3000K/4000K/6500K
Angulo de apertura / Beam Angle: 60°
Clase Energética / Energy Class: F
Start Time: 0,5sec • PF > 0,90 • CRI > 80
Temperatura Trabajo/ Operating Temperature: -10/+60°C
Material: Aluminio y plástico / Aluminium & Plastic





CODE	BARCODE	WATT	KELVIN	LUMEN/WATT	COLOR	PACKING	MOQ	PVP
145-65201	5207227282829	20	3CCT	100	WHITE	1/20	1	79,70€



Ø220x105mm

Volt: 220-240V 50/60Hz • Output: 33-40V DC • LED Type: COB
3CCT: 3000K/4000K/6500K
Angulo de apertura / Beam Angle: 60°
Clase Energética / Energy Class: F
Start Time: 0,5sec • PF > 0,90 • CRI > 80
Temperatura Trabajo/ Operating Temperature: -10/+60°C
Material: Aluminio y plástico / Aluminium & Plastic



CODE	BARCODE	WATT	KELVIN	LUMEN/WATT	COLOR	PACKING	MOQ	PVP
145-65202	5207227282836	40	3CCT	100	WHITE	1/10	1	88,20€

EMPOTRABLE LED 3CCT RECESSED LED 3CCT



Ø90x42mm

Volt: 220-240V 50/60Hz • Output: 33-40V DC • LED Type: COB

3CCT: 3000K/4000K/6500K



Angulo de apertura / Beam Angle: 60°

Clase Energética / Energy Class: F

Start Time: 0,5sec • PF > 0,90 • CRI > 80

Temperatura Trabajo/ Operating Temperature: -10/+60°C

Material: Aluminio y plástico / Aluminium & Plastic



CODE	BARCODE	WATT	KELVIN	LUMEN/WATT	COLOR	PACKING	MOQ	PVP
145-65210	5207227282850	10	3CCT	100	WHITE	1/20	1	35,50€



Ø225x100mm

Volt: 220-240V 50/60Hz • Output: 33-40V DC • LED Type: COB

3CCT: 3000K/4000K/6500K



Angulo de apertura / Beam Angle: 60°

Clase Energética / Energy Class: F

Start Time: 0,5sec • PF > 0,90 • CRI > 80

Temperatura Trabajo/ Operating Temperature: -10/+60°C

Material: Aluminio y plástico / Aluminium & Plastic



CODE	BARCODE	WATT	KELVIN	LUMEN/WATT	COLOR	PACKING	MOQ	PVP
145-65211	5207227282867	35	3CCT	100	WHITE	1/10	1	86,20€



Ø88x60mm

Volt: 220-240V 50/60Hz • Output: 25-42V DC • LED Type: COB

3CCT: 3000K/4000K/6500K


Angulo de apertura / Beam Angle: 60°

Clase Energética / Energy Class: F

Start Time: 0,5sec • PF > 0,50 • CRI > 80

Temperatura Trabajo/ Operating Temperature: -10/+60°C

Material: Aluminio y plástico / Aluminium & Plastic



CODE	BARCODE	WATT	KELVIN	LUMEN/WATT	COLOR	PACKING	MOQ	PVP
145-68902	5207227282751	7	3CCT	100	WHITE	1/20	1	37,90€

EMPOTRABLE LED 4CCT RECESSED LED 4CCT



Ø90x45mm


Volt: 220-240V 50/60Hz • Output: 60-100V DC
LED Type: SMD2835
4CCT: 2700K/3000K/4000K/6000K
Angulo de apertura/ Beam Angle: 90°
Clase Energética / Energy Class: E
Start Time: 0,5sec • PF > 0,93 • CRI > 80
Temperatura trabajo/ Operating Temperature: -20/+45°C
Fire Rated 90min / Ignífugo durante 90 minutos
Material: Aluminum+Iron / Aluminio + Hierro
Conexión / Connection: Push fit terminal / Conexión rápida



CODE	BARCODE	WATT	KELVIN	LUMEN/WATT	COLOR	PACKING	MOQ	PVP
145-68900	5207227271151	5/8	4CCT	110	WHITE/BLACK	1/48	1	32,60€



EMPOTRABLE PLACA DE YESO LED 3CCT RECESSED PLASTER BOARD LED 3CCT



Ø85x85mm

Volt: 220-240V 50/60Hz • Output: 33-40V DC • LED Type: COB

3CCT: 3000K/4000K/6500K


Angulo de apertura / Beam Angle: 60°

Clase Energética / Energy Class: F

Start Time: 0,5sec • PF > 0,50 • CRI > 80


Temperatura Trabajo / Operating Temperature: -10/+60°C

Material: Aluminio y plástico / Aluminium & Plastic



CODE	BARCODE	WATT	KELVIN	LUMEN/WATT	COLOR	PACKING	MOQ	PVP
145-65100	5207227282812	9	3CCT	100	WHITE	1/20	1	35,80€

EMPOTRABLE LED * 12V * RECESSED LED



12V AC/DC

Ø30x25mm

Volt: 12V AC/DC • LED Type: COB

Angulo de apertura / Beam Angle: 36°


Clase Energética / Energy Class: F

Start Time: 0,5sec • CRI > 80

Temperatura Trabajo / Operating Temperature: -10/+60°C

Material: Aluminio y plástico / Aluminium & Plastic

Conexión / Connection: Cable / Wire



CODE	BARCODE	WATT	KELVIN	LUMEN/WATT	COLOR	PACKING	MOQ	PVP
145-68910	5207227282683	1	6500	80	WHITE	1/90	1	6,15€
145-68911	5207227282690	1	4000	80	WHITE	1/90	1	6,15€
145-68912	5207227282706	1	3000	80	WHITE	1/90	1	6,15€

EMPOTRABLE LED 3CCT RECESSED LED 3CCT



Volt: 220-240V 50/60Hz • LED Type: SMD2835

3CCT: 3000K/4000K/6000K

Angulo de apertura/ Beam Angle: 120°

Clase Energética / Energy Class: E


Start Time: 0,5sec • PF > 0,53 • CRI > 80 • IK03

Temperatura trabajo/ Operating Temperature: -20/+45°C

Fire Rated 90min / Ignífugo durante 90 minutos

Material: Plastic / Plástico

Conexión / Connection: Terminal block / Bloque Terminales



CODE	BARCODE	WATT	KELVIN	DIMENSIONS	CUTTING HOLE	WEIGHT	PACKING	MOQ	PVP
145-68100	5207227302404	4,9	3CCT	Ø90x50mm	Ø70-80mm	0.075kg	1/40	1	8,20€
145-68101	5207227302374	9	3CCT	Ø130x50mm	Ø105-115mm	0.122kg	1/40	1	9,25€
145-68102	5207227302398	12	3CCT	Ø145x50mm	Ø120-130mm	0.138kg	1/40	1	12,35€
145-68103	5207227302381	18	3CCT	Ø175x50mm	Ø145-155mm	0.175kg	1/40	1	15,30€
145-68104	5207227302367	24	3CCT	Ø225x50mm	Ø195-210mm	0.255kg	1/40	1	19,45€




EMPOTRABLE LED SLIM RECESSED LED SLIM



Ø85x10.5mm

Volt: **85-265V 50/60Hz**
Angulo de Apertura / Beam Angle: **120°**
Clase Energética / Energy Class: **F**
LED Type: **SMD2835**
Start Time: **0,5sec • PF > 0,50 • CRI > 80**
Temperatura Trabajo / Operating Temperature: **-10/+60°C**
Material: **Aluminio y Plástico / Aluminium & Plastic**




CODE	BARCODE	WATT	KELVIN	LUMEN/WATT	COLOR	PACKING	MOQ	PVP
145-68600	5206139014931	3	6500	90	WHITE	1/10/60	1	5,55€
145-68601	5206139037190	3	4000	90	WHITE	1/10/60	1	5,55€
145-68602	5207227020544	3	3000	90	WHITE	1/10/60	1	5,55€
145-68620	5207227268779	3	6500	90	BLACK	1/10/60	1	5,55€
145-68621	5207227268786	3	4000	90	BLACK	1/10/60	1	5,55€
145-68622	5207227268793	3	3000	90	BLACK	1/10/60	1	5,55€
145-68604	5206139037206	3	4000	90	SATIN	1/10/60	1	7,75€



Ø85x10.5mm

Volt: **85-265V 50/60Hz**
Angulo de Apertura / Beam Angle: **120°**
Clase Energética / Energy Class: **F**
LED Type: **SMD2835**
Start Time: **0,5sec • PF > 0,50 • CRI > 80**
Temperatura Trabajo / Operating Temperature: **-10/+60°C**
Material: **Aluminio y Plástico / Aluminium & Plastic**



CODE	BARCODE	WATT	KELVIN	LUMEN/WATT	COLOR	PACKING	MOQ	PVP
145-68630	5207227245176	5	6500	90	WHITE	1/10/60	1	6,70€
145-68631	5207227245206	5	4000	90	WHITE	1/10/60	1	6,70€
145-68632	5207227245237	5	3000	90	WHITE	1/10/60	1	6,70€
145-68633	5207227245268	5	6500	90	SATIN	1/10/60	1	8,50€
145-68634	5207227245299	5	4000	90	SATIN	1/10/60	1	8,50€
145-68635	5207227245329	5	3000	90	SATIN	1/10/60	1	8,50€

EMPOTRABLE LED SLIM RECESSED LED SLIM



Ø120x10.5mm

Volt: 85-265V 50/60Hz • LED Type: SMD2835
Angulo de Apertura / Beam Angle: 120°
Clase Energética / Energy Class: F
Start Time: 0,5sec • PF > 0,50 • CRI > 80
Material: Aluminio y Plástico / Aluminium & Plastic



CODE	BARCODE	WATT	KELVIN	LUMEN/WATT	COLOR	PACKING	MOQ	PVP
145-68606	5207227020568	6	6500	90	WHITE	1/10/40	1	7,10€
145-68607	5207227124037	6	4000	90	WHITE	1/40	1	7,10€
145-68608	5207227020582	6	3000	90	WHITE	1/40	1	7,10€



Ø145x10.5mm

Volt: 85-265V 50/60Hz • LED Type: SMD2835
Angulo de Apertura / Beam Angle: 120°
Clase Energética / Energy Class: F
Start Time: 0,5sec • PF > 0,50 • CRI > 80
Material: Aluminio y Plástico / Aluminium & Plastic



CODE	BARCODE	WATT	KELVIN	LUMEN/WATT	COLOR	PACKING	MOQ	PVP
145-68609	5207227020605	9	6500	90	WHITE	1/20	1	8,55€
145-68610	5207227124051	9	4000	90	WHITE	1/20	1	8,55€
145-68611	5207227020629	9	3000	90	WHITE	1/20	1	8,55€



Ø170x10.5mm

Volt: 85-265V 50/60Hz • LED Type: SMD2835
Angulo de Apertura / Beam Angle: 120°
Clase Energética / Energy Class: F
Start Time: 0,5sec • PF > 0,50 • CRI > 80
Material: Aluminio y Plástico / Aluminium & Plastic



CODE	BARCODE	WATT	KELVIN	LUMEN/WATT	COLOR	PACKING	MOQ	PVP
145-68612	5207227020643	12	6500	90	WHITE	1/20	1	9,85€
145-68613	5207227124075	12	4000	90	WHITE	1/20	1	9,85€
145-68614	5207227020667	12	3000	90	WHITE	1/20	1	9,85€

EMPOTRABLE LED SLIM RECESSED LED SLIM



Ø225x10.5mm

Volt: 85-265V 50/60Hz

Angulo de Apertura / Beam Angle: 120°


Clase Energética / Energy Class: F

LED Type: SMD2835

Start Time: 0,5sec • PF > 0,50 • CRI > 80

Temperatura Trabajo / Operating Temperature: -10/+60°C

Material: Aluminio y Plástico / Aluminium & Plastic



CODE	BARCODE	WATT	KELVIN	LUMEN/WATT	COLOR	PACKING	MOQ	PVP
145-68000	5206139037824	20	6500	90	SATIN	1/20	1	16,60€
145-68001	5206139037213	20	4000	90	SATIN	1/20	1	16,60€
145-68010	5206139021427	20	6500	90	WHITE	1/20	1	13,30€
145-68011	5206139021434	20	4000	90	WHITE	1/20	1	13,30€
145-68012	5206139021441	20	3000	90	WHITE	1/20	1	13,30€
145-68015	5207227268595	20	6500	90	BLACK	1/20	1	13,30€
145-68014	5207227268571	20	4000	90	BLACK	1/20	1	13,30€
145-68013	5207227268557	20	3000	90	BLACK	1/20	1	13,30€

EMPOTRABLE LED SLIM RECESSED LED SLIM



225x225x10.5mm

Volt: 85-265V 50/60Hz

Angulo de Apertura / Beam Angle: 120°


Clase Energética / Energy Class: F

LED Type: SMD2835

Start Time: 0,5sec • PF > 0,50 • CRI > 80

Temperatura Trabajo / Operating Temperature: -10/+60°C

Material: Aluminio y Plástico / Aluminium & Plastic



CODE	BARCODE	WATT	KELVIN	LUMEN/WATT	COLOR	PACKING	MOQ	PVP
145-68020	5206139026224	20	6500	90	WHITE	1/20	1	13,70€
145-68021	5206139098900	20	4000	90	WHITE	1/20	1	13,70€
145-68022	5207227124099	20	3000	90	WHITE	1/20	1	13,70€
145-68023	5207227268601	20	6500	90	BLACK	1/20	1	13,70€
145-68024	5207227268625	20	4000	90	BLACK	1/20	1	13,70€
145-68025	5207227268649	20	3000	90	BLACK	1/20	1	13,70€



EMPOTRABLE LED SLIM RECESSED LED SLIM




LIFUD®

5
YEARS

Ø225x10.5mm

Volt: **85-265V 50/60Hz**
Angulo de Apertura / Beam Angle: **120°**
Clase Energética / Energy Class: **F**
LED Type: **SMD2835**
Start Time: **0,5sec** • PF > **0,50** • CRI > **80**
Material: **Aluminio y Plástico / Aluminium & Plastic**




CODE	BARCODE	WATT	KELVIN	LUMEN/WATT	COLOR	PACKING	MOQ	PVP
145-68450	5207227282669	20	6500	100	WHITE	1/20	1	32,85€
145-68451	5207227282645	20	4000	100	WHITE	1/20	1	32,85€
145-68452	5207227282652	20	5000	100	WHITE	1/20	1	32,85€



3
YEARS

Ø225x10.5mm

Volt: **85-265V 50/60Hz**
Angulo de Apertura / Beam Angle: **120°**
Clase Energética / Energy Class: **F**
LED Type: **SMD2835**
Start Time: **0,5sec** • PF > **0,50** • CRI > **80**
Material: **Aluminio y Plástico / Aluminium & Plastic**




CODE	BARCODE	WATT	KELVIN	LUMEN/WATT	COLOR	PACKING	MOQ	PVP
145-68410	5207227033599	20	6500	105	SATIN	1/20	1	25,00€
145-68411	5207227033612	20	4000	103	SATIN	1/20	1	25,00€
145-68412	5207227033636	20	3000	95	SATIN	1/20	1	25,00€



3
YEARS

Ø225x10.5mm

Volt: **85-265V 50/60Hz**
Angulo de Apertura / Beam Angle: **120°**
Clase Energética / Energy Class: **F**
LED Type: **SMD2835**
Start Time: **0,5sec** • PF > **0,50** • CRI > **80**
Material: **Aluminio y Plástico / Aluminium & Plastic**



CODE	BARCODE	WATT	KELVIN	LUMEN/WATT	COLOR	PACKING	MOQ	PVP
145-68400	5207227033551	20	6500	105	WHITE	1/20	1	19,85€
145-68401	5207227033568	20	4000	103	WHITE	1/20	1	19,85€
145-68402	5207227033575	20	3000	95	WHITE	1/20	1	19,85€


EMPOTRABLE LED SLIM CORTE AJUSTABLE RECESSED LED SLIM WITH ADJUSTABLE CUT



Ø120x10.5mm

Volt: **85-265V 50/60Hz** • LED Type: **SMD2835**
Angulo de Apertura / Beam Angle: **120°**
Clase Energética / Energy Class: **F**
Start Time: **0,5sec** • PF > **0,50** • CRI > **80**
Temperatura Trabajo / Operating Temperature: **-10/+60°C**
Material: **Aluminio y Plástico / Aluminium & Plastic**

NON DIMMABLE **CLASS II** **0,240kg** **30.000h** **ON OFF** **30.000** **IP20** **2 YEARS WARRANTY**




CODE	BARCODE	WATT	KELVIN	LUMEN/WATT	COLOR	PACKING	MOQ	PVP
145-68423	5207227071911	8	6500	105	WHITE	1/40	1	14.35€
145-68424	5207227071928	8	4000	103	WHITE	1/40	1	14.35€
145-68425	5207227071935	8	3000	95	WHITE	1/40	1	14.35€



Ø225x12mm

Volt: **85-265V 50/60Hz** • LED Type: **SMD2835**
Angulo de Apertura / Beam Angle: **120°**
Clase Energética / Energy Class: **F**
Start Time: **0,5sec** • PF > **0,50** • CRI > **80**
Temperatura Trabajo / Operating Temperature: **-10/+60°C**
Material: **Aluminio y Plástico / Aluminium & Plastic**

NON DIMMABLE **CLASS II** **0,340kg** **30.000h** **ON OFF** **30.000** **IP20** **2 YEARS WARRANTY**



CODE	BARCODE	WATT	KELVIN	LUMEN/WATT	COLOR	PACKING	MOQ	PVP
145-68420	5207227033650	20	6500	105	WHITE	1/20	1	22.50€
145-68421	5207227033674	20	4000	103	WHITE	1/20	1	22.50€
145-68422	5207227033698	20	3000	95	WHITE	1/20	1	22.50€

EMPOTRABLE LED SLIM RECESSED LED SLIM



Ø225x45mm

Volt: 85-265V 50/60Hz
Angulo de Apertura / Beam Angle: 120°
Clase Energética / Energy Class: F
LED Type: SMD2835
Start Time: 2sec • PF > 0,90 • CRI > 80
Material: Aluminio y Plástico / Aluminium & Plastic



CODE	BARCODE	WATT	KELVIN	LUMEN/WATT	COLOR	PACKING	MOQ	PVP
145-68430	5207227120961	25	6500	105	WHITE	1/20	1	30,20€
145-68431	5207227120985	25	4000	103	WHITE	1/20	1	30,20€
145-68432	5207227120992	25	3000	95	WHITE	1/20	1	30,20€



Ø225x45mm

Volt: 85-265V 50/60Hz
Angulo de Apertura / Beam Angle: 120°
Clase Energética / Energy Class: F
LED Type: SMD2835
Start Time: 2sec • PF > 0,90 • CRI > 80
Material: Aluminio y Plástico / Aluminium & Plastic



CODE	BARCODE	WATT	KELVIN	LUMEN/WATT	COLOR	PACKING	MOQ	PVP
145-68433	5207227121005	30	6500	105	WHITE	1/20	1	32,85€
145-68434	5207227121012	30	4000	103	WHITE	1/20	1	32,85€
145-68435	5207227121029	30	3000	95	WHITE	1/20	1	32,85€



Ø225x45mm

Volt: 85-265V 50/60Hz
Angulo de Apertura / Beam Angle: 120°
Clase Energética / Energy Class: F
LED Type: SMD2835
Start Time: 2sec • PF > 0,90 • CRI > 80
Material: Aluminio y Plástico / Aluminium & Plastic



CODE	BARCODE	WATT	KELVIN	LUMEN/WATT	COLOR	PACKING	MOQ	PVP
145-68436	5207227121036	40	6500	105	WHITE	1/20	1	36,35€
145-68437	5207227121043	40	4000	103	WHITE	1/20	1	36,35€
145-68438	5207227121050	40	3000	95	WHITE	1/20	1	36,35€

EMPOTRABLE RECTANGULAR LED SMD RECESSED LED SMD PARALLELOGRAM



220x132x116.5mm

Volt: 220-240V 50/60Hz


Angulo de Apertura / Beam Angle: 120°

Clase Energética / Energy Class: F

LED Type: SMD2835

Start Time: 0,5sec • PF > 0,95 • CRI > 80

Material: Aluminio y Plástico / Aluminium & Plastic



CODE	BARCODE	WATT	KELVIN	LUMEN/WATT	COLOR	PACKING	MOQ	PVP
145-68252	5207227205743	35	4000	90	WHITE	1/8	1	70,65€

EMPOTRABLE LED COB RECESSED LED COB



Ø225x52mm


Volt: 170-265V 50/60Hz • LED Type: COB7660

Angulo de Apertura / Beam Angle: 120°

Clase Energética / Energy Class: F

Start Time: 3sec • PF > 0,50 • CRI > 80

Material: Aluminio y Plástico / Aluminium & Plastic



CODE	BARCODE	WATT	KELVIN	LUMEN/WATT	COLOR	PACKING	MOQ	PVP
145-68201	5206139025081	30	6500	90	WHITE	1/20	1	23,75€
145-68202	5206139098665	30	4000	90	WHITE	1/20	1	23,75€



Ø230x113mm


Volt: 85-265V 50/60Hz • LED Type: COB1428

Angulo de Apertura / Beam Angle: 50°


Clase Energética / Energy Class: F

Start Time: 3sec • PF > 0,90 • CRI > 80


Material: Aluminio y Plástico / Aluminium & Plastic



CODE	BARCODE	WATT	KELVIN	LUMEN/WATT	COLOR	PACKING	MOQ	PVP
145-68205	5207227008375	55	6500	90	WHITE	1/10	1	93,65€
145-68206	5207227002502	55	4000	90	WHITE	1/10	1	93,65€



DOWNLIGHT EMPOTRABLE LED IPSUM RECESSED DOWNLIGHT LED IPSUM



Ø230x56mm

Opción Dimmable: TRIAC y DALI


Volt: 220-240V 50/60Hz • LED Type: TRIDONIC CLE AD5

Start Time: 0,5sec • PF > 0,95 • CRI > 80


Clase Energética / Energy Class: C

Temperatura Trabajo / Operating Temperature: -10/+60°

C Material: Aluminio y Plástico / Aluminium & Plastic



CODE	WATT	KELVIN	COLOR	PACKING	MOQ	PVP
9516-61M20*	18W	* Opción 3K, 4K	BLANCO MATE / MATT WHITE	1/12	1	64,75€
9516-6220*	18W	* Opción 3K, 4K	NEGRO MATE / MATT BLACK	1/12	1	67,20€
9516-63V20*	18W	* Opción 3K, 4K	ORO VIEJO / ANTIQUE BRASS	1/12	1	70,85€
9516-65M20*	18W	* Opción 3K, 4K	CROMO MATE / MATT CHROME	1/12	1	70,85€
9516-6NS20*	18W	* Opción 3K, 4K	NIQUEL SAT / NIKEL SATIN	1/12	1	70,85€



powered by
TRIDONIC

230x230x56mm

Opción Dimmable: TRIAC y DALI


Volt: 220-240V 50/60Hz • LED Type: TRIDONIC CLE AD5

Start Time: 0,5sec • PF > 0,95 • CRI > 80

Clase Energética / Energy Class: C


Temperatura Trabajo / Operating Temperature: -10/+60°

C Material: Aluminio y Plástico / Aluminium & Plastic



CODE	WATT	KELVIN	COLOR	PACKING	MOQ	PVP
9519-61M20*	18W	* Opción 3K, 4K	BLANCO MATE / MATT WHITE	1/12	1	65,75€
9519-6220*	18W	* Opción 3K, 4K	NEGRO MATE / MATT BLACK	1/12	1	68,20€
9519-63V20*	18W	* Opción 3K, 4K	ORO VIEJO / ANTIQUE BRASS	1/12	1	71,85€
9519-65M20*	18W	* Opción 3K, 4K	CROMO MATE / MATT CHROME	1/12	1	71,85€
9519-6NS20*	18W	* Opción 3K, 4K	NIQUEL SAT / NIKEL SATIN	1/12	1	71,85€

DOWNLIGHT EMPOTRABLE LED IPSUM II RECESSED DOWNLIGHT LED IPSUM II



Ø255x51mm

Opción Dimmable: TRIAC y DALI

Volt: 220-240V 50/60Hz • LED Type: TRIDONIC CLE AD5


Start Time: 0,5sec • PF > 0,95 • CRI > 80

Temperatura Trabajo / Operating Temperature: -10/+60°C

Material: Aluminio y Plástico / Aluminium & Plastic



3000K	*3	175lm/W	3.090lm
4000K	*4	184lm/W	3.250lm



CODE	WATT	KELVIN	COLOR	PACKING	MOQ	PVP
9517-6120*	18W	* Opción 3K, 4K	BLANCO / WHITE	1/6	1	73,95€
9517-6320*	18W	* Opción 3K, 4K	BAÑO DE ORO / GOLD	1/6	1	82,25€
9517-63V20*	18W	* Opción 3K, 4K	ORO VIEJO / ANTIQUE BRASS	1/6	1	82,25€
9517-6CM20*	18W	* Opción 3K, 4K	CROMO MATE / MATT CHROME	1/6	1	82,25€
9517-6520*	18W	* Opción 3K, 4K	CROMO / CHROME	1/6	1	82,25€



powered by
TRIDONIC

255x255x51mm

Opción Dimmable: TRIAC y DALI

Volt: 220-240V 50/60Hz • LED Type: TRIDONIC CLE AD5


Start Time: 0,5sec • PF > 0,95 • CRI > 80

Temperatura Trabajo / Operating Temperature: -10/+60°C

C Material: Aluminio y Plástico / Aluminium & Plastic




3000K	*3	175lm/W	3.090lm
4000K	*4	184lm/W	3.250lm



CODE	WATT	KELVIN	COLOR	PACKING	MOQ	PVP
9518-6120*	18W	* Opción 3K, 4K	BLANCO MATE/ MATT WHITE	1/6	1	79,15€
9518-6320*	18W	* Opción 3K, 4K	BAÑO DE ORO / GOLD	1/6	1	87,70€
9518-63V20*	18W	* Opción 3K, 4K	ORO VIEJO / ANTIQUE BRASS	1/6	1	87,70€
9518-6CM20*	18W	* Opción 3K, 4K	CROMO MATE / MATT CHROME	1/6	1	87,70€
9518-6520*	18W	* Opción 3K, 4K	CROMO / CHROME	1/6	1	87,70€

DOWNLIGHT EMPOTRABLE LED IPSUM ECO RECESSED DOWNLIGHT LED IPSUM ECO



Ø230x56mm

Opción Dimmable: TRIAC y DALI

Volt: 220-240V 50/60Hz • LED Type: SMD5730

Start Time: 0,5sec • PF > 0,90 • CRI > 80


Clase Energética / Energy Class: F

Temperatura Trabajo / Operating Temperature: -10/+60°C


Material: Aluminio y Plástico / Aluminium & Plastic



3000K	*3	90lm/W	2.070lm
4000K	*4	95lm/W	2.185lm
6000K	*6	100lm/W	2.230lm



CODE	WATT	KELVIN	COLOR	PACKING	MOQ	PVP
9526-61M20*	23W	* Opción 3K, 4K, 6K	BLANCO MATE / MATT WHITE	1/12	1	40,35€
9526-6220*	23W	* Opción 3K, 4K, 6K	NEGRO MATE / MATT BLACK	1/12	1	40,35€
9526-63V20*	23W	* Opción 3K, 4K, 6K	ORO VIEJO / ANTIQUE BRASS	1/12	1	53,80€
9526-65M20*	23W	* Opción 3K, 4K, 6K	CROMO MATE / MATT CHROME	1/12	1	52,45€
9526-6NS20*	23W	* Opción 3K, 4K, 6K	NIQUEL SAT / NIKEL SATIN	1/12	1	52,45€



powered by

EAGLE RISE

230x230x56mm

Opción Dimmable: TRIAC y DALI

Volt: 220-240V 50/60Hz • LED Type: SMD5730

Start Time: 0,5sec • PF > 0,90 • CRI > 80


Clase Energética / Energy Class: F

Temperatura Trabajo / Operating Temperature: -10/+60°C

Material: Aluminio y Plástico / Aluminium & Plastic



3000K	*3	90lm/W	2.070lm
4000K	*4	95lm/W	2.185lm
6000K	*6	100lm/W	2.230lm



CODE	WATT	KELVIN	COLOR	PACKING	MOQ	PVP
9529-61M20*	23W	* Opción 3K, 4K, 6K	BLANCO MATE / MATT WHITE	1/12	1	41,70€
9529-6220*	23W	* Opción 3K, 4K, 6K	NEGRO MATE / MATT BLACK	1/12	1	41,70€
9529-63V20*	23W	* Opción 3K, 4K, 6K	ORO VIEJO / ANTIQUE BRASS	1/12	1	55,15€
9529-65M20*	23W	* Opción 3K, 4K, 6K	CROMO MATE / MATT CHROME	1/12	1	53,80€
9529-6NS20*	23W	* Opción 3K, 4K, 6K	NIQUEL SAT / NIKEL SATIN	1/12	1	53,80€

DOWNLIGHT EMPOTRABLE LED IPSUM II ECO RECESSED DOWNLIGHT LED IPSUM II ECO




Ø255x51mm

Volt: 220-240V 50/60Hz • LED Type: SMD5730
Start Time: 0,5sec • PF > 0,90 • CRI > 80
Clase Energética / Energy Class: F
Temperatura Trabajo / Operating Temperature: -10/+60°C
Material: Aluminio y Plástico / Aluminium & Plastic

Opción Dimmable: TRIAC y DALI

NON DIMMABLE CLASS II 0,680kg 50.000h ON OFF 100.000 IP43 2 YEARS WARRANTY Ø 210mm CUTTING DIMENSIONS



CODE	WATT	KELVIN	COLOR	PACKING	MOQ	PVP
9527-6120*	23W	** Opción 3K, 4K, 6K	BLANCO / WHITE	1/6	1	53,50€
9527-6320*	23W	** Opción 3K, 4K, 6K	BAÑO DE ORO / GOLD	1/6	1	66,95€
9527-63V20*	23W	** Opción 3K, 4K, 6K	ORO VIEJO / ANTIQUE BRASS	1/6	1	66,95€
9527-6CM20*	23W	** Opción 3K, 4K, 6K	CROMO MATE / MATT CHROME	1/6	1	65,60€
9527-6520*	23W	* Opción 3K, 4K, 6K	CROMO / CHROME	1/6	1	65,60€




255x255x51mm

Volt: 220-240V 50/60Hz • LED Type: SMD5730
Start Time: 0,5sec • PF > 0,90 • CRI > 80
Clase Energética / Energy Class: F
Temperatura Trabajo / Operating Temperature: -10/+60°C
Material: Aluminio y Plástico / Aluminium & Plastic

Opción Dimmable: TRIAC y DALI

NON DIMMABLE CLASS II 0,570kg 50.000h ON OFF 100.000 IP43 2 YEARS WARRANTY Ø 210mm CUTTING DIMENSIONS



CODE	WATT	KELVIN	COLOR	PACKING	MOQ	PVP
9528-6120*	23W	* Opción 3K, 4K, 6K	BLANCO MATE / MATT WHITE	1/6	1	60,25€
9528-6320*	23W	* Opción 3K, 4K, 6K	BAÑO DE ORO / GOLD	1/6	1	75,05€
9528-63V20*	23W	* Opción 3K, 4K, 6K	ORO VIEJO / ANTIQUE BRASS	1/6	1	75,05€
9528-6CM20*	23W	* Opción 3K, 4K, 6K	CROMO MATE / MATT CHROME	1/6	1	73,70€
9528-6520*	23W	* Opción 3K, 4K, 6K	CROMO / CHROME	1/6	1	73,70€

DOWNLIGHT EMPOTRABLE LED IPSUM MADERA RECESSED DOWNLIGHT LED IPSUM MADERA

CEMENT EFFECT
EFECTO CEMENTO



PINE TREE
PINO



AGED WOOD
ENVEJECIDO





OAK
ROBLE



WALNUT
NOGAL



Opción Dimmable: TRIAC y DALI



Ø260x56mm

Volt: 220-240V 50/60Hz • LED Type: TRIDONIC CLE AD5 Start

Time: 0,5sec • PF > 0,95 • CRI > 80

Clase Energética / Energy Class: C

Temperatura Trabajo / Operating Temperature: -10/+60°C

Material: Aluminio, Plástico y Madera / Aluminium, Plastic & Wood

3000K	*3	175lm/W	3.090lm
4000K	*4	184lm/W	3.250lm



CODE	WATT	KELVIN	COLOR	PACKING	MOQ	PVP
9516-6M120*	18W	* Opción 3K, 4K	ENVEJECIDO / AGED WOOD	1/6	1	115,60€
9516-6M220*	18W	* Opción 3K, 4K	EFECTO CEMENTO / CEMENT EFECT	1/6	1	115,60€
9516-6M320*	18W	* Opción 3K, 4K	PINO / PINE TREE	1/6	1	115,60€
9516-6M420*	18W	* Opción 3K, 4K	ROBLE / OAK	1/6	1	115,60€
9516-6M520*	18W	* Opción 3K, 4K	NOGAL / WALNUT	1/6	1	115,60€

AGED WOOD
ENVEJECIDO



CEMENT EFFECT
EFECTO CEMENTO



OAK
ROBLE



PINE TREE
PINO



WALNUT
NOGAL



powered by
TRIDONIC

230x230x56mm

Volt: 220-240V 50/60Hz • LED Type: TRIDONIC CLE AD5

Start Time: 0,5sec • PF > 0,95 • CRI > 80


Clase Energética / Energy Class: C

Temperatura Trabajo / Operating Temperature: -10/+60°C

Material: Aluminio, Plástico y Madera / Aluminium, Plastic & Wood

Opción Dimmable: TRIAC y DALI

3000K	*3	175lm/W	3.090lm
4000K	*4	184lm/W	3.250lm



CODE	WATT	KELVIN	COLOR	PACKING	MOQ	PVP
9519-6M120*	18W	* Opción 3K, 4K	ENVEJECIDO / AGED WOOD	1/6	1	115,60€
9519-6M220*	18W	* Opción 3K, 4K	EFECTO CEMENTO / CEMENT EFECT	1/6	1	115,60€
9519-6M320*	18W	* Opción 3K, 4K	PINO / PINE TREE	1/6	1	115,60€
9519-6M420*	18W	* Opción 3K, 4K	ROBLE / OAK	1/6	1	115,60€
9519-6M520*	18W	* Opción 3K, 4K	NOGAL / WALNUT	1/6	1	115,60€

DOWNLIGHT EMPOTRABLE LED IPSUM MADERA RECESSED DOWNLIGHT LED IPSUM MADERA

CEMENT EFFECT
EFECTO CEMENTO

PINE TREE
PINO

AGED WOOD
ENVEJECIDO

OAK
ROBLE

WALNUT
NOGAL

Opción Dimmable: TRIAC y DALI

Ø260x56mm

Volt: 220-240V 50/60Hz • LED Type: SMD5730

Start Time: 0,5sec • PF > 0,90 • CRI > 80


Clase Energética / Energy Class: F

Temperatura Trabajo / Operating Temperature: -10/+60°C

Material: Aluminio y Plástico / Aluminium & Plastic



3000K	*3	90lm/W	2.070lm
4000K	*4	95lm/W	2.185lm
6000K	*6	100lm/W	2.230lm



CODE	WATT	KELVIN	COLOR	PACKING	MOQ	PVP
9526-6M120*	23W	* Opción 3K, 4K, 6K	ENVEJECIDO / AGED WOOD	1/6	1	94,60€
9526-6M220*	23W	* Opción 3K, 4K, 6K	EFECTO CEMENTO / CEMENT EFFECT	1/6	1	94,60€
9526-6M320*	23W	* Opción 3K, 4K, 6K	PINO / PINE TREE	1/6	1	94,60€
9526-6M420*	23W	* Opción 3K, 4K, 6K	ROBLE / OAK	1/6	1	94,60€
9526-6M520*	23W	* Opción 3K, 4K, 6K	NOGAL / WALNUT	1/6	1	94,60€

AGED WOOD
ENVEJECIDO

CEMENT EFFECT
EFECTO CEMENTO

OAK
ROBLE

powered by

PINE TREE
PINO

WALNUT
NOGAL

EAGLE RISE

Opción Dimmable: TRIAC y DALI

255x255x51mm

Volt: 220-240V 50/60Hz • LED Type: SMD5730

Start Time: 0,5sec • PF > 0,90 • CRI > 80


Clase Energética / Energy Class: F

Temperatura Trabajo / Operating Temperature: -10/+60°C

Material: Aluminio y Plástico / Aluminium & Plastic



3000K	*3	90lm/W	2.070lm
4000K	*4	95lm/W	2.185lm
6000K	*6	100lm/W	2.230lm



CODE	WATT	KELVIN	COLOR	PACKING	MOQ	PVP
9529-6M120*	23W	* Opción 3K, 4K, 6K	ENVEJECIDO / AGED WOOD	1/6	1	94,60€
9529-6M220*	23W	* Opción 3K, 4K, 6K	EFECTO CEMENTO / CEMENT EFFECT	1/6	1	94,60€
9529-6M320*	23W	* Opción 3K, 4K, 6K	PINO / PINE TREE	1/6	1	94,60€
9529-6M420*	23W	* Opción 3K, 4K, 6K	ROBLE / OAK	1/6	1	94,60€
9529-6M520*	23W	* Opción 3K, 4K, 6K	NOGAL / WALNUT	1/6	1	94,60€

DRIVERS SLIM LED PANEL DIMMING DRIVERS FOR SLIM LED PANEL



Volt: **198-264V 50/60Hz**
Output: **6-52V DC • PF > 0.90**
Material: **Plastic**
Connection: **Wire**



-20 | +50 °C **CLASS II** **PUSH DIMMING** **0,15kg** **100.000h** **ON OFF >100.000** **IP20** **5 YEARS WARRANTY**

CODE	BARCODE	WATT	AMPERAGE	DIMENSIONS	COLOR	PACKING	MOQ	PVP
145-68080	5207227279324	7-12	350mA	97x43x30mm	WHITE	1/100	1	64,20€



Volt: **198-264V 50/60Hz**
Output: **6-52V DC • PF > 0.90**
Material: **Plastic**
Connection: **Wire**



-20 | +50 °C **CLASS II** **PUSH DIMMING** **0,15kg** **100.000h** **ON OFF >100.000** **IP20** **5 YEARS WARRANTY**

CODE	BARCODE	WATT	AMPERAGE	DIMENSIONS	COLOR	PACKING	MOQ	PVP
145-68081	5207227279348	15-24	600mA	97x43x30mm	WHITE	1/100	1	68,35€



Volt: **100-240V 50/60Hz**
Output: **21-52V DC • PF > 0.50**
Material: **Plastic**
Connection: **Wire**



-20 | +40 °C **CLASS II** **DIMMABLE** **0,63kg** **20.000h** **ON OFF 15.000** **IP20** **2 YEARS WARRANTY**

CODE	BARCODE	WATT	DIMMING	DIMENSIONS	COLOR	PACKING	MOQ	PVP
145-68090	5207227191992	7-15	Ohm Dimmer	80x35x20mm	WHITE	1/100	1	14,60€



Volt: **100-240V 50/60Hz**
Output: **33-75V DC • PF > 0.50**
Material: **Plastic**
Connection: **Wire**



-20 | +40 °C **CLASS II** **DIMMABLE** **0,63kg** **20.000h** **ON OFF 15.000** **IP20** **2 YEARS WARRANTY**

CODE	BARCODE	WATT	DIMMING	DIMENSIONS	COLOR	PACKING	MOQ	PVP
145-68091	5207227192005	15-24	Ohm Dimmer	80x35x20mm	WHITE	1/100	1	18,25€

DRIVERS SLIM LED PANEL DRIVERS FOR SLIM LED PANEL



Volt: **85-265V 50/60Hz** • Output: **38-64V DC** • PF >0.50
 Operating Temperature: **-10/+60°C**
 Material: **Plastic**
 Connection: **Wire**



CLASS I **NON DIMMABLE** **0,080kg** **50.000h** **ON OFF** 15.000 **IP20** **3 YEARS WARRANTY**

CODE	BARCODE	WATT	DIMENSIONS	COLOR	PACKING	MOQ	PVP
145-68096	5207227035494	20	900x450x260mm	WHITE	1/200	1	8,30€



Volt: **85-265V 50/60Hz** • Output: **60-72V DC** • PF >0.50
 Operating Temperature: **-10/+60°C**
 Material: **Plastic**
 Connection: **Wire**



CLASS I **NON DIMMABLE** **0,080kg** **50.000h** **ON OFF** 15.000 **IP20** **3 YEARS WARRANTY**

CODE	BARCODE	WATT	DIMENSIONS	COLOR	PACKING	MOQ	PVP
145-68098	5207227110719	24	1100x420x280mm	WHITE	1/10/100	1	8,30€



Volt: **85-265V 50/60Hz** • Output: **38-64V DC** • PF >0.50
 Operating Temperature: **-10/+60°C**
 Material: **Plastic**
 Connection: **Wire**



CLASS I **NON DIMMABLE** **0,080kg** **30.000h** **ON OFF** 15.000 **IP20** **2 YEARS WARRANTY**

CODE	BARCODE	WATT	DIMENSIONS	COLOR	PACKING	MOQ	PVP
145-68097	5207227039409	20	80x35x20mm	WHITE	1/200	1	6,65€

DRIVERS SLIM LED PANEL DRIVERS FOR SLIM LED PANEL



Volt: **85-265V 50/60Hz**
 Operating Temperature: **-20/+40°C**
 Material: **Plastic**
 Connection: **Wire**



CLASS I
 NOT DIMMABLE
 COLOR WHITE
 0,25kg
 20.000h
 ON OFF 15.000
 IP20
 3 YEARS WARRANTY

CODE	BARCODE	WATT	OUTPUT	DIMENSIONS	PF	PACKING	MOQ	PVP
145-68093	5207227279270	20	60-72V DC	95x35x20mm	>0.5	1/10/100	1	8,30€
145-68092	5207227279294	30	33-40V DC	95x35x20mm	>0.5	1/10/100	1	9,65€



Volt: **85-265V 50/60Hz • PF<0.50**
 Operating Temperature: **-20/+40°C**
 Material: **Plastic**
 Connection: **Wire**



CLASS I
 FLICKER FREE
 NOT DIMMABLE
 COLOR WHITE
 0,2kg
 20.000h
 ON OFF 20.000
 IP20
 2 YEARS WARRANTY

CODE	BARCODE	WATT	OUTPUT	DIMENSIONS	WEIGHT	PACKING	MOQ	PVP
145-68490	5207227268809	25	24-42V DC	95x35x20mm	0,20kg	1/10/100	1	14,40€
145-68491	5207227207471	30	30-40V DC	95x35x20mm	0,25kg	1/10/100	1	14,40€
145-68492	5207227268816	40	30-38V DC	95x35x20mm	0,30kg	1/10/100	1	14,40€

ACCESORIOS LED PANEL ACCESSORIES FOR LED PANEL

ARO ADAPTADOR PANEL Ø240mm
 FRAME ADAPTOR PANEL Ø240mm

Ø240mm

Material: **Aluminium**

CODE	BARCODE	COLOR	PACKING	MOQ	PVP
145-68099	5207227072178	SILVER	1/1	1	10,15€



Iluminación LED Superficie

LED Fixtures
Surface Mounted



DOWNLIGHT SUPERFICIE LED SLIM SURFACE MOUNTED LED SLIM



Ø120x32mm


Volt: 85-265V 50/60Hz • LED Type: SMD2835

Angulo de Apertura / Beam Angle: 120°

Clase Energética / Energy Class: F

Start Time: 0,5sec • PF > 0,90 • CRI > 80

Material: Aluminio y Plástico / Aluminium & Plastic



CODE	BARCODE	WATT	KELVIN	LUMEN/WATT	COLOR	PACKING	MOQ	PVP
145-68500	5207227069468	6	6500	90	WHITE	1/40	1	8,60€
145-68501	5207227069482	6	4000	90	WHITE	1/40	1	8,60€
145-68502	5207227069505	6	3000	90	WHITE	1/40	1	8,60€



Ø170x32mm


Volt: 85-265V 50/60Hz • LED Type: SMD2835

Angulo de Apertura / Beam Angle: 120°

Clase Energética / Energy Class: F

Start Time: 0,5sec • PF > 0,90 • CRI > 80

Material: Aluminio y Plástico / Aluminium & Plastic



CODE	BARCODE	WATT	KELVIN	LUMEN/WATT	COLOR	PACKING	MOQ	PVP
145-68506	5207227069529	12	6500	90	WHITE	1/20	1	12,75€
145-68507	5207227069543	12	4000	90	WHITE	1/20	1	12,75€
145-68508	5207227069567	12	3000	90	WHITE	1/20	1	12,75€



Ø225x32mm


Volt: 85-265V 50/60Hz • LED Type: SMD2835

Angulo de Apertura / Beam Angle: 120°

Clase Energética / Energy Class: F

Start Time: 0,5sec • PF > 0,90 • CRI > 80

Material: Aluminio y Plástico / Aluminium & Plastic




CODE	BARCODE	WATT	KELVIN	LUMEN/WATT	COLOR	PACKING	MOQ	PVP
145-68510	5207227124105	20	6500	90	WHITE	1/20	1	17,05€
145-68511	5207227124112	20	4000	90	WHITE	1/20	1	17,05€
145-68512	5207227124136	20	3000	90	WHITE	1/20	1	17,05€
145-68546	5207227268656	20	6500	90	BLACK	1/20	1	17,05€
145-68547	5207227268663	20	4000	90	BLACK	1/20	1	17,05€
145-68548	5207227268670	20	3000	90	BLACK	1/20	1	17,05€

DOWNLIGHT SUPERFICIE LED SLIM SURFACE MOUNTED LED SLIM



Ø225x32mm

Volt: 85-265V 50/60Hz • LED Type: SMD2835
Angulo de Apertura / Beam Angle: 120°
Clase Energética / Energy Class: F
Start Time: 0,5sec • PF > 0,90 • CRI > 80
Material: Aluminio y Plástico / Aluminium & Plastic



CODE	BARCODE	WATT	KELVIN	LUMEN/WATT	COLOR	PACKING	MOQ	PVP
145-68513	5207227117640	24	6500	90	WHITE	1/20	1	19,90€
145-68514	5207227117657	24	4000	90	WHITE	1/20	1	19,90€
145-68515	5207227117664	24	3000	90	WHITE	1/20	1	19,90€



Ø300x32mm

Volt: 85-265V 50/60Hz • LED Type: SMD2835
Angulo de Apertura / Beam Angle: 120°
Clase Energética / Energy Class: F
Start Time: 0,5sec • PF > 0,90 • CRI > 80
Material: Aluminio y Plástico / Aluminium & Plastic




CODE	BARCODE	WATT	KELVIN	LUMEN/WATT	COLOR	PACKING	MOQ	PVP
145-68516	5207227117671	30	6500	90	WHITE	1/10	1	23,55€
145-68517	5207227117688	30	4000	90	WHITE	1/10	1	23,55€
145-68518	5207227117695	30	3000	90	WHITE	1/10	1	23,55€
145-68549	5207227268687	30	6500	90	BLACK	1/10	1	23,55€
145-68550	5207227268694	30	4000	90	BLACK	1/10	1	23,55€
145-68551	5207227268700	30	3000	90	BLACK	1/10	1	23,55€



143x123x40mm

Volt: 220-240V 50/60Hz • LED Type: SMD2835
Angulo de Apertura / Beam Angle: 120°
Clase Energética / Energy Class: G
Start Time: 0,5sec • PF > 0,50 • CRI > 80
Material: Plástico / Plastic



CODE	BARCODE	WATT	KELVIN	LUMEN/WATT	COLOR	PACKING	MOQ	PVP
145-68671	5207227019289	2	4200	55	WHITE	1/100	1	8,60€
145-68672	5207227019302	2	3000	55	WHITE	1/100	1	8,60€

DOWNLIGHT SUPERFICE LED SLIM SURFACE MOUNTED LED SLIM



120x120x32mm



Volt: 85-265V 50/60Hz • LED Type: SMD2835

Angulo de Apertura / Beam Angle: 120°

Clase Energética / Energy Class: F

Start Time: 0,5sec • PF > 0,90 • CRI > 80

Material: Aluminio y Plástico / Aluminium & Plastic



CODE	BARCODE	WATT	KELVIN	LUMEN/WATT	COLOR	PACKING	MOQ	PVP
145-68520	5207227069581	6	6500	90	WHITE	1/20	1	8,60€
145-68521	5207227069604	6	4000	90	WHITE	1/20	1	8,60€
145-68522	5207227069628	6	3000	90	WHITE	1/20	1	8,60€



170x170x32mm



Volt: 85-265V 50/60Hz • LED Type: SMD2835

Angulo de Apertura / Beam Angle: 120°

Clase Energética / Energy Class: F

Start Time: 0,5sec • PF > 0,90 • CRI > 80

Material: Aluminio y Plástico / Aluminium & Plastic



CODE	BARCODE	WATT	KELVIN	LUMEN/WATT	COLOR	PACKING	MOQ	PVP
145-68526	5207227069642	12	6500	90	WHITE	1/20	1	12,75€
145-68527	5207227069666	12	4000	90	WHITE	1/20	1	12,75€
145-68528	5207227069680	12	3000	90	WHITE	1/20	1	12,75€



225x225x32mm



Volt: 85-265V 50/60Hz • LED Type: SMD2835

Angulo de Apertura / Beam Angle: 120°

Clase Energética / Energy Class: F

Start Time: 0,5sec • PF > 0,90 • CRI > 80

Material: Aluminio y Plástico / Aluminium & Plastic



CODE	BARCODE	WATT	KELVIN	LUMEN/WATT	COLOR	PACKING	MOQ	PVP
145-68530	5207227124143	20	6500	90	WHITE	1/20	1	17,05€
145-68531	5207227124150	20	4000	90	WHITE	1/20	1	17,05€
145-68532	5207227124174	20	3000	90	WHITE	1/20	1	17,05€
145-68558	5207227268717	20	6500	90	BLACK	1/20	1	17,05€
145-68559	5207227268724	20	4000	90	BLACK	1/20	1	17,05€
145-68560	5207227268731	20	3000	90	BLACK	1/20	1	17,05€

DOWNLIGHT SUPERFICIE LED SLIM SURFACE MOUNTED LED SLIM



225x225x32mm

Volt: 85-265V 50/60Hz • LED Type: SMD2835
Angulo de Apertura / Beam Angle: 120°
Clase Energética / Energy Class: F
Start Time: 0,5sec • PF > 0,90 • CRI > 80
Material: Aluminio y Plástico / Aluminium & Plastic




CODE	BARCODE	WATT	KELVIN	LUMEN/WATT	COLOR	PACKING	MOQ	PVP
145-68533	5207227124181	24	6500	90	WHITE	1/20	1	20,60€
145-68534	5207227124198	24	4000	90	WHITE	1/20	1	20,60€
145-68535	5207227124204	24	3000	90	WHITE	1/20	1	20,60€



225x225x32mm

Volt: 85-265V 50/60Hz • LED Type: SMD2835
Angulo de Apertura / Beam Angle: 120°
Clase Energética / Energy Class: F
Start Time: 0,5sec • PF > 0,90 • CRI > 80
Material: Aluminio y Plástico / Aluminium & Plastic




CODE	BARCODE	WATT	KELVIN	LUMEN/WATT	COLOR	PACKING	MOQ	PVP
145-68536	5207227117619	30	6500	90	WHITE	1/10	1	23,55€
145-68537	5207227117626	30	4000	90	WHITE	1/10	1	23,55€
145-68538	5207227117633	30	3000	90	WHITE	1/10	1	23,55€
145-68561	5207227268748	30	6500	90	BLACK	1/10	1	23,55€
145-68562	5207227268755	30	4000	90	BLACK	1/10	1	23,55€
145-68563	5207227268762	30	3000	90	BLACK	1/10	1	23,55€





70x70x30mm

Volt: 220-240V 50/60Hz • LED Type: SMD2835
Angulo de Apertura / Beam Angle: 106°
Clase Energética / Energy Class: E
Start Time: 0,5sec • PF > 0,50 • CRI > 80
Material: Plástico / Plastic



CODE	BARCODE	WATT	KELVIN	LUMEN/WATT	COLOR	PACKING	MOQ	PVP
145-68654	5207227019265	2	4200	55	WHITE	1/100	1	7,35€
145-68655	5207227019241	2	3000	55	WHITE		1	7,35€

SUPERFICIE LED SMD/COB SURFACE MOUNTED LED SMD/COB



Ø141x141mm

Volt: 220-240V 50/60Hz

Angulo de Apertura / Beam Angle: 36°

Clase Energética / Energy Class: F


LED Type: SMD5730

Start Time: 0,5sec • PF > 0,50 • CRI > 80

Material: Aluminio y Plástico / Aluminium & Plastic



CODE	BARCODE	WATT	KELVIN	LUMEN/WATT	COLOR	PACKING	MOQ	PVP
145-65800	5207227282898	20	4000	100	WHITE	1/8	1	77,65€
145-65801	5207227282911	20	3000	100	WHITE	1/8	1	77,65€



Ø170x161mm

Volt: 220-240V 50/60Hz

Angulo de Apertura / Beam Angle: 36°

Clase Energética / Energy Class: F



LED Type: SMD5730

Start Time: 0,5sec • PF > 0,50 • CRI > 80

Material: Aluminio y Plástico / Aluminium & Plastic



CODE	BARCODE	WATT	KELVIN	LUMEN/WATT	COLOR	PACKING	MOQ	PVP
145-65802	5207227282928	30	4000	100	WHITE	1/8	1	105,65€
145-65803	5207227282904	30	3000	100	WHITE	1/8	1	105,65€



130x130x105mm

Volt: 220-240V 50/60Hz

Angulo de Apertura / Beam Angle: 36°

Clase Energética / Energy Class: F

LED Type: SMD5730

Start Time: 0,5sec • PF > 0,90 • CRI > 80

Material: Aluminio y Plástico / Aluminium & Plastic



CODE	BARCODE	WATT	KELVIN	LUMEN/WATT	COLOR	PACKING	MOQ	PVP
145-65806	5207227282874	30	4000	100	WHITE	1/8	1	91,45€
145-65807	5207227282881	30	3000	100	WHITE	1/8	1	91,45€


Lámparas colgantes LED para espacios profesionales

Hanging LED Fixtures
for Professional Use

PLAFÓN SUPERFICIE LED SLIM SURFACE MOUNTED LED SLIM



Volt: 220-240V 50/60Hz • LED Type: SMD2835
3CCT: 3000K/4000K/6500K
Ángulo de apertura / Beam Angle: 120°
Clase Energética / Energy Class: G
Start Time: 0,5sec • PF > 0,50 • CRI > 80
Material: ABS



-10 | +40 °C NON DIMMABLE Lm/W 100 CLASS II 30.000h ON OFF 30.000 IP44 2 YEARS WARRANTY

CODE	BARCODE	WATT	KELVIN	DIMENSIONS	WEIGHT	COLOR	PACKING	MOQ	PVP
145-68571	5207227270994	36	3CCT	Ø400x24mm	0,75kg	WHITE	1/10	1	57,10€
145-68572	5207227271014	36	3CCT	Ø400x24mm	0,75kg	BLACK	1/10	1	57,10€

CODE	BARCODE	WATT	KELVIN	DIMENSIONS	WEIGHT	COLOR	PACKING	MOQ	PVP
145-68573	5207227271038	42	3CCT	Ø480x24mm	0,96kg	WHITE	1/5	1	98,40€
145-68575	5207227271052	42	3CCT	Ø480x24mm	0,96kg	BLACK	1/5	1	98,40€

CODE	BARCODE	WATT	KELVIN	DIMENSIONS	WEIGHT	COLOR	PACKING	MOQ	PVP
145-68576	5207227271076	48	3CCT	Ø600x24mm	0,96kg	WHITE	1/5	1	123,40€
145-68577	5207227271090	48	3CCT	Ø600x24mm	0,96kg	BLACK	1/5	1	123,40€

PORTA LÁMPARA MG CON CABLE DE SUSPENSIÓN LAMPHOLDER MG WITH SUSPENDING WIRE



150x40mm

Suspending wire: 1m
Material: Iron

CLASS I 0,200kg IP20 2 YEARS WARRANTY

CODE	BARCODE	COLOR	PACKING	MOQ	PVP
145-68578	5207227271113	WHITE	1/40	1	13,20€
145-68579	5207227282638	BLACK	1/40	1	13,20€



Luz de Emergencia LED


Emergency LED
Lighting



LUZ DE EMERGENCIA LED 90min FUNCIONAMIENTO CONTINUO

EMERGENCY LIGHT LED 90min CONTINUOUS OPERATION

Volt: 220-240V 50/60Hz
LED Type: 12 SMD LED
Clase Energética / Energy Class: G
Material: Bayblend FR3010,
PC transparente / Transparent Polycarbonate
Battery Type: Ni-Cd 3.6V 0.6Ah
Tiempo de Carga / Charging Time: 24h
Tiempo de Descarga/ Discharging Time: 1,5h
Conexión / Connection: Terminal Block




+5 | +40 °C
0,562kg
IP30
1 YEAR BATTERY WARRANTY
3 YEARS WARRANTY

CODE	BARCODE	WATT	KELVIN	LUMEN	DIMENSIONS	COLOR	PACKING	MOQ	PVP
145-28200	5207227327728	2.7	4000	40/100	202x55x28mm	WHITE	1/40	1	68.75€

LUZ DE EMERGENCIA LED 90min FUNCIONAMIENTO NO CONTINUO

EMERGENCY LIGHT NON CONTINUOUS OPERATION LED 90min

Volt: 220-240V 50/60Hz
LED Type: 15 SMD LED
Clase Energética / Energy Class: G
Material: Bayblend FR3010,
PC transparente / Transparent Polycarbonate
Battery Type: Ni-Cd 3.6V 0.6Ah
Tiempo de Carga / Charging Time: 24h
Tiempo de Descarga/ Discharging Time: 1,5h
Conexión / Connection: Terminal Block




+5 | +40 °C
0,735kg
IP40
1 YEAR BATTERY WARRANTY
3 YEARS WARRANTY

CODE	BARCODE	WATT	KELVIN	LUMEN/WATT	DIMENSIONS	COLOR	PACKING	MOQ	PVP
145-28201	5207227327735	3	4000	125	350x134x45mm	WHITE	1/40	1	92,25€

LUZ DE EMERGENCIA LED 90min FUNCIONAMIENTO NO CONTINUO

EMERGENCY LIGHT NON CONTINUOUS OPERATION LED 90min

Volt: 220-240V 50/60Hz
LED Type: 12 SMD LED
Clase Energética / Energy Class: G
Material: Bayblend FR3010,
PC transparente / Transparent Polycarbonate
Battery Type: Ni-Cd 3.6V 0.6Ah
Tiempo de Carga / Charging Time: 24h
Tiempo de Descarga/ Discharging Time: 1,5h
Conexión / Connection: Terminal Block




+5 | +40 °C
0,586kg
IP42
1 YEAR BATTERY WARRANTY
3 YEARS WARRANTY

CODE	BARCODE	WATT	KELVIN	LUMEN/WATT	DIMENSIONS	COLOR	PACKING	MOQ	PVP
145-28202	5207227327742	2.5	4000	40/100	272x121x50mm	WHITE	1/40	1	81,10€

LUZ DE EMERGENCIA AUTO OPTIMIZADA CONTINUA BAJO BRILLO LED 3h
EMERGENCY LIGHT SELF OPTIMIZED CONTINUOUS LOW BRIGHTNESS LED 3h

Volt: 220-240V 50/60Hz
LED Type: 28 SMD LED
Clase Energética / Energy Class: G
Material: ABS & PC
Battery Type: Ni-Cd 3.6V 1.5Ah
Tiempo de Carga / Charging Time: 23h
Tiempo de Descarga/ Discharging Time: 1h, 3h, 8h
Conexión / Connection: Terminal Block




+5 | +40 °C


0,937kg


IP54


1 YEAR BATTERY WARRANTY


3 YEARS WARRANTY


CODE	BARCODE	WATT	KELVIN	LUMEN	DIMENSIONS	COLOR	PACKING	MOQ	PVP
145-28204	5207227327766	3.8	4000	30/150/300	358x125x80mm	WHITE / GREEN	1/40	1	162,05€



LUZ DE EMERGENCIA 30 SMD LED
EMERGENCY LIGHT 30 SMD LED

Volt: 85-265V 50/60Hz
LED Type: 30 SMD LED
Clase Energética / Energy Class: G
Material: ABS & PC
Battery Type: Li-ion 1200mAh
Tiempo de Carga / Charging Time: 20-24h
Tiempo de Descarga/ Discharging Time: 3-4h
Conexión / Connection: Enchufe / Plug

0 | +40 °C
TEST BUTTON
0,162kg
IP20
2 YEARS WARRANTY




CODE	BARCODE	WATT	KELVIN	LUMEN/WATT	DIMENSIONS	COLOR	PACKING	MOQ	PVP
145-28000	5207227075544	2	4000	60	202x55x28mm	WHITE	1/40	1	17,95€

LUZ DE EMERGENCIA 60 SMD LED
EMERGENCY LIGHT 60 SMD LED

Volt: 220-240V 50/60Hz
LED Type: 60 SMD LED
Clase Energética / Energy Class: G
Material: ABS & PC
Battery Type: Li-ion 1500mAh
Tiempo de Carga / Charging Time: 20-24h
Tiempo de Descarga/ Discharging Time: 2-3h
Conexión / Connection: Enchufe / Plug

0 | +40 °C
TEST BUTTON
0,230kg
IP20
2 YEARS WARRANTY




CODE	BARCODE	WATT	KELVIN	LUMEN/WATT	DIMENSIONS	COLOR	PACKING	MOQ	PVP
145-28001	5207227075551	4	4000	70	250x55x28mm	WHITE	1/40	1	25,20€

LUZ DE EMERGENCIA 20 SMD LED
EMERGENCY LIGHT 20 SMD LED

Volt: 220-240V 50/60Hz
LED Type: 20 SMD LED
Clase Energética / Energy Class: G
Material: ABS & PC
Battery Type: Li-ion 1500mAh
Tiempo de Carga / Charging Time: 20-24h
Tiempo de Descarga/ Discharging Time: 2-3h
Conexión / Connection: Enchufe / Plug

0 | +40 °C
TEST BUTTON
0,240kg
IP20
2 YEARS WARRANTY



CODE	BARCODE	WATT	KELVIN	LUMEN/WATT	DIMENSIONS	COLOR	PACKING	MOQ	PVP
145-28010	5207227075568	4	4000	75	250x55x28mm	WHITE	1/40	1	18,65€


LUZ DE EMERGENCIA 10 SMD LED
EMERGENCY LIGHT 10 SMD LED

Volt: 220-240V 50/60Hz
LED Type: 10 SMD LED
Clase Energética / Energy Class: G
Material: Non-Combustible ABS & PC
Battery Type: Li-ion 3,7V 1200mAh
Tiempo de Carga / Charging Time: 20-24h
Tiempo de Descarga/ Discharging Time: 3h
Conexión / Connection: Terminal Block



Instalación en
superficie y
empotrada
Surface & Recessed
Installation

3 STICKER
SET



CODE	BARCODE	WATT	KELVIN	LUMEN/WATT	DIMENSIONS	COLOR	PACKING	MOQ	PVP
145-28100	5207227075575	2	4000	75	260x108x42mm	WHITE	1/20	1	35,55€


LUZ DE EMERGENCIA 40 SMD LED
EMERGENCY LIGHT 40 SMD LED

Volt: 220-240V 50/60Hz
LED Type: 40 SMD LED
Clase Energética / Energy Class: G
Material: Non-Combustible ABS & PC
Battery Type: Li-ion 3,7V 2200mAh
Tiempo de Carga / Charging Time: 20-24h
Tiempo de Descarga/ Discharging Time: 1,5h
Conexión / Connection: Terminal Block



Instalación en
superficie y
empotrada
Surface & Recessed
Installation


3 STICKER
SET



CODE	BARCODE	WATT	KELVIN	LUMEN/WATT	DIMENSIONS	COLOR	PACKING	MOQ	PVP
145-28110	5207227075605	4	4000	75	355x135x55mm	WHITE	1/10	1	46,20€

LUZ DE EMERGENCIA 2 SMD LED
EMERGENCY LIGHT 2 SMD LED

Volt: 220-240V 50/60Hz
LED Type: 2 SMD LED
Clase Energética / Energy Class: G
Material: Non-Combustible ABS & PC
Función de prueba automática e indicador de problemas
Auto-test function and trouble Indicator
Battery Type: Li-ion 3,7V 2200mAh
Tiempo de Carga / Charging Time: 20-24h
Tiempo de Descarga/ Discharging Time: 2h
Conexión / Connection: Terminal Block



CODE	BARCODE	WATT	KELVIN	LUMEN/WATT	DIMENSIONS	COLOR	PACKING	MOQ	PVP
145-28102	5207227075599	4	4000	75	250x55x28mm	WHITE	1/20	1	62,65€




LUZ DE EMERGENCIA EMPOTRADA 10 SMD LED
RECESSED EMERGENCY LIGHT 10 SMD LED

Volt: 220-240V 50/60Hz
LED Type: 10 SMD LED
Clase Energética / Energy Class: G
Material: **Non-Combustible ABS & PMMA**
Battery Type: **Ni-MH 1,2V 1000mAh**
Tiempo de Carga / Charging Time: **24-48h**
Tiempo de Descarga/ Discharging Time: **2-3h**
Conexión / Connection: **Cable/Wire**

0 | +40 °C
TEST BUTTON
0,570kg
IP20
2 YEARS WARRANTY



4pcs PVC
STICKERS




CODE	BARCODE	WATT	KELVIN	LUMEN/WATT	DIMENSIONS	COLOR	PACKING	MOQ	PVP
145-28500	5207227075629	2	4000	30	358x185x76mm	WHITE	1/10	1	35,50€

LUZ DE EMERGENCIA LED AUTOCONTROLADA CON INDICADOR FUNCIONAMIENTO NO CONTINUO 3h
EMERGENCY LIGHT SELF-OPTIMIZED WITH INDICATOR NON CONTINUOUS OPERATION 3h

Volt: 220-240V 50/60Hz
LED Type: 1 SMD LED
Clase Energética / Energy Class: G
Material: **ABS, PC & Plexiglass**
Battery Type: **Ni-MH 3,6V 1.5Ah**
Tiempo de Carga / Charging Time: **24h**
Tiempo de Descarga/ Discharging Time: **3h**
Conexión / Connection: **Terminal Block**

+5 | +40 °C
1,010kg
IP30
1 YEAR BATTERY WARRANTY
3 YEARS WARRANTY



CODE	BARCODE	WATT	KELVIN	LUMEN	DIMENSIONS	COLOR	PACKING	MOQ	PVP
145-28203	5207227327759	3.8	4000	100	280x120x15mm	WHITE / GREEN	1/40	1	195,60€

LUZ DE EMERGENCIA MONTAJE EN PARED-TECHO SMD LED
EMERGENCY LIGHT CEILING-WALL MOUNT SMD LED


Volt: 220-240V 50/60Hz
LED Type: 12 SMD LED
Clase Energética / Energy Class: G
Material: **Aluminium & PMMA**
Battery Type: **Ni-MH 1,2V 1000mAh**
Tiempo de Carga / Charging Time: **24-48h**
Tiempo de Descarga/ Discharging Time: **3-4h**
Conexión / Connection: **Cable/Wire**

0 | +40 °C
TEST BUTTON
0,39kg
IP20
2 YEARS WARRANTY



Instalación suspendida
y de Superficie
Suspended & Surface
Installation

4pcs PVC
STICKERS



CODE	BARCODE	WATT	KELVIN	LUMEN/WATT	DIMENSIONS	COLOR	PACKING	MOQ	PVP
145-28400	5207227075612	2	4000	15	358x185x76mm	SILVER	1/20	1	37,60€

LÁMPARA DE TECHO LED CON SENSOR DE MOVIMIENTO


LED CEILING LIGHT WITH MOTION SENSOR, EXPANDABLE



Volt: 220-240V 50/60Hz • LED Type: SMD2835
Clase Energética / Energy Class: G
Ángulo de apertura/ Beam Angle: 180° / 360°
Start Time: 0,5sec • PF > 0,90 • CRI > 80 • IK10
Material: Plástico (UV Proof) / Plastic (UV Proof)

Instalación / Instalation: Altura 3-4m
Pared: max 15m / Wall: max 15m
Techo: 2m - 8m / Ceiling: 2m - 8m

Tiempo de Retardo / Delay Time: 3sec - 12min
Ampliación: hasta 10unidades. / Expands: max 10pcs
Conexión / Connection: Terminal Block



CODE	BARCODE	WATT	KELVIN	LUMEN/W	AMPERAGE	DIMENSIONS	COLOR	PACKING	MOQ	PVP
145-55301	5206139080899	16	4000	81	300mA	Ø300x87mm	WHITE	1/5	1	83,30€

LÁMPARA DE TECHO LED CON SENSOR DE MOVIMIENTO Y EMERGENCIA

LED CEILING LIGHT WITH MOTION SENSOR & EMERGENCY LIGHT




Volt: 220-240V 50/60Hz • LED Type: SMD2835
Clase Energética / Energy Class: G
Ángulo de apertura/ Beam Angle: 180° / 360°
Start Time: 0,5sec • PF > 0,90 • CRI > 80 • IK10
Material: Plástico (UV Proof) / Plastic (UV Proof)

Instalación / Instalation: Altura 3-4m
Pared: max 15m / Wall: max 15m
Techo: 2m - 8m / Ceiling: 2m - 8m

Carga de Emergencia / Emergency Load: 1,2W DC, 6Led, 80lm
Battery type: Lithium 18650, 1500mAh
Tiempo de carga / Battery Charging Time: 7-10 days
Tiempo de descarga / Discharging Time: 5h

Tiempo de Retardo / Delay Time: 3sec - 12min
Ampliación: hasta 10unidades. / Expands: max 10pcs
Conexión / Connection: Terminal Block



CODE	BARCODE	WATT	KELVIN	LUMEN/W	AMPERAGE	DIMENSIONS	COLOR	PACKING	MOQ	PVP
145-55302	5206139080905	16	4000	75	600mA	Ø300x87mm	WHITE	1/5	1	98,70€

LÁMPARA DE TECHO LED


LED CEILING LIGHT EXPANDABLE



Volt: 220-240V 50/60Hz • LED Type: SMD2835
Clase Energética / Energy Class: G
Ángulo de apertura/ Beam Angle: 180° / 360°
Start Time: 0,5sec • PF > 0,90 • CRI > 80 • IK10
Material: Plástico (UV Proof) / Plastic (UV Proof)


Instalación / Instalation: Altura 3-4m
Pared: max 15m / Wall: max 15
Techo: 2m - 8m / Ceiling: 2m - 8m

Ampliación: hasta 10 unidades. / Expands: max 10pcs
Conexión / Connection: Terminal Block



FLICKER FREE -20 | +40 °C CLASS II DIMMABLE GROUNDING 100.000h ON OFF 15.000 1,3kg IP66 2 YEARS WARRANTY

CODE	BARCODE	WATT	KELVIN	LUMEN/W	AMPERAGE	DIMENSIONS	COLOR	PACKING	MOQ	PVP
145-55307	5207227116308	16	4000	81	300mA	Ø300x87mm	WHITE	1/5	1	57,80€



LUZ DE EMERGENCIA EMPOTRABLE LED FUNCIONAMIENTO NO CONTINUO 90min
RECESSED EMERGENCY LIGHT NON CONTINUOUS OPERATION LED 90min

Volt: 220-240V 50/60Hz
LED Type: 1 SMD LED
Clase Energética / Energy Class: G
Material: Non-Combustible ABS & PC
Battery Type: Ni-MH 3,6V 1,5Ah
Tiempo de Carga / Charging Time: 24h
Tiempo de Descarga/ Discharging Time: 1,5h
Conexión / Connection: Terminal Block


+5 | +40 °C

0,450kg

IP40

1 YEAR BATTERY WARRANTY

3 YEARS WARRANTY



CODE	BARCODE	WATT	KELVIN	LUMEN	DIMENSIONS	COLOR	PACKING	MOQ	PVP
145-28205	5207227327773	2.4	4000K	160	Ø125x65	WHITE	1/20	1	100,60€

LUZ DE EMERGENCIA EMPOTRADA 2 SMD LED
RECESSED EMERGENCY LIGHT 2 SMD LED

Volt: 220-240V 50/60Hz
LED Type: 2SMD LED
Clase Energética / Energy Class: G
Material: Non-Combustible ABS & PMMA
Función de prueba automática e indicador de problemas
Auto-test function and trouble Indicator
Battery Type: Li-ion 3,7V 2200mAh
Tiempo de Carga / Charging Time: 20-24h
Tiempo de Descarga/ Discharging Time: 2h
Conexión / Connection: Terminal Block


0 | +40 °C

TEST BUTTON

0,255kg

IP40

2 YEARS WARRANTY



CODE	BARCODE	WATT	KELVIN	LUMEN/WATT	DIMENSIONS	COLOR	PACKING	MOQ	PVP
145-28510	5207227075636	4	4000K	75	250x55x28mm	WHITE	1/20	1	62,65€

LUZ DE EMERGENCIA 2x20 SMD LED
EMERGENCY LIGHT 2X20 SMD LED

Volt: 220-240V 50/60Hz
LED Type: 2x20 SMD LED
Clase Energética / Energy Class: G
Material: Non-Combustible ABS & PC
Battery Type: Li-ion 3,7V 2200mAh
Tiempo de Carga / Charging Time: 20-24h
Tiempo de Descarga/ Discharging Time: High 3-4h / Low 5-6h
Conexión / Connection: Enchufe / Plug


0 | +40 °C

TEST BUTTON

0,750kg

IP20

2 YEARS WARRANTY



CODE	BARCODE	WATT	KELVIN	LUMEN/WATT	DIMENSIONS	COLOR	PACKING	MOQ	PVP
145-28600	5207227075643	4	4000K	75	275x260x71mm	WHITE	1/5	1	72,40€

FOCOS DE SUPERFICIE Y EMPOTRADOS DE ALUMINIO

Fijos / Orientables / Estancos

Spot Recessed
Aluminum
Fixed / Movable / Waterproof



BASE DE SUPERFICIE 3CCT LED SPOT LIGHT SURFACE MOUNTED 3CCT LED



Ø110x65mm

Volt: 220-240V 50/60Hz • LED Type: SMD2835
3CCT: 2700K/4000K/6500K
Ángulo de apertura / Beam Angle: 120° • Clase Energética / Energy Class: F
Start Time: 0,5sec • PF > 0,50 • CRI > 80
Material: Aluminio y Plástico / Aluminium & Plastic
Conexión / Connection: Terminal Block

-20 | +45 °C

NON DIMMABLE

FLICKER FREE


0,35kg

25.000h

ON OFF 15.000

IP20

3 YEARS WARRANTY



CODE	BARCODE	WATT	AMPERAGE	KELVIN	LUMEN/WATT	COLOR	PACKING	MOQ	PVP
147-52643	5207227277900	10	250mA	3CCT	89	WHITE	1/20	1	33,85€
147-52644	5207227277917	10	250mA	3CCT	86	BLACK	1/20	1	33,85€



Ø140x65mm

Volt: 220-240V 50/60Hz • LED Type: SMD2835
3CCT: 2700K/4000K/6500K
Ángulo de apertura / Beam Angle: 120° • Clase Energética / Energy Class: F
Start Time: 0,5sec • PF > 0,50 • CRI > 80
Material: Aluminio y Plástico / Aluminium & Plastic
Conexión / Connection: Terminal Block

-20 | +45 °C

NON DIMMABLE

FLICKER FREE


0,5kg

25.000h

ON OFF 15.000

IP20

3 YEARS WARRANTY



CODE	BARCODE	WATT	AMPERAGE	KELVIN	LUMEN/WATT	COLOR	PACKING	MOQ	PVP
147-52645	5207227277924	16	400mA	3CCT	95	WHITE	1/20	1	49,75€
147-52646	5207227277931	16	400mA	3CCT	91	BLACK	1/20	1	49,75€



Ø100x86mm

Volt: 220-240V 50/60Hz • LED Type: SMD2835
3CCT: 2700K/4000K/6500K
Ángulo de apertura / Beam Angle: 120° • Clase Energética / Energy Class: F
Start Time: 0,5sec • PF > 0,50 • CRI > 80
Material: Aluminio y Plástico / Aluminium & Plastic
Conexión / Connection: Terminal Block

-20 | +45 °C

NON DIMMABLE

FLICKER FREE

0,3kg

25.000h

ON OFF 15.000

IP20

3 YEARS WARRANTY



CODE	BARCODE	WATT	AMPERAGE	KELVIN	LUMEN/WATT	COLOR	PACKING	MOQ	PVP
147-52647	5207227277948	10	250mA	3CCT	65	WHITE	1/20	1	37,15€
147-52648	5207227277955	10	250mA	3CCT	62	BLACK	1/20	1	37,15€

FOCO DE SUPERFICIE 3CCT LED SPOT LIGHT SURFACE MOUNTED 3CCT LED



Ø120x86mm

Volt: 220-240V 50/60Hz • LED Type: SMD2835
3CCT: 2700K/4000K/6500K
Ángulo de apertura / Beam Angle: 120° • Clase Energética / Energy Class: F
Start Time: 0,5sec • PF > 0,50 • CRI > 80
Material: Aluminio y Plástico / Aluminium & Plastic
Conexión / Connection: Terminal Block

-20 | +45 °C

NON DIMMABLE

FLICKER FREE

0,4kg

25.000h

ON OFF 15.000

IP20

3 YEARS WARRANTY



CODE	BARCODE	WATT	AMPERAGE	KELVIN	LUMEN/WATT	COLOR	PACKING	MOQ	PVP
147-52649	5207227277962	16	400mA	3CCT	62	WHITE	1/20	1	45,10€
147-52650	5207227277979	16	400mA	3CCT	58	BLACK	1/20	1	45,10€



Ø110x88mm

Volt: 220-240V 50/60Hz • LED Type: SMD2835
3CCT: 2700K/4000K/6500K
Ángulo de apertura / Beam Angle: 120° • Clase Energética / Energy Class: F
Start Time: 0,5sec • PF > 0,50 • CRI > 80
Material: Aluminio y Plástico / Aluminium & Plastic
Conexión / Connection: Terminal Block

-20 | +45 °C

NON DIMMABLE

FLICKER FREE

0,38kg

25.000h

ON OFF 15.000

IP20

3 YEARS WARRANTY



CODE	BARCODE	WATT	AMPERAGE	KELVIN	LUMEN/WATT	COLOR	PACKING	MOQ	PVP
147-52651	5207227277986	16	400mA	3CCT	50	WHITE	1/20	1	48,40€
147-52652	5207227277993	16	400mA	3CCT	48	BLACK	1/20	1	48,40€



Ø140x88mm

Volt: 220-240V 50/60Hz • LED Type: SMD2835
3CCT: 2700K/4000K/6500K
Ángulo de apertura / Beam Angle: 120° • Clase Energética / Energy Class: F
Start Time: 0,5sec • PF > 0,50 • CRI > 80
Material: Aluminio y Plástico / Aluminium & Plastic
Conexión / Connection: Terminal Block

-20 | +45 °C

NON DIMMABLE

FLICKER FREE

0,53kg

25.000h

ON OFF 15.000

IP20

3 YEARS WARRANTY



CODE	BARCODE	WATT	AMPERAGE	KELVIN	LUMEN/WATT	COLOR	PACKING	MOQ	PVP
147-52653	5207227278006	24	600mA	3CCT	75	WHITE	1/20	1	68,30€
147-52654	5207227278013	24	600mA	3CCT	72	BLACK	1/20	1	68,30€

FOCO DE SUPERFICIE 3CCT LED SPOT LIGHT SURFACE MOUNTED 3CCT LED



Ø110x125mm

Volt: 220-240V 50/60Hz • LED Type: SMD2835
3CCT: 2700K/4000K/6500K
Ángulo de apertura / Beam Angle: 120° • Clase Energética / Energy Class: F
Start Time: 0,5sec • PF > 0,50 • CRI > 80
Material: Aluminio y Plástico / Aluminium & Plastic
Conexión / Connection: Terminal Block

-20 | +45 °C

NON DIMMABLE

FLICKER FREE


0,52kg

25.000h

ON OFF 15.000

IP20

3 YEARS WARRANTY



CODE	BARCODE	WATT	AMPERAGE	KELVIN	LUMEN/WATT	COLOR	PACKING	MOQ	PVP
147-52655	5207227278020	10	250mA	3CCT	68	WHITE	1/20	1	53,70€
147-52656	5207227278037	10	250mA	3CCT	65	BLACK	1/20	1	53,70€



Ø140x125mm

Volt: 220-240V 50/60Hz • LED Type: SMD2835
3CCT: 2700K/4000K/6500K
Ángulo de apertura / Beam Angle: 120° • Clase Energética / Energy Class: F
Start Time: 0,5sec • PF > 0,50 • CRI > 80
Material: Aluminio y Plástico / Aluminium & Plastic
Conexión / Connection: Terminal Block

-20 | +45 °C

NON DIMMABLE

FLICKER FREE


0,62kg

25.000h

ON OFF 15.000

IP20

3 YEARS WARRANTY



CODE	BARCODE	WATT	AMPERAGE	KELVIN	LUMEN/WATT	COLOR	PACKING	MOQ	PVP
147-52657	5207227278044	16	400mA	3CCT	87	WHITE	1/20	1	61,00€
147-52658	5207227278051	16	400mA	3CCT	84	BLACK	1/20	1	61,00€



79x75x150mm

Volt: 220-240V 50/60Hz • LED Type: COB1304
3CCT: 2700K/4000K/6500K
Ángulo de apertura / Beam Angle: 24° • Clase Energética / Energy Class: F
Start Time: 0,5sec • PF > 0,50 • CRI > 80
Material: Aluminio y Plástico / Aluminium & Plastic
Conexión / Connection: Terminal Block

-20 | +45 °C

NON DIMMABLE

FLICKER FREE



0,57kg

25.000h


ON OFF 15.000

IP20


3 YEARS WARRANTY



CODE	BARCODE	WATT	AMPERAGE	KELVIN	LUMEN/WATT	COLOR	PACKING	MOQ	PVP
147-52659	5207227278068	2 x 7	2 x 150mA	3CCT	62	WHITE	1/20	1	78,25€
147-52660	5207227278075	2 x 7	2 x 150mA	3CCT	60	BLACK	1/20	1	78,25€



EMPOTRABLE BASCULANTE "MOBBLY R" SPOT RECESSED MOVABLE MOBBLY R



Ø102x22mm

Material: Chapa de acero / sheet steel

Conexión / Connection: Sin Portalámparas / Without Lampholder

Ø 85mm
CUTTING DIMENSIONS


0,130kg

IP20

2 YEARS WARRANTY

CODE	BARCODE	Volt	TYPE	COLOR	PACKING	MOQ	PVP
1002-11	8434067096713	12V / 230V	G5,3 / GU10	WHITE / BLANCO	1/100	1	4,60€
1002-1M	8434067183291	12V / 230V	G5,3 / GU10	MATT WHITE / BLANCO MATE	1/100	1	5,15€
1002-22	8434067096720	12V / 230V	G5,3 / GU10	MATT BLACK / NEGRO MATE	1/100	1	5,15€
1002-33	8434067096744	12V / 230V	G5,3 / GU10	GOLD / B. ORO	1/100	1	10,60€
1002-3V	8434067096782	12V / 230V	G5,3 / GU10	ANTIQUE BRASS / ORO VIEJO	1/100	1	10,60€
1002-55	8434067096805	12V / 230V	G5,3 / GU10	CHROME / CROMO	1/100	1	9,60€
1002-5M	8434067096812	12V / 230V	G5,3 / GU10	MATT CHROME / CROMO MATE	1/100	1	9,60€
1002-CV	8434067096843	12V / 230V	G5,3 / GU10	ANTIQUE COPPER / COBRE ENV.	1/100	1	15,20€
1002-MX	8434067096935	12V / 230V	G5,3 / GU10	BROWN / MARRON OXIDO	1/100	1	15,20€
1002-NS	8434067097567	12V / 230V	G5,3 / GU10	NICKEL SATIN/ NIQUEL SAT	1/100	1	9,60€

EMPOTRABLE BASCULANTE "MOBBLY K" SPOT RECESSED MOVABLE MOBBLY K



102x102x22mm

Material: Chapa de acero / sheet steel

Conexión / Connection: Sin Portalámparas / Without Lampholder

Ø 85mm
CUTTING DIMENSIONS


0,150kg

IP20

2 YEARS WARRANTY

CODE	BARCODE	Volt	TYPE	COLOR	PACKING	MOQ	PVP
1012-11	8434067100892	12V / 230V	G5,3 / GU10	WHITE / BLANCO	1/100	1	7,25€
1012-1M	8434067183475	12V / 230V	G5,3 / GU10	MATT WHITE / BLANCO MATE	1/100	1	8,20€
1012-22	8434067100908	12V / 230V	G5,3 / GU10	MATT BLACK / NEGRO MATE	1/100	1	8,20€
1012-33	8434067100922	12V / 230V	G5,3 / GU10	GOLD / B. ORO	1/100	1	11,25€
1012-3V	8434067100939	12V / 230V	G5,3 / GU10	ANTIQUE BRASS / ORO VIEJO	1/100	1	11,25€
1012-55	8434067100946	12V / 230V	G5,3 / GU10	CHROME / CROMO	1/100	1	10,40€
1012-5M	8434067100953	12V / 230V	G5,3 / GU10	MATT CHROME / CROMO MATE	1/100	1	10,40€
1012-CV	8434067100960	12V / 230V	G5,3 / GU10	ANTIQUE COPPER / COBRE ENV.	1/100	1	16,55€
1012-MX	8434067101004	12V / 230V	G5,3 / GU10	BROWN / MARRON OXIDO	1/100	1	16,55€
1012-NS	8434067101035	12V / 230V	G5,3 / GU10	NICKEL SATIN/ NIQUEL SAT	1/100	1	10,40€

EMPOTRABLE FIJO "FIKS" SPOT RECESSED FIXED FIKS




Ø80x21mm

Material: Chapa de acero / sheet steel
Conexión / Connection: Sin Portalámparas / Without Lampholder

Ø 60mm
CUTTING DIMENSIONS
0,050kg
IP20
2 YEARS WARRANTY

CODE	BARCODE	Volt	TYPE	COLOR	PACKING	MOQ	PVP
1005-01	8434067098045	12V / 230V	G5,3 / GU10	WHITE / BLANCO	1/100	1	2,70€
1005-1M	8434067183376	12V / 230V	G5,3 / GU10	MATT WHITE / BLANCO MATE	1/100	1	2,95€
1005-02	8434067098052	12V / 230V	G5,3 / GU10	MATT BLACK / NEGRO MATE	1/100	1	2,95€
1005-03	8434067098069	12V / 230V	G5,3 / GU10	GOLD / B. ORO	1/100	1	6,25€
1005-3V	8434067098076	12V / 230V	G5,3 / GU10	ANTIQUE BRASS / ORO VIEJO	1/100	1	6,25€
1005-05	8434067098090	12V / 230V	G5,3 / GU10	CHROME / CROMO	1/100	1	5,55€
1005-5M	8434067098106	12V / 230V	G5,3 / GU10	MATT CHROME / CROMO MATE	1/100	1	5,55€
1005-CV	8434067098137	12V / 230V	G5,3 / GU10	ANTIQUE COPPER / COBRE ENV.	1/100	1	8,35€
1005-MX	8434067098243	12V / 230V	G5,3 / GU10	BROWN / MARRON OXIDO	1/100	1	8,35€
1005-NS	8434067098250	12V / 230V	G5,3 / GU10	NICKEL SATIN/ NIQUEL SAT	1/100	1	5,55€

EMPOTRABLE FIJO "MINI FIKS" SPOT RECESSED FIXED MINI FIKS



Ø64x21mm

Material: Fundición de Aluminio / Diecast Aluminium
Conexión / Connection: Sin Portalámparas / Without Lampholder

Ø 60mm
CUTTING DIMENSIONS
0,050kg
IP20
2 YEARS WARRANTY

CODE	BARCODE	Volt	TYPE	COLOR	PACKING	MOQ	PVP
1018-01	8434067102551	12V / 230V	G5,3 / GU11	WHITE / BLANCO	1/50	1	4,60€
1018-02	8434067102568	12V / 230V	G5,3 / GU11	MATT BLACK / NEGRO MATE	1/50	1	4,85€
1018-3V	8434067102582	12V / 230V	G5,3 / GU11	ANTIQUE BRASS / ORO VIEJO	1/50	1	6,95€
1018-NS	8434067102667	12V / 230V	G5,3 / GU11	NICKEL SATIN/ NIQUEL SAT	1/50	1	6,75€




EMPOTRABLE BASCULANTE "TAHDEM" SPOT RECESSED MOVABLE TAHDEM




Ø102x22mm

Material: Fundición de Aluminio / Diecast Aluminium
Conexión / Connection: Sin Portalámparas / Without Lampholder




CODE	BARCODE	Volt	TYPE	COLOR	PACKING	MOQ	PVP
1030-11	8434067096713	12V / 230V	G5,3 / GU10	WHITE / BLANCO	1/100	1	8,50€
1030-3V	8434067183291	12V / 230V	G5,3 / GU10	ANTIQUE BRASS / ORO VIEJO	1/100	1	12,00€
1030-5M	8434067096720	12V / 230V	G5,3 / GU10	MATT CHROME / CROMO MATE	1/100	1	11,25€
1030-NS	8434067096744	12V / 230V	G5,3 / GU10	NICKEL SATIN/ NIQUEL SAT	1/100	1	11,25€

EMPOTRABLE FIJO "DIDDOS R" SPOT RECESSED FIXED DIDDOS R




Ø84x20mm

Material: Cristal y Aluminio / Glass & Aluminium
Conexión / Connection: Sin Portalámparas / Without Lampholder




CODE	BARCODE	Volt	TYPE		PACKING	MOQ	PVP
1125-1M	8434067119467	12V / 230V	G5,3 / GU10	MATT WHITE / BLANCO MATE	1/100	1	8,10€
1125-AL	8434067119566	12V / 230V	G5,3 / GU10	ALUMINIUM / ALUMINIO RAYADO	1/100	1	8.10€

EMPOTRABLE FIJO "DIDDOS K" SPOT RECESSED FIXED DIDDOS K



84x84x20mm

Material: Cristal y Aluminio / Glass & Aluminium
Conexión / Connection: Sin Portalámparas / Without Lampholder




CODE	BARCODE	Volt	TYPE		PACKING	MOQ	PVP
1126-1M	8434067120357	12V / 230V	G5,3 / GU10	MATT WHITE / BLANCO MATE	1/100	1	8,10€
1126-AL	8434067120142	12V / 230V	G5,3 / GU10	ALUMINIUM / ALUMINIO RAYADO	1/100	1	8,10€

FOCO EMPOTRABLE FIJO ESTANCO SPOT RECESSED FIXED

Ø82mm



Potencia Nominal / Nominal Power:
max 7W led
Material: **Aluminio / Aluminium**



CODE	BARCODE	Volt	TYPE	COLOR	PACKING	MOQ	PVP
147-52100	5207227019159	220-240V	GU10	WHITE	1/100	1	9,65€
147-52101	5207227019173	220-240V	GU10	SATIN	1/100	1	13,25€

82x82mm

Potencia Nominal / Nominal Power:
max 7W led
Material: **Aluminio / Aluminium**



CODE	BARCODE	Volt	TYPE	COLOR	PACKING	MOQ	PVP
147-52110	5206139305107	220-240V	GU10	WHITE	1/100	1	11,85€
147-52111	5206139305114	220-240V	GU10	SATIN	1/100	1	12,55€




FIJO EMPOTRABLE SKAIDRUS R SPOT RECESSED FIXED SKAIDRUS R

Ø110x62mm

Material: **Aluminio y Cristal / Aluminium & Glass**
Conexión / Connection: **Sin Portalámparas / Without Lampholder**

 **0,335kg**  **IP20**  **2 YEARS WARRANTY**  **Ø 60mm CUTTING DIMENSIONS**





CODE	BARCODE	TYPE	COLOR	PACKING	MOQ	PVP
1036-TT	8434067105897	G5,3 / GU10	TRANSPARENT / TRANSPARENTE	1/50	1	30,15€

FIJO EMPOTRABLE SKAIDRUS K SPOT RECESSED FIXED SKAIDRUS K

110x110x62mm

Material: **Aluminio y Cristal / Aluminium & Glass**
Conexión / Connection: **Sin Portalámparas / Without Lampholder**

 **0,335kg**  **IP20**  **2 YEARS WARRANTY**  **Ø 60mm CUTTING DIMENSIONS**





CODE	BARCODE	TYPE	COLOR	PACKING	MOQ	PVP
1037-TT	8434067002349	G5,3 / GU10	TRANSPARENT / TRANSPARENTE	1/50	1	35,50€

EMPOTRABLE FURAN G9 SPOT RECESSED FURAN G9

90X120X32mm

Material: **Aluminio y Cristal / Aluminium & Glass**
Conexión / Connection: **Portalámparas G9 / Lampholder G9**

 **0,310kg**  **IP20**  **2 YEARS WARRANTY**  **65X90mm CUTTING DIMENSIONS**



CODE	BARCODE	TYPE	COLOR	PACKING	MOQ	PVP
1039-11	8434067106269	G9 - 230V	WHITE / BLANCO	1/50	1	17,20€
1039-55	8434067106276	G9 - 230V	CHROME / CROMO	1/50	1	17,75€
1039-NS	8434067106283	G9 - 230V	NIKEL SATIN / NIQUEL SATINADO	1/50	1	17,75€

EMPOTRABLE BASCULANTE "KATTA" SPOT RECESSED MOVABLE KATTA



Ø102x55mm

Material: Fundición de Aluminio / Diecast Aluminium
Conexión / Connection: Sin Portalámparas / Without Lampholder

Ø 75mm
CUTTING DIMENSIONS

0,050kg

IP20

2 YEARS WARRANTY

CODE	BARCODE	Volt	TYPE	COLOR	PACKING	MOQ	PVP
1505-11	8434067185059	12V / 230V	G5,3 / GU10	WHITE / BLANCO	1/100	1	4,85€
1505-22	8434067185066	12V / 230V	G5,3 / GU10	MATT BLACK / NEGRO MATE	1/100	1	5,35€
1505-3V	8434067185073	12V / 230V	G5,3 / GU10	ANTIQUE BRASS / ORO VIEJO	1/100	1	7,40€
1505-55	8434067185080	12V / 230V	G5,3 / GU10	CHROME / CROMO	1/100	1	7,25€
1505-5M	8434067185097	12V / 230V	G5,3 / GU10	MATT CHROME / CROMO MATE	1/100	1	7,25€
1505-NS	8434067185103	12V / 230V	G5,3 / GU10	NICKEL SATIN/ NIQUEL SAT	1/100	1	7,25€

EMPOTRABLE BASCULANTE "STIL R" SPOT RECESSED MOVABLE STIL R



Ø91x38mm

Material: Aluminio / Aluminium
Conexión / Connection: Sin Portalámparas / Without Lampholder

Ø 75mm
CUTTING DIMENSIONS

0,050kg

IP20

2 YEARS WARRANTY

CODE	BARCODE	Volt	TYPE	COLOR	PACKING	MOQ	PVP
1121-AL	8434067108676	12V / 230V	G5,3 / GU10	ALUMINIUM / ALUMINIO RAYADO	1/100	1	7,60€
1121-1M	8434067002080	12V / 230V	G5,3 / GU10	MATT WHITE / BLANCO MATE	1/100	1	9,05€
1121-22	8434067000765	12V / 230V	G5,3 / GU10	MATT BLACK / NEGRO MATE	1/100	1	9,05€
1121-01M	8434067183772	12V / 230V	G5,3 / GU10	WHITE-ALUM/ BLANCO-ALUMINIO	1/100	1	7,40€
1121-02	8434067183789	12V / 230V	G5,3 / GU10	BLACK-ALUM/ NEGRO-ALUMINIO	1/100	1	7,40€

EMPOTRABLE BASCULANTE "STIL K" SPOT RECESSED MOVABLE STIL K



Ø91x38mm

Material: Aluminio / Aluminium
Conexión / Connection: Sin Portalámparas / Without Lampholder

Ø 75mm
CUTTING DIMENSIONS

0,050kg

IP20

2 YEARS WARRANTY

CODE	BARCODE	Volt	TYPE	COLOR	PACKING	MOQ	PVP
1122-AL	8434067108768	12V / 230V	G5,3 / GU10	ALUMINIUM / ALUMINIO RAYADO	1/100	1	7,75€
1122-1M	8434067001632	12V / 230V	G5,3 / GU10	MATT WHITE / BLANCO MATE	1/100	1	9,20€
1122-22	8434067000772	12V / 230V	G5,3 / GU10	MATT BLACK / NEGRO MATE	1/100	1	9,20€
1122-01M	8434067002851	12V / 230V	G5,3 / GU10	WHITE-ALUM/ BLANCO-ALUMINIO	1/100	1	9,20€
1122-02	8434067183819	12V / 230V	G5,3 / GU10	BLACK-ALUM/ NEGRO-ALUMINIO	1/100	1	9,20€

EMPOTRABLE BASCULANTE "TIPISCH R" SPOT RECESSED MOVABLE TIPISCH R



Ø82x20mm

Material: Fundición de Aluminio / Diecast Aluminium

Conexión / Connection: Sin Portalámparas / Wit out Lamp older

Ø 75mm
CUTTING DIMENSIONS

0,080kg

IP20

2 YEARS WARRANTY

CODE	BARCODE	Volt	TYPE	COLOR	PACKING	MOQ	PVP
1501-11	8434067109123	12V / 230V	G5,3 / GU10	WHITE / BLANCO	1/100	1	4,45€
1501-22	8434067182270	12V / 230V	G5,3 / GU10	MATT BLACK / NEGRO MATE	1/100	1	4,85€
1501-33	8434067109130	12V / 230V	G5,3 / GU10	GOLD / B. ORO	1/100	1	7,30€
1501-3V	8434067109147	12V / 230V	G5,3 / GU10	ANTIQUE BRASS / ORO VIEJO	1/100	1	7,30€
1501-55	8434067109154	12V / 230V	G5,3 / GU10	CHROME / CROMO	1/100	1	6,55€
1501-5M	8434067109161	12V / 230V	G5,3 / GU10	MATT CHROME / CROMO MATE	1/100	1	6,55€
147-55627	5206139300270	12V / 230V	G5,3 / GU10	ANTIQUE COPPER / COBRE ENV.	1/100	1	7,95€
1501-NS	8434067109185	12V / 230V	G5,3 / GU10	NICKEL SATIN/ NIQUEL SAT	1/100	1	6,55€
147-55625	5206139300256	12V / 230V	G5,3 / GU10	GOLD SATIN / ORO SATINADO	1/100	1	7,95€

EMPOTRABLE BASCULANTE "TIPISCH K" SPOT RECESSED MOVABLE TIPISCH K



80x80x20mm

Material: Fundición de Aluminio / Diecast Aluminium

Conexión / Connection: Sin Portalámparas / Without Lampholder

Ø 75mm
CUTTING DIMENSIONS



0,080kg

IP20

2 YEARS WARRANTY

CODE	BARCODE	Volt	TYPE	COLOR	PACKING	MOQ	PVP
1503-11	8434067110303	12V / 230V	G5,3 / GU10	WHITE / BLANCO	1/100	1	4,80€
1503-22	8434067183871	12V / 230V	G5,3 / GU10	MATT BLACK / NEGRO MATE	1/100	1	5,10€
1503-33	8434067110310	12V / 230V	G5,3 / GU10	GOLD / B. ORO	1/100	1	7,30€
1503-3V	8434067110327	12V / 230V	G5,3 / GU10	ANTIQUE BRASS / ORO VIEJO	1/100	1	7,30€
1503-55	8434067110334	12V / 230V	G5,3 / GU10	CHROME / CROMO	1/100	1	7,10€
1503-5M	8434067110341	12V / 230V	G5,3 / GU10	MATT CHROME / CROMO MATE	1/100	1	7,10€
1503-NS	8434067110365	12V / 230V	G5,3 / GU10	NICKEL SATIN/ NIQUEL SAT	1/100	1	7,10€

EMPOTRABLE BASCULANTE "OHIKO R" SPOT RECESSED MOVABLE OHIKO R



Ø78x21mm

Material: Fundición de Aluminio / Diecast Aluminium

Conexión / Connection: Sin Portalámparas / Wit out Lamp older

Ø 65mm
CUTTING DIMENSIONS


0,045kg

IP20

2 YEARS WARRANTY

CODE	BARCODE	Volt	TYPE	COLOR	PACKING	MOQ	PVP
1502-01	8434067109666	12V / 230V	G5,3 / GU10	WHITE / BLANCO	1/100	1	3,55€
1502-02	8434067183864	12V / 230V	G5,3 / GU10	MATT BLACK / NEGRO MATE	1/100	1	3,80€
1502-03	8434067109673	12V / 230V	G5,3 / GU10	GOLD / B. ORO	1/100	1	5,15€
1502-3V	8434067109680	12V / 230V	G5,3 / GU10	ANTIQUE BRASS / ORO VIEJO	1/100	1	5,15€
1502-05	8434067109697	12V / 230V	G5,3 / GU10	CHROME / CROMO	1/100	1	4,80€
1502-5M	8434067109703	12V / 230V	G5,3 / GU10	MATT CHROME / CROMO MATE	1/100	1	4,80€
147-55614	5206139300164	12V / 230V	G5,3 / GU10	ANTIQUE COPPER / COBRE ENV.	1/100	1	5,65€
1502-NS	8434067109727	12V / 230V	G5,3 / GU10	NICKEL SATIN/ NIQUEL SAT	1/100	1	4,80€
147-55616	5206139300140	12V / 230V	G5,3 / GU10	GOLD SATIN / ORO SATINADO	1/100	1	5,65€

EMPOTRABLE BASCULANTE "OHIKO K" SPOT RECESSED MOVABLE OHIKO K



75x75x20mm

Material: Fundición de Aluminio / Diecast Aluminium

Conexión / Connection: Sin Portalámparas / Without Lampholder

Ø 65mm
CUTTING DIMENSIONS

0,045kg

IP20

2 YEARS WARRANTY

CODE	BARCODE	Volt	TYPE	COLOR	PACKING	MOQ	PVP
1504-01	8434067110808	12V / 230V	G5,3 / GU10	WHITE / BLANCO	1/100	1	4,05€
1504-02	8434067183895	12V / 230V	G5,3 / GU10	MATT BLACK / NEGRO MATE	1/100	1	4,35€
1504-03	8434067110815	12V / 230V	G5,3 / GU10	GOLD / B. ORO	1/100	1	5,65€
1504-3V	8434067110822	12V / 230V	G5,3 / GU10	ANTIQUE BRASS / ORO VIEJO	1/100	1	5,65€
1504-05	8434067110839	12V / 230V	G5,3 / GU10	CHROME / CROMO	1/100	1	5,40€
1504-5M	8434067110846	12V / 230V	G5,3 / GU10	MATT CHROME / CROMO MATE	1/100	1	5,40€
1504-NS	8434067110860	12V / 230V	G5,3 / GU10	NICKEL SATIN/ NIQUEL SAT	1/100	1	5,40€

ACCESORIO DE MADERA "LIGNUM R" WOOD ACCESSORY LIGNUM R

CEMENT EFFECT
EFECTO CEMENTO




PINE TREE
PINO




AGED WOOD
ENVEJECIDO

OAK
ROBLE



WALNUT
NOGAL



Material : Madera Natural / Natural Wood

Wood accessory for the Tipisch Model (Recessed ring not included)
Accesorio de madera para el modelo Tipisch (Aro empotrable no incluido)

CODE	BARCODE	Volt	TYPE	COLOR	PACKING	MOQ	PVP
1501-M1	8434067183925	12V / 230V	G5,3 / GU10	AGED WOOD / ENVEJECIDO	1/100	1	29,85€
1501-M2	8434067183932	12V / 230V	G5,3 / GU10	CEMENT EFFECT/ EFECTO CEMENTO	1/100	1	29,85€
1501-M3	8434067183949	12V / 230V	G5,3 / GU10	PINE TREE / PINO	1/100	1	29,85€
1501-M4	8434067183956	12V / 230V	G5,3 / GU10	OAK / ROBLE	1/100	1	29,85€
1501-M5	8434067183963	12V / 230V	G5,3 / GU10	WALNUT / NOGAL	1/100	1	29,85€

ACCESORIO DE MADERA "LIGNUM K" WOOD ACCESSORY LIGNUM K

AGED WOOD
ENVEJECIDO



PINE TREE
PINO




CEMENT EFFECT
EFECTO CEMENTO

OAK
ROBLE



WALNUT
NOGAL



Material : Madera Natural / Natural Wood



Wood accessory for the Tipisch Model (Recessed ring not included)
Accesorio de madera para el modelo Tipisch (Aro empotrable no incluido)

CODE	BARCODE	Volt	TYPE	COLOR	PACKING	MOQ	PVP
1503-M1	8434067183970	12V / 230V	G5,3 / GU10	AGED WOOD / ENVEJECIDO	1/100	1	29,85€
1503-M2	8434067183987	12V / 230V	G5,3 / GU10	CEMENT EFFECT/ EFECTO CEMENTO	1/100	1	29,85€
1503-M3	8434067183994	12V / 230V	G5,3 / GU10	PINE TREE / PINO	1/100	1	29,85€
1503-M4	8434067184007	12V / 230V	G5,3 / GU10	OAK / ROBLE	1/100	1	29,85€
1503-M5	8434067184014	12V / 230V	G5,3 / GU10	WALNUT / NOGAL	1/100	1	29,85€

EMPOTRABLE MADERA "KOPPEL R" WOOD RECESSED KOPPEL R

CEMENT EFFECT
EFECTO CEMENTO


PINE TREE
PINO



WALNUT
NOGAL

OAK
ROBLE

AGED WOOD
ENVEJECIDO



Ø125x18mm

Material: Madera y Aluminio / Wood & Aluminium

Conexión / Connection: Sin Portalámparas / Wit out Lamp older

Ø 75mm
CUTTING DIMENSIONS

0,150kg

IP20

2
YEARS
WARRANTY

CODE	BARCODE	Volt	TYPE	COLOR	PACKING	MOQ	PVP
1508-M1	8434067184021	12V / 230V	G5,3 / GU10	AGED WOOD / ENVEJECIDO	1/100	1	36,65€
1508-M2	8434067184038	12V / 230V	G5,3 / GU10	CEMENT EFFECT/ EFECTO CEMENTO	1/100	1	36,65€
1508-M3	8434067184045	12V / 230V	G5,3 / GU10	PINE TREE / PINO	1/100	1	36,65€
1508-M4	8434067184052	12V / 230V	G5,3 / GU10	OAK / ROBLE	1/100	1	36,65€
1508-M5	8434067184069	12V / 230V	G5,3 / GU10	WALNUT / NOGAL	1/100	1	36,65€

EMPOTRABLE MADERA "KOPPEL K" WOOD RECESSED KOPPEL K

CEMENT EFFECT
EFECTO CEMENTO

PINE TREE
PINO




OAK
ROBLE



AGED WOOD
ENVEJECIDO

WALNUT
NOGAL



125x125x18mm

Material: Madera y Aluminio / Wood & Aluminium

Conexión / Connection: Sin Portalámparas / Wit out Lamp older

Ø 75mm
CUTTING DIMENSIONS

0,185kg

IP20

2
YEARS
WARRANTY

CODE	BARCODE	Volt	TYPE	COLOR	PACKING	MOQ	PVP
1509-M1	8434067184083	12V / 230V	G5,3 / GU10	AGED WOOD / ENVEJECIDO	1/100	1	36,65€
1509M2	8434067184090	12V / 230V	G5,3 / GU10	CEMENT EFFECT/ EFECTO CEMENTO	1/100	1	36,65€
1509-M3	8434067184076	12V / 230V	G5,3 / GU10	PINE TREE / PINO	1/100	1	36,65€
1509-M4	8434067184106	12V / 230V	G5,3 / GU10	OAK / ROBLE	1/100	1	36,65€
1509-M5	8434067184113	12V / 230V	G5,3 / GU10	WALNUT / NOGAL	1/100	1	36,65€


FIJO EMPOTRABLE "TRUMPET R" SPOT RECESSED FIXED TRUMPET R

Ø82x115mm



Material: **Chapa de acero y Aluminio / Sheet Steel & Aluminium**
Conexión/ Connection: **Portalámparas GU10 / Lampholder GU10**

0,155kg **IP20** **2 YEARS WARRANTY** **Ø 75mm CUTTING DIMENSIONS**



CODE	BARCODE	TYPE	COLOR	PACKING	MOQ	PVP
147-52530	5207227287930	GU10	WHITE	1/50	1	8,85€
147-52531	5207227287954	GU10	BLACK	1/50	1	10,15€


EMPOTRABLE BASCULANTE "BATIC" SPOT RECESSED MOVABLE BATIC



Ø86x66mm


Material: **Aluminio / Aluminium**
Conexión / Connection: **Sin Portalámparas / Without Lampholder**

0,155kg **IP20** **2 YEARS WARRANTY** **Ø 75mm CUTTING DIMENSIONS**



CODE	BARCODE	TYPE	COLOR	PACKING	MOQ	PVP
1525-1M	8434067005647	G5,3 / GU10	MATT WHITE / BLANCO MATE	1/100	1	11,90€
1525-22	8434067010887	G5,3 / GU10	MATT BLACK / NEGRO MATE	1/100	1	14,15€

EMPOTRABLE BASCULANTE "VULKAN" SPOT RECESSED MOVABLE VULKAN



Ø105x130mm

Material: **Aluminio / Aluminium**
Conexión / Connection: **Sin Portalámparas / Without Lampholder**

0,195kg **IP20** **2 YEARS WARRANTY** **Ø 95mm CUTTING DIMENSIONS**




CODE	BARCODE	TYPE	COLOR	PACKING	MOQ	PVP
1526-1M	8434067005654	G5,3 / GU10	MATT WHITE / BLANCO MATE	1/100	1	14,15€
1526-22	8434067015820	G5,3 / GU10	MATT BLACK / NEGRO MATE	1/100	1	16,45€

FIJO EMPOTRABLE REDO SPOT RECESSED FIXED REDO

Ø95x33mm

Material: **Aluminio / Aluminium**
Conexión / Connection: **Cable / Wire**

 **0,128kg**  **IP20**  **2 YEARS WARRANTY**




CODE	BARCODE	TYPE	COLOR	PACKING	MOQ	PVP
147-52530	5207227287930	GU10	WHITE	1/50	1	12,95€
147-52531	5207227287954	GU10	BLACK	1/50	1	12,95€

FIJO EMPOTRABLE OTTAVIA SPOT RECESSED FIXED OTTAVIA

Ø84x33mm

Material: **Aluminio / Aluminium**
Conexión / Connection: **Cable / Wire**

 **0,151kg**  **IP20**  **2 YEARS WARRANTY**




CODE	BARCODE	TYPE	COLOR	PACKING	MOQ	PVP
147-52532	5207227287978	GU10	WHITE	1/50	1	5,95€
147-52533	5207227287992	GU10	BLACK	1/50	1	5,95€

FIJO EMPOTRABLE ZERMIRA SPOT RECESSED FIXED ZERMIRA

Ø71x34mm

Material: **Aluminio / Aluminium**
Conexión / Connection: **Cable / Wire**

 **0,115kg**  **IP20**  **2 YEARS WARRANTY**




CODE	BARCODE	TYPE	COLOR	PACKING	MOQ	PVP
147-52534	5207227288012	GU10	WHITE	1/50	1	7,90€
147-52535	5207227288036	GU10	BLACK	1/50	1	7,90€

EMPOTRABLE ORIENTABLE REDO SPOT RECESSED MOVABLE REDO

Ø100x25mm

Material: **Aluminio / Aluminium**
Conexión / Connection: **Cable / Wire**

 **0,128kg**  **IP20**  **2 YEARS WARRANTY**




CODE	BARCODE	TYPE	COLOR	PACKING	MOQ	PVP
147-52540	5207227288050	GU10	WHITE	1/50	1	13,90€
147-52541	5207227288074	GU10	BLACK	1/50	1	13,90€

FIJO EMPOTRABLE ESTANCO TEX IP44 SPOT RECESSED FIXED WATERPROOF TEX

Ø92x42mm

Material: **Aluminio / Aluminium**
Conexión / Connection: **Cable / Wire**

 **0,166kg**  **IP44**  **2 YEARS WARRANTY**




CODE	BARCODE	TYPE	COLOR	PACKING	MOQ	PVP
147-52120	5207227288098	GU10	WHITE	1/50	1	11,45€

FOCO EMPOTRABLE FIJO SPOT RECESSED FIXED

Ø89x45mm

Material: **Aluminio / Aluminium**
Conexión / Connection: **Cable / Wire**

 **0,136kg**  **IP20**  **2 YEARS WARRANTY**



CODE	BARCODE	TYPE	COLOR	PACKING	MOQ	PVP
147-52121	5207227288111	GU10	WHITE	1/50	1	9,90€

EMPOTRABLE FIJO KHONDO SPOT RECESSED FIXED KHONDO

Ø90x45mm

Material: Fundición de Aluminio / Diecast Aluminium
Conexión / Connection: Sin Portalámparas / Without Lampholder

0,125kg IP20 2 YEARS WARRANTY Ø 80mm CUTTING DIMENSIONS



CODE	BARCODE	TYPE	COLOR	PACKING	MOQ	PVP
1533-1M	8434067185783	G5,3 / GU10	MATT WHITE / BLANCO MATE	1/100	1	5,65€
1533-02	8434067185790	G5,3 / GU10	MATT BLACK / NEGRO MATE	1/100	1	6,75€

EMPOTRABLE ORIENTABLE NELIO SPOT RECESSED MOVABLE NELIO

106x106x45mm

Material: Aluminio / Aluminium
Conexión / Connection: Sin Portalámparas / Without Lampholder

0,128kg IP20 2 YEARS WARRANTY 90x90mm CUTTING DIMENSIONS




CODE	BARCODE	TYPE	COLOR	PACKING	MOQ	PVP
1522-1M	8434067111584	G5,3 / GU10	MATT WHITE / BLANCO MATE	1/100	1	15.70€
1522-22	8434067111591	G5,3 / GU10	MATT BLACK / NEGRO MATE	1/100	1	15.70€

FOCO EMPOTRABLE "TRUMPET K" SPOT RECESSED FIXED TRUMPET K

80x80x115mm

Material: Chapa de acero y Aluminio / Sheet Steel & Aluminium
Conexión / Connection: Sin Portalámparas / Without Lampholder

0,180kg IP20 2 YEARS WARRANTY 76x76mm CUTTING DIMENSIONS




CODE	BARCODE	TYPE	COLOR	PACKING	MOQ	PVP
1524-1M	8434067005524	GU10	MATT WHITE / BLANCO MATE	1/50	1	10,15€

EMPOTRABLE ORIENTABLE ARTSI SPOT RECESSED MOVABLE ARTSI

100x100x100mm

Material: Fundición de Aluminio / Diecast Aluminium
Conexión / Connection: Sin Portalámparas / Without Lampholder

 0,125kg  IP20  2 YEARS WARRANTY  Ø 80mm CUTTING DIMENSIONS




CODE	BARCODE	TYPE	COLOR	PACKING	MOQ	PVP
TZ.V4208000	5415053202304	G5,3 / GU10	MATT WHITE / BLANCO MATE	1	1	33,35€
TZ.V4208001	5415053202311	G5,3 / GU10	MATT BLACK / NEGRO MATE	1	1	33,35€

EMPOTRABLE ORIENTABLE DOBLE ARTSI 2 SPOT RECESSED MOVABLE DOUBLE ARTSI 2

185x100x100mm

Material: Aluminio / Aluminium
Conexión / Connection: Sin Portalámparas / Without Lampholder

 0,500kg  IP20  2 YEARS WARRANTY  171X92mm CUTTING DIMENSIONS




CODE	BARCODE	TYPE	COLOR	PACKING	MOQ	PVP
TZ.V4208100	5415053202328	G5,3 / GU10	MATT WHITE / BLANCO MATE	1/100	1	64,85€
TZ.V4208101	5415053202335	G5,3 / GU10	MATT BLACK / NEGRO MATE	1/100	1	64,85€

FOCO EMPOTRABLE "DUETT" SPOT RECESSED FIXED DUETT

150x90x102 mm

Material: Chapa de acero y Aluminio /
Sheet Steel & Aluminium
Conexión / Connection: Sin Portalámparas / Without Lampholder

 0,400kg  IP20  2 YEARS WARRANTY  142x78mm CUTTING DIMENSIONS



CODE	BARCODE	TYPE	COLOR	PACKING	MOQ	PVP
1115-AL	8434067108669	G5,3 / GU10	ALUMINIUM / ALUMINIO RAYADO	1/20	1	22,95€

Lámparas LED de yeso

Uso interior

Plaster Lights LED
Indoor use



FOCO INDIVIDUAL

SINGLE SPOT

100x100x40mm

Potencia Nominal / Nominal Power:

max 6W led

Material:

Yeso / Plaster





0,300kg



IP20



3 YEARS WARRANTY



CODE	BARCODE	Operating Temperature	TYPE	COLOR	PACKING	MOQ	PVP
147-53200	5207227067686	-20/+70°C	GU10	WHITE	1/30	1	8,15€

FOCO INDIVIDUAL

SINGLE SPOT

120x120x62mm

Potencia Nominal / Nominal Power:

max 6W led

Material:

Aluminio & Yeso / Aluminium & Plaster





0,620kg



IP20



3 YEARS WARRANTY



CODE	BARCODE	Operating Temperature	TYPE	COLOR	PACKING	MOQ	PVP
147-53202	5207227067723	-20/+70°C	GU10	WHITE	1/24	1	11,75€

FOCO DOBLE

DOUBLE SPOT

214x117x60mm

Potencia Nominal / Nominal Power:

max 6W led

Material:

Yeso / Plaster




1,340kg



IP20



3 YEARS WARRANTY



CODE	BARCODE	Operating Temperature	TYPE	COLOR	PACKING	MOQ	PVP
147-53203	5207227067747	-20/+70°C	GU10	WHITE	1/12	1	22,80€

FOCO INDIVIDUAL

SINGLE SPOT

Ø100x40mm

Potencia Nominal / Nominal Power:

max 6W led

Material:

Yeso / Plaster




0,280kg



IP20



3 YEARS WARRANTY



CODE	BARCODE	Operating Temperature	TYPE	COLOR	PACKING	MOQ	PVP
147-53201	5207227067709	-20/+70°C	GU10	WHITE	1/30	1	8,15€

FOCO INDIVIDUAL

SINGLE SPOT

Ø100x40mm

Potencia Nominal / Nominal Power:

max 6W led

Material: Yeso / Plaster




0,190kg



IP20



3 YEARS WARRANTY



CODE	BARCODE	Operating Temperature	TYPE	COLOR	PACKING	MOQ	PVP
147-53205	5207227067785	-20/+70°C	GU10	WHITE	1/30	1	9,20€

FOCO DOBLE

DOUBLE INDIRECT LIGHTING SPOT

250x135x56mm

Potencia Nominal / Nominal Power:

max 6W led

Material:

Yeso / Plaster




1,590kg



IP20



3 YEARS WARRANTY



CODE	BARCODE	Operating Temperature	TYPE	COLOR	PACKING	MOQ	PVP
147-53206	5207227067808	-20/+70°C	GU10	WHITE	1/6	1	24,35€

FOCO INDIVIDUAL SINGLE SPOT

80x80x55mm

Potencia Nominal / Nominal Power:

max 6W led

Material:

Aluminio & Yeso / Aluminium & Plaster




0,400kg



IP20



3 YEARS WARRANTY



83x83 mm
CUTTING DIMENSIONS



CODE	BARCODE	Operating Temperature	TYPE	COLOR	PACKING	MOQ	PVP
147-53204	5207227067761	-20/+70°C	GU10	WHITE	1/30	1	11,35€

APLIQUE RECTANGULAR SPOT PARALLELOGRAM



360x130x60cm

LED Type: **LED CREE XP-E** • Volt: **220-240V 50/60Hz**

Ángulo de Apertura / Beam Angle: **110°**

Clase Energética / Energy Class: **F**

Start Time: **0,5sec** • PF > **0,50** • CRI > **80**

Temperatura Trabajo / Operating Temperature: **-20/+70°C**

Material: **Yeso / Plaster**



NON DIMMABLE



FLICKER FREE



1,520kg



30.000h



ON OFF


15.000



IP20



2 YEARS WARRANTY



363x133mm
CUTTING DIMENSIONS



CODE	BARCODE	WATT	KELVIN	LUMEN/WATT	COLOR	PACKING	MOQ	PVP
147-53207	5207227067822	1	3000	80	WHITE	1/6	1	39,40€



230x145x50cm

LED Type: **LED CREE XP-E** • Volt: **220-240V 50/60Hz**

Ángulo de Apertura / Beam Angle: **110°**

Clase Energética / Energy Class: **F**

Start Time: **0,5sec** • PF > **0,50** • CRI > **80**

Temperatura Trabajo / Operating Temperature: **-20/+70°C**

Material: **Yeso / Plaster**



NON DIMMABLE



FLICKER FREE



1,560kg



30.000h



ON OFF


15.000



IP20



2 YEARS WARRANTY



233x148mm
CUTTING DIMENSIONS




CODE	BARCODE	WATT	KELVIN	LUMEN/WATT	COLOR	PACKING	MOQ	PVP
147-53208	5207227067846	1	3000	80	WHITE	1/6	1	39,70€

APLIQUE OVAL MEDIUM OVAL WALL LIGHT MEDIUM

150x120x100mm

Potencia Nominal / Nominal Power:
max 6W led
Material:
Yeso / Plaster





CODE	BARCODE	Operating Temperature	TYPE	COLOR	PACKING	MOQ	PVP
147-53300	5207227067860	-20/+70°C	G9	WHITE	1/12	1	36,55€

APLIQUE CUBE CUBE WALL LIGHT

150x140x150mm

Potencia Nominal / Nominal Power:
max 6W led
Material:
Yeso / Plaster





CODE	BARCODE	Operating Temperature	TYPE	COLOR	PACKING	MOQ	PVP
147-53301	5207227067884	-20/+70°C	G9	WHITE	1/8	1	46,30€

APLIQUE CIRCULAR ROUND WALL LIGHT



Ø155mm

LED Type: **2x3W LED CREE XP-E** • Volt: **220-240V 50/60Hz**
Ángulo de Apertura / Beam Angle: **110°**
Clase Energética / Energy Class: **F**
Start Time: **0,5sec** • PF > **0,50** • CRI > **80**
Temperatura Trabajo / Operating Temperature: **-20/+70°C**
Material: **Yeso / Plaster**




CODE	BARCODE	WATT	KELVIN	LUMEN/WATT	COLOR	PACKING	MOQ	PVP
147-53305	5207227067969	1	3000	85	WHITE	1/6	1	87,85€

APLIQUE OVAL MEDIUM OVAL WALL LIGHT MEDIUM

200x80x120mm

Potencia Nominal / Nominal Power:
max 6W led
Material:
Yeso / Plaster




CODE	BARCODE	Operating Temperature	TYPE	COLOR	PACKING	MOQ	PVP
147-53302	5207227067907	-20/+70°C	G9	WHITE	1/6	1	34,15€

APLIQUE OVAL LARGE OVAL WALL LIGHT LARGE

300x140x95mm

Potencia Nominal / Nominal Power:
max 2 x 6W led
Material: **Yeso / Plaster**




CODE	BARCODE	Operating Temperature	TYPE	COLOR	PACKING	MOQ	PVP
147-53303	5207227067921	-20/+70°C	G9	WHITE	1/6	1	54,15€

APLIQUE OVAL SMALL OVAL WALL LIGHT SMALL

180x95x90mm

Potencia Nominal / Nominal Power:
max 6W led
Material:
Yeso / Plaster




CODE	BARCODE	Operating Temperature	TYPE	COLOR	PACKING	MOQ	PVP
147-53304	5207227067945	-20/+70°C	G9	WHITE	1/8	1	34,35€

APLIQUE REDONDO ROUND WALL LIGHT

Ø165x180x80mm

Potencia Nominal / Nominal Power:
max 6W led
Material:
Yeso / Plaster





CODE	BARCODE	Operating Temperature	TYPE	COLOR	PACKING	MOQ	PVP
147-53306	5207227067983	-20/+70°C	E14	WHITE	1/8	1	50,60€

APLIQUE OVAL OVAL WALL LIGHT

310x150x110mm

Potencia Nominal / Nominal Power:
max 6W led
Material:
Yeso / Plaster




CODE	BARCODE	Operating Temperature	TYPE	COLOR	PACKING	MOQ	PVP
147-53307	5207227068003	-20/+70°C	E14	WHITE	1/9	1	52,40€

APLIQUE OVAL OVAL WALL LIGHT

310x125x95mm

Potencia Nominal / Nominal Power:
max 6W led
Material:
Yeso / Plaster




CODE	BARCODE	Operating Temperature	TYPE	COLOR	PACKING	MOQ	PVP
147-53308	5207227068027	-20/+70°C	E14	WHITE	1/6	1	48,25€



APLIQUE REDONDO ARRIBA-ABAJO ROUND UP-DOWN WALL LIGHT

Ø75x250x100mm

Potencia Nominal / Nominal Power:
max 2x6W led
Material:
Yeso / Plaster




CODE	BARCODE	Operating Temperature	TYPE	COLOR	PACKING	MOQ	PVP
147-53310	5207227068065	-20/+70°C	GU10	WHITE	1/6	1	48,10€

APLIQUE CUADRADO ARRIBA-ABAJO SQUARE UP-DOWN WALL LIGHT

Ø75x250x100mm

Potencia Nominal / Nominal Power:
max 2x6W led
Material:
Yeso / Plaster




CODE	BARCODE	Operating Temperature	TYPE	COLOR	PACKING	MOQ	PVP
147-53311	5207227068089	-20/+70°C	GU10	WHITE	1/6	1	48,50€

APLIQUE ARRIBA-ABAJO UP-DOWN WALL LIGHT

120x240x100mm

Potencia Nominal / Nominal Power:
max 2x6W led
Material:
Yeso / Plaster




CODE	BARCODE	Operating Temperature	TYPE	COLOR	PACKING	MOQ	PVP
147-53313	5207227068126	-20/+70°C	GU10	WHITE	1/6	1	40,35€

APLIQUE REDONDO PERFORADO ROUND UP-DOWN WALL LIGHT PERFORATED

Ø110x305mm

Potencia Nominal / Nominal Power:
max 2x6W led
Material:
Yeso / Plaster





CODE	BARCODE	Operating Temperature	TYPE	COLOR	PACKING	MOQ	PVP
147-53312	5207227068102	-20/+70°C	E14	WHITE	1/6	1	58,15€

APLIQUE REDONDEADO PERFORADO OVAL WALL LIGHT PERFORATED

150x125x115mm

Potencia Nominal / Nominal Power:
max 6W led
Material:
Yeso / Plaster




CODE	BARCODE	Operating Temperature	TYPE	COLOR	PACKING	MOQ	PVP
147-53309	5207227068041	-20/+70°C	G9	WHITE	1/8	1	29,65€

APLIQUE OVAL 90° OVAL 90° WALL LIGHT

200x200x70mm

Potencia Nominal / Nominal Power:
max 2x6W led
Material:
Yeso / Plaster



CODE	BARCODE	Operating Temperature	TYPE	COLOR	PACKING	MOQ	PVP
147-53314	5207227068140	-20/+70°C	E14	WHITE	1/4	1	48,85€

Foco empotrable LED arquitectónico y lineal

Spot Recessed LED
Architectural & Linear




FOCO EMPOTRABLE LED ORIENTABLE LED SPOT LED LIGHT RECESSED MOVABLE



Ø100x84mm

Volt: **230V 50/60Hz** • LED Type: **COB CREE**
Ángulo de Apertura / Beam Angle: **24°**
Clase Energética / Energy Class: **G**
Start Time: **0,5sec** • PF > **0,50** • CRI > **80**
Material: **Aluminio & Plástico / Aluminium & Plastic**

-20 | +45 °C **NON DIMMABLE** **FLICKER FREE** **1,100kg** **50.000h** **ON OFF** **15.000** **IP20** **2 YEARS WARRANTY**



CODE	BARCODE	WATT	KELVIN	LUMEN/WATT	COLOR	PACKING	MOQ	PVP
145-59801	5207227151132	12	4000	85	WHITE	1/20	1	58,70€
145-59802	5207227151149	12	4000	85	BLACK	1/20	1	58,70€


FOCO EMPOTRABLE LED LINEAL LED LINEAR SPOT LED RECESSED SINGLE LIGHT



361x85x40mm

Volt: **220-240V 50/60Hz** • LED Type: **SMD3030**
Ángulo de Apertura / Beam Angle: **24°**
Clase Energética / Energy Class: **E**
Start Time: **0,5sec** • PF > **0,50** • CRI > **80**
Material: **Aluminio & PC / Aluminium & PC**
Conexión / Connection: **Κλέμμα / Terminal Block**

-20 | +45 °C **NON DIMMABLE** **FLICKER FREE** **0,500kg** **25.000h** **ON OFF** **10.000** **IP20** **2 YEARS WARRANTY**



CODE	BARCODE	WATT	KELVIN	LUMEN/WATT	COLOR	PACKING	MOQ	PVP
145-55092	5207227061660	12	4000	90	WHITE/BLACK	1/20	1	75.20€

LUMINARIAS LINEALES LED EMPOTRABLES Y DE SUPERFICIE

Linear Light Fixture LED
recessed & surface

New LED linear luminaires
Superb performance and flexibility!

Nueva línea de iluminación LED lineal
¡Rendimiento y flexibilidad!

¡La gama perfecta de lámparas lineales EUROLAMP a tu disposición! De exterior o empotrables, los encontrarás en versiones que cubrirán todas las necesidades de un espacio profesional o doméstico, para una iluminación eficiente y económica.

The complete range of EUROLAMP's linear luminaires is here! Surface, hanging, or recessed, you will find them in versions that will meet every requirement in a professional or domestic space for efficient and economical lighting.

- Luminarias que esconden en el interior los chips LED con tecnología Samsung y ofrecen un rendimiento excelente de hasta 180Lm/W

Lights that hide inside them led chips with Samsung technology bringing excellent performance with brightness up to 180Lm/W

- Equipados con fuentes de alimentación Lifud, ofrecen 5 años de garantía para su perfecto funcionamiento y regulación DALI para la gestión de la iluminación.

Equipped with Lifud drivers, they provide 5-year warranty of perfect operation and DALI support for light management

*DALI: Digital Addressable Lighting Interface / Interfaz Digital de Iluminación con Dirección Individual

- Posibilidad de ajustar la intensidad de la luz.
y elegir color para pintar la carcasa.

Ability for light dimming or not and choosing a color to paint the casing



LUMINARIA LED LINEAL DE SUPERFICIE LINEAR LIGHT FIXTURE LED



CON PLACA LED INTEGRADA
WITH INTEGRATED LED BOARD

SAMSUNG LED INVETRONIC DRIVER



Volt: **220-240V 50/60Hz** • LED Type: **SMD2835**
Ángulo de Apertura / Beam Angle: **110°**
Clase Energética / Energy Class: **F**
Start Time: **0,5sec** • PF > **0,90** • CRI > **80**
Material: **Aluminio & Plástico / Aluminium & Plastic**
Conexión / Connection: **Cable / Wire**

 **-20 | +45 °C**

 **NON DIMMABLE**

 **CLASS II**

 **FLICKER FREE**

 **50.000h**

 **ON OFF 15.000**

 **IP20**

 **COLOR BLACK**

 **3 YEARS WARRANTY**

 **2-3m INSTALLATION HEIGHT**

CODE	BARCODE	WATT	KELVIN	LUMEN/WATT	DIMENSIONS	WEIGHT	PACKING	MOQ	PVP
145-56800	5207227123573	20	4000	100	600x50x57mm	0,950Kg	1/6	1	102,20€
145-56801	5207227123580	20	3000	95	600x50x57mm	0,950Kg	1/6	1	102,20€
145-56802	5207227123597	30	4000	100	900x50x57mm	1,430Kg	1/6	1	134,45€
145-56803	5207227123603	30	3000	95	900x50x57mm	1,430Kg	1/6	1	134,45€
145-56804	5207227123610	40	4000	100	1200x50x57mm	1,900Kg	1/6	1	141,35€
145-56805	5207227123627	40	3000	95	1200x50x57mm	1,900Kg	1/6	1	165,35€
145-56806	5207227123634	50	4000	100	1500x50x57mm	2,400Kg	1/6	1	187,80€
145-56807	5207227123641	50	3000	95	1500x50x57mm	2,400Kg	1/6	1	165,55€



LUMINARIA LED LINEAL EMPOTRABLE LINEAR RECESSED LIGHT FIXTURE LED



130-180Lm/W

Volt: **220-240V 50/60Hz** • LED Type: **SMD2835**

Ángulo de Apertura / Beam Angle: **110°**

Clase Energética / Energy Class: **E (130Lm/W) / C (180Lm/W)**

Start Time: **0,5sec** • PF > **0,90** • CRI > **80**

Material: **Aluminio & Plástico / Aluminium & Plastic**

Conexión / Connection: **Cable / Wire**

-20 | +45 °C

CLASS I

FLICKER FREE

50.000h

ON OFF
15.000

IP44

5 YEARS WARRANTY

OPCIONES / CHOICE

DIMMABLE OR **NON DIMMABLE**

OPCIÓN DE ELEGIR COLOR

COLOR OF YOUR CHOICE



2-3m
INSTALLATION HEIGHT

CODE	BARCODE	WATT	Lm/W	KELVIN	DIMENSIONS	WEIGHT	COLOR	PACKING	MOQ	PVP
145-50100	5207227303043	40	130	6500	1000x50x30mm	1,3kg	WHITE	1	1	102,40€
145-50101	5207227303050	40	130	4000	1000x50x30mm	1,3kg	WHITE	1	1	102,40€
145-50102	5207227303067	40	130	3000	1000x50x30mm	1,3kg	WHITE	1	1	102,40€
145-50103	5207227303074	40	130	6500	1000x50x30mm	1,3kg	BLACK	1	1	102,40€
145-50104	5207227303081	40	130	4000	1000x50x30mm	1,3kg	BLACK	1	1	102,40€
145-50105	5207227303098	40	130	3000	1000x50x30mm	1,3kg	BLACK	1	1	102,40€

CODE	BARCODE	WATT	Lm/W	KELVIN	DIMENSIONS	WEIGHT	COLOR	PACKING	MOQ	PVP
145-50110	5207227303104	48	130	6500	1200x50x30mm	1,56kg	WHITE	1	1	122,10€
145-50111	5207227303111	48	130	4000	1200x50x30mm	1,56kg	WHITE	1	1	122,10€
145-50112	5207227303128	48	130	3000	1200x50x30mm	1,56kg	WHITE	1	1	122,10€
145-50113	5207227303135	48	130	6500	1200x50x30mm	1,56kg	BLACK	1	1	122,10€
145-50114	5207227303142	48	130	4000	1200x50x30mm	1,56kg	BLACK	1	1	122,10€
145-50115	5207227303159	48	130	3000	1200x50x30mm	1,56kg	BLACK	1	1	122,10€

CODE	BARCODE	WATT	Lm/W	KELVIN	DIMENSIONS	WEIGHT	COLOR	PACKING	MOQ	PVP
145-50120	5207227303166	60	130	6500	1500x50x30mm	1,95kg	WHITE	1	1	159,30€
145-50121	5207227303173	60	130	4000	1500x50x30mm	1,95kg	WHITE	1	1	159,30€
145-50122	5207227303180	60	130	3000	1500x50x30mm	1,95kg	WHITE	1	1	159,30€
145-50123	5207227303197	60	130	6500	1500x50x30mm	1,95kg	BLACK	1	1	159,30€
145-50124	5207227303203	60	130	4000	1500x50x30mm	1,95kg	BLACK	1	1	159,30€
145-50125	5207227303210	60	130	3000	1500x50x30mm	1,95kg	BLACK	1	1	159,30€

CODE	BARCODE	WATT	Lm/W	KELVIN	DIMENSIONS	WEIGHT	COLOR	PACKING	MOQ	PVP
145-50130	5207227303227	80	130	6500	2000x50x30mm	2,6kg	WHITE	1	1	191,55€
145-50131	5207227303234	80	130	4000	2000x50x30mm	2,6kg	WHITE	1	1	191,55€
145-50132	5207227303241	80	130	3000	2000x50x30mm	2,6kg	WHITE	1	1	191,55€
145-50133	5207227303258	80	130	6500	2000x50x30mm	2,6kg	BLACK	1	1	191,55€
145-50134	5207227303265	80	130	4000	2000x50x30mm	2,6kg	BLACK	1	1	191,55€
145-50135	5207227303272	80	130	3000	2000x50x30mm	2,6kg	BLACK	1	1	191,55€




CODE	BARCODE	WATT	Lm/W	KELVIN	DIMENSIONS	WEIGHT	COLOR	PACKING	MOQ	PVP
145-50200	5207227303289	37,5	180	6500	1000x50x30mm	1,3kg	WHITE	1	1	130,70€
145-50201	5207227303296	37,5	180	4000	1000x50x30mm	1,3kg	WHITE	1	1	130,70€
145-50202	5207227303302	37,5	180	3000	1000x50x30mm	1,3kg	WHITE	1	1	130,70€
145-50203	5207227303319	37,5	180	6500	1000x50x30mm	1,3kg	BLACK	1	1	130,70€
145-50204	5207227303326	37,5	180	4000	1000x50x30mm	1,3kg	BLACK	1	1	130,70€
145-50205	5207227303333	37,5	180	3000	1000x50x30mm	1,3kg	BLACK	1	1	130,70€

CODE	BARCODE	WATT	Lm/W	KELVIN	DIMENSIONS	WEIGHT	COLOR	PACKING	MOQ	PVP
145-50210	5207227303340	43,2	180	6500	1200x50x30mm	1,56kg	WHITE	1	1	151,40€
145-50211	5207227303357	43,2	180	4000	1200x50x30mm	1,56kg	WHITE	1	1	151,40€
145-50212	5207227303364	43,2	180	3000	1200x50x30mm	1,56kg	WHITE	1	1	151,40€
145-50213	5207227303371	43,2	180	6500	1200x50x30mm	1,56kg	BLACK	1	1	151,40€
145-50214	5207227303388	43,2	180	4000	1200x50x30mm	1,56kg	BLACK	1	1	151,40€
145-50215	5207227303395	43,2	180	3000	1200x50x30mm	1,56kg	BLACK	1	1	151,40€

CODE	BARCODE	WATT	Lm/W	KELVIN	DIMENSIONS	WEIGHT	COLOR	PACKING	MOQ	PVP
145-50220	5207227303401	51,7	180	6500	1500x50x30mm	1,95kg	WHITE	1	1	175,95€
145-50221	5207227303418	51,7	180	4000	1500x50x30mm	1,95kg	WHITE	1	1	175,95€
145-50222	5207227303425	51,7	180	3000	1500x50x30mm	1,95kg	WHITE	1	1	175,95€
145-50223	5207227303432	51,7	180	6500	1500x50x30mm	1,95kg	BLACK	1	1	175,95€
145-50224	5207227303449	51,7	180	4000	1500x50x30mm	1,95kg	BLACK	1	1	175,95€
145-50225	5207227303456	51,7	180	3000	1500x50x30mm	1,95kg	BLACK	1	1	175,95€

CODE	BARCODE	WATT	Lm/W	KELVIN	DIMENSIONS	WEIGHT	COLOR	PACKING	MOQ	PVP
145-50230	5207227303463	71,4	180	6500	2000x50x30mm	2,6kg	WHITE	1	1	221,75€
145-50231	5207227303470	71,4	180	4000	2000x50x30mm	2,6kg	WHITE	1	1	221,75€
145-50232	5207227303487	71,4	180	3000	2000x50x30mm	2,6kg	WHITE	1	1	221,75€
145-50233	5207227303494	71,4	180	6500	2000x50x30mm	2,6kg	BLACK	1	1	221,75€
145-50234	5207227303500	71,4	180	4000	2000x50x30mm	2,6kg	BLACK	1	1	221,75€
145-50235	5207227303517	71,4	180	3000	2000x50x30mm	2,6kg	BLACK	1	1	221,75€

LUMINARIA LED LINEAL DE SUPERFICIE LINEAR SURFACE LIGHT FIXTURE LED



130-180Lm/W

Volt: **220-240V 50/60Hz** • LED Type: **SMD2835**


Ángulo de Apertura / Beam Angle: **110°**

Clase Energética / Energy Class: **E (130Lm/W) / C (180Lm/W)**

Start Time: **0,5sec** • PF > **0,90** • CRI > **80**

Material: **Aluminio & Plástico / Aluminium & Plastic**

Conexión / Connection: **Cable / Wire**



OPCIONES / CHOICE



OPCIÓN DE ELEGIR COLOR

COLOR OF YOUR CHOICE



CODE	BARCODE	WATT	Lm/W	KELVIN	DIMENSIONS	WEIGHT	COLOR	PACKING	MOQ	PVP
145-50400	5207227303524	40	130	6500	1000x65x45mm	1,3kg	WHITE	1	1	118,90€
145-50401	5207227303531	40	130	4000	1000x65x45mm	1,3kg	WHITE	1	1	118,90€
145-50402	5207227303548	40	130	3000	1000x65x45mm	1,3kg	WHITE	1	1	118,90€
145-50403	5207227303555	40	130	6500	1000x65x45mm	1,3kg	BLACK	1	1	118,90€
145-50404	5207227303562	40	130	4000	1000x65x45mm	1,3kg	BLACK	1	1	118,90€
145-50405	5207227303579	40	130	3000	1000x65x45mm	1,3kg	BLACK	1	1	118,90€

CODE	BARCODE	WATT	Lm/W	KELVIN	DIMENSIONS	WEIGHT	COLOR	PACKING	MOQ	PVP
145-50410	5207227303586	48	130	6500	1200x65x45mm	1,56kg	WHITE	1	1	140,50€
145-50411	5207227303593	48	130	4000	1200x65x45mm	1,56kg	WHITE	1	1	140,50€
145-50412	5207227303609	48	130	3000	1200x65x45mm	1,56kg	WHITE	1	1	140,50€
145-50413	5207227303616	48	130	6500	1200x65x45mm	1,56kg	BLACK	1	1	140,50€
145-50414	5207227303623	48	130	4000	1200x65x45mm	1,56kg	BLACK	1	1	140,50€
145-50415	5207227303630	48	130	3000	1200x65x45mm	1,56kg	BLACK	1	1	140,50€

CODE	BARCODE	WATT	Lm/W	KELVIN	DIMENSIONS	WEIGHT	COLOR	PACKING	MOQ	PVP
145-50420	5207227303647	60	130	6500	1500x65x45mm	1,95kg	WHITE	1	1	174,60€
145-50421	5207227303654	60	130	4000	1500x65x45mm	1,95kg	WHITE	1	1	174,60€
145-50422	5207227303661	60	130	3000	1500x65x45mm	1,95kg	WHITE	1	1	174,60€
145-50423	5207227303678	60	130	6500	1500x65x45mm	1,95kg	BLACK	1	1	174,60€
145-50424	5207227303685	60	130	4000	1500x65x45mm	1,95kg	BLACK	1	1	174,60€
145-50425	5207227303692	60	130	3000	1500x65x45mm	1,95kg	BLACK	1	1	174,60€

CODE	BARCODE	WATT	Lm/W	KELVIN	DIMENSIONS	WEIGHT	COLOR	PACKING	MOQ	PVP
145-50430	5207227303708	80	130	6500	2000x65x45mm	2,6kg	WHITE	1	1	222,65€
145-50431	5207227303715	80	130	4000	2000x65x45mm	2,6kg	WHITE	1	1	222,65€
145-50432	5207227303722	80	130	3000	2000x65x45mm	2,6kg	WHITE	1	1	222,65€
145-50433	5207227303739	80	130	6500	2000x65x45mm	2,6kg	BLACK	1	1	222,65€
145-50434	5207227303746	80	130	4000	2000x65x45mm	2,6kg	BLACK	1	1	222,65€
145-50435	5207227303753	80	130	3000	2000x65x45mm	2,6kg	BLACK	1	1	222,65€

CODE	BARCODE	WATT	Lm/W	KELVIN	DIMENSIONS	WEIGHT	COLOR	PACKING	MOQ	PVP
145-50440	5207227303760	120	130	6500	3000x65x45mm	3,9kg	WHITE	1	1	331,40€
145-50441	5207227303777	120	130	4000	3000x65x45mm	3,9kg	WHITE	1	1	331,40€
145-50442	5207227303784	120	130	3000	3000x65x45mm	3,9kg	WHITE	1	1	331,40€
145-50443	5207227303791	120	130	6500	3000x65x45mm	3,9kg	BLACK	1	1	331,40€
145-50444	5207227303807	120	130	4000	3000x65x45mm	3,9kg	BLACK	1	1	331,40€
145-50445	5207227303814	120	130	3000	3000x65x45mm	3,9kg	BLACK	1	1	331,40€



CODE	BARCODE	WATT	Lm/W	KELVIN	DIMENSIONS	WEIGHT	COLOR	PACKING	MOQ	PVP
145-50500	5207227303821	35,7	180	6500	1000x65x45mm	1,3kg	WHITE	1	1	153,95€
145-50501	5207227303838	35,7	180	4000	1000x65x45mm	1,3kg	WHITE	1	1	153,95€
145-50502	5207227303845	35,7	180	3000	1000x65x45mm	1,3kg	WHITE	1	1	153,95€
145-50503	5207227303852	35,7	180	6500	1000x65x45mm	1,3kg	BLACK	1	1	153,95€
145-50504	5207227303869	35,7	180	4000	1000x65x45mm	1,3kg	BLACK	1	1	153,95€
145-50505	5207227303876	35,7	180	3000	1000x65x45mm	1,3kg	BLACK	1	1	153,95€
CODE	BARCODE	WATT	Lm/W	KELVIN	DIMENSIONS	WEIGHT	COLOR	PACKING	MOQ	PVP
145-50510	5207227303883	43,2	180	6500	1200x65x45mm	1,56kg	WHITE	1	1	178,10€
145-50511	5207227303890	43,2	180	4000	1200x65x45mm	1,56kg	WHITE	1	1	178,10€
145-50512	5207227303906	43,2	180	3000	1200x65x45mm	1,56kg	WHITE	1	1	178,10€
145-50513	5207227303913	43,2	180	6500	1200x65x45mm	1,56kg	BLACK	1	1	178,10€
145-50514	5207227303920	43,2	180	4000	1200x65x45mm	1,56kg	BLACK	1	1	178,10€
145-50515	5207227303937	43,2	180	3000	1200x65x45mm	1,56kg	BLACK	1	1	178,10€
CODE	BARCODE	WATT	Lm/W	KELVIN	DIMENSIONS	WEIGHT	COLOR	PACKING	MOQ	PVP
145-50520	5207227303944	57,2	180	6500	1500x65x45mm	1,95kg	WHITE	1	1	205,95€
145-50521	5207227303951	57,2	180	4000	1500x65x45mm	1,95kg	WHITE	1	1	205,95€
145-50522	5207227303968	57,2	180	3000	1500x65x45mm	1,95kg	WHITE	1	1	205,95€
145-50523	5207227303975	57,2	180	6500	1500x65x45mm	1,95kg	BLACK	1	1	205,95€
145-50524	5207227303982	57,2	180	4000	1500x65x45mm	1,95kg	BLACK	1	1	205,95€
145-50525	5207227303999	57,2	180	3000	1500x65x45mm	1,95kg	BLACK	1	1	205,95€
CODE	BARCODE	WATT	Lm/W	KELVIN	DIMENSIONS	WEIGHT	COLOR	PACKING	MOQ	PVP
145-50530	5207227304002	71,4	180	6500	2000x65x45mm	2,6kg	WHITE	1	1	258,45€
145-50531	5207227304019	71,4	180	4000	2000x65x45mm	2,6kg	WHITE	1	1	258,45€
145-50532	5207227304026	71,4	180	3000	2000x65x45mm	2,6kg	WHITE	1	1	258,45€
145-50533	5207227304033	71,4	180	6500	2000x65x45mm	2,6kg	BLACK	1	1	258,45€
145-50534	5207227304040	71,4	180	4000	2000x65x45mm	2,6kg	BLACK	1	1	258,45€
145-50535	5207227304057	71,4	180	3000	2000x65x45mm	2,6kg	BLACK	1	1	258,45€
CODE	BARCODE	WATT	Lm/W	KELVIN	DIMENSIONS	WEIGHT	COLOR	PACKING	MOQ	PVP
145-50540	5207227304064	107,1	180	6500	3000x65x45mm	3,9kg	WHITE	1	1	402,20€
145-50541	5207227304071	107,1	180	4000	3000x65x45mm	3,9kg	WHITE	1	1	402,20€
145-50542	5207227304088	107,1	180	3000	3000x65x45mm	3,9kg	WHITE	1	1	402,20€
145-50543	5207227304095	107,1	180	6500	3000x65x45mm	3,9kg	BLACK	1	1	402,20€
145-50544	5207227304101	107,1	180	4000	3000x65x45mm	3,9kg	BLACK	1	1	402,20€
145-50545	5207227304118	107,1	180	3000	3000x65x45mm	3,9kg	BLACK	1	1	402,20€

LUMINARIA LINEAL LED DE SUPERFICIE LINEAR SURFACE LIGHT FIXTURE LED



130-180Lm/W

Volt: **220-240V 50/60Hz** • LED Type: **SMD2835**


Ángulo de Apertura / Beam Angle: **110°**

Clase Energética / Energy Class: **E (130Lm/W) / C (180Lm/W)**

Start Time: **0,5sec** • PF > **0,90** • CRI > **80**

Material: **Aluminio & Plástico / Aluminium & Plastic**

Conexión / Connection: **Cable / Wire**





OPCIONES / CHOICE



OPCIÓN DE ELEGIR COLOR

COLOR OF YOUR CHOICE



CODE	BARCODE	WATT	Lm/W	KELVIN	DIMENSIONS	WEIGHT	COLOR	PACKING	MOQ	PVP
145-50700	5207227304125	40	130	6500	1000x80x70mm	2,06kg	WHITE	1	1	149,75€
145-50701	5207227304132	40	130	4000	1000x80x70mm	2,06kg	WHITE	1	1	149,75€
145-50702	5207227304149	40	130	3000	1000x80x70mm	2,06kg	WHITE	1	1	149,75€
145-50703	5207227304156	40	130	6500	1000x80x70mm	2,06kg	BLACK	1	1	149,75€
145-50704	5207227304163	40	130	4000	1000x80x70mm	2,06kg	BLACK	1	1	149,75€
145-50705	5207227304170	40	130	3000	1000x80x70mm	2,06kg	BLACK	1	1	149,75€

CODE	BARCODE	WATT	Lm/W	KELVIN	DIMENSIONS	WEIGHT	COLOR	PACKING	MOQ	PVP
145-50710	5207227304187	48	130	6500	1200x80x70mm	2,47kg	WHITE	1	1	175,90€
145-50711	5207227304194	48	130	4000	1200x80x70mm	2,47kg	WHITE	1	1	175,90€
145-50712	5207227304200	48	130	3000	1200x80x70mm	2,47kg	WHITE	1	1	175,90€
145-50713	5207227304217	48	130	6500	1200x80x70mm	2,47kg	BLACK	1	1	175,90€
145-50714	5207227304224	48	130	4000	1200x80x70mm	2,47kg	BLACK	1	1	175,90€
145-50715	5207227304231	48	130	3000	1200x80x70mm	2,47kg	BLACK	1	1	175,90€

CODE	BARCODE	WATT	Lm/W	KELVIN	DIMENSIONS	WEIGHT	COLOR	PACKING	MOQ	PVP
145-50720	5207227304248	60	130	6500	1500x80x70mm	3,09kg	WHITE	1	1	210,60€
145-50721	5207227304255	60	130	4000	1500x80x70mm	3,09kg	WHITE	1	1	210,60€
145-50722	5207227304262	60	130	3000	1500x80x70mm	3,09kg	WHITE	1	1	210,60€
145-50723	5207227304279	60	130	6500	1500x80x70mm	3,09kg	BLACK	1	1	210,60€
145-50724	5207227304286	60	130	4000	1500x80x70mm	3,09kg	BLACK	1	1	210,60€
145-50725	5207227304293	60	130	3000	1500x80x70mm	3,09kg	BLACK	1	1	210,60€

CODE	BARCODE	WATT	Lm/W	KELVIN	DIMENSIONS	WEIGHT	COLOR	PACKING	MOQ	PVP
145-50730	5207227304309	80	130	6500	2000x80x70mm	4,12kg	WHITE	1	1	269,95€
145-50731	5207227304316	80	130	4000	2000x80x70mm	4,12kg	WHITE	1	1	269,95€
145-50732	5207227304323	80	130	3000	2000x80x70mm	4,12kg	WHITE	1	1	269,95€
145-50733	5207227304330	80	130	6500	2000x80x70mm	4,12kg	BLACK	1	1	269,95€
145-50734	5207227304347	80	130	4000	2000x80x70mm	4,12kg	BLACK	1	1	269,95€
145-50735	5207227304354	80	130	3000	2000x80x70mm	4,12kg	BLACK	1	1	269,95€

CODE	BARCODE	WATT	Lm/W	KELVIN	DIMENSIONS	WEIGHT	COLOR	PACKING	MOQ	PVP
145-50740	5207227304361	120	130	6500	3000x80x70mm	6,18kg	WHITE	1	1	413,60€
145-50741	5207227304378	120	130	4000	3000x80x70mm	6,18kg	WHITE	1	1	413,60€
145-50742	5207227304385	120	130	3000	3000x80x70mm	6,18kg	WHITE	1	1	413,60€
145-50743	5207227304392	120	130	6500	3000x80x70mm	6,18kg	BLACK	1	1	413,60€
145-50744	5207227304408	120	130	4000	3000x80x70mm	6,18kg	BLACK	1	1	413,60€
145-50745	5207227304415	120	130	3000	3000x80x70mm	6,18kg	BLACK	1	1	413,60€



CODE	BARCODE	WATT	Lm/W	KELVIN	DIMENSIONS	WEIGHT	COLOR	PACKING	MOQ	PVP
145-50800	5207227304422	35,7	180	6500	1000x80x70mm	2,06kg	WHITE	1	1	178,05€
145-50801	5207227304439	35,7	180	4000	1000x80x70mm	2,06kg	WHITE	1	1	178,05€
145-50802	5207227304446	35,7	180	3000	1000x80x70mm	2,06kg	WHITE	1	1	178,05€
145-50803	5207227304453	35,7	180	6500	1000x80x70mm	2,06kg	BLACK	1	1	178,05€
145-50804	5207227304460	35,7	180	4000	1000x80x70mm	2,06kg	BLACK	1	1	178,05€
145-50805	5207227304477	35,7	180	3000	1000x80x70mm	2,06kg	BLACK	1	1	178,05€

CODE	BARCODE	WATT	Lm/W	KELVIN	DIMENSIONS	WEIGHT	COLOR	PACKING	MOQ	PVP
145-50810	5207227304484	43,2	180	6500	1200x80x70mm	2,47kg	WHITE	1	1	207,30€
145-50811	5207227304491	43,2	180	4000	1200x80x70mm	2,47kg	WHITE	1	1	207,30€
145-50812	5207227304507	43,2	180	3000	1200x80x70mm	2,47kg	WHITE	1	1	207,30€
145-50813	5207227304514	43,2	180	6500	1200x80x70mm	2,47kg	BLACK	1	1	207,30€
145-50814	5207227304521	43,2	180	4000	1200x80x70mm	2,47kg	BLACK	1	1	207,30€
145-50815	5207227304538	43,2	180	3000	1200x80x70mm	2,47kg	BLACK	1	1	207,30€

CODE	BARCODE	WATT	Lm/W	KELVIN	DIMENSIONS	WEIGHT	COLOR	PACKING	MOQ	PVP
145-50820	5207227304545	57,2	180	6500	1500x80x70mm	3,09kg	WHITE	1	1	241,95€
145-50821	5207227304552	57,2	180	4000	1500x80x70mm	3,09kg	WHITE	1	1	241,95€
145-50822	5207227304569	57,2	180	3000	1500x80x70mm	3,09kg	WHITE	1	1	241,95€
145-50823	5207227304576	57,2	180	6500	1500x80x70mm	3,09kg	BLACK	1	1	241,95€
145-50824	5207227304583	57,2	180	4000	1500x80x70mm	3,09kg	BLACK	1	1	241,95€
145-50825	5207227304590	57,2	180	3000	1500x80x70mm	3,09kg	BLACK	1	1	241,95€

CODE	BARCODE	WATT	Lm/W	KELVIN	DIMENSIONS	WEIGHT	COLOR	PACKING	MOQ	PVP
145-50830	5207227304606	71,4	180	6500	2000x80x70mm	4,12kg	WHITE	1	1	305,75€
145-50831	5207227304613	71,4	180	4000	2000x80x70mm	4,12kg	WHITE	1	1	305,75€
145-50832	5207227304620	71,4	180	3000	2000x80x70mm	4,12kg	WHITE	1	1	305,75€
145-50833	5207227304637	71,4	180	6500	2000x80x70mm	4,12kg	BLACK	1	1	305,75€
145-50834	5207227304644	71,4	180	4000	2000x80x70mm	4,12kg	BLACK	1	1	305,75€
145-50835	5207227304651	71,4	180	3000	2000x80x70mm	4,12kg	BLACK	1	1	305,75€

CODE	BARCODE	WATT	Lm/W	KELVIN	DIMENSIONS	WEIGHT	COLOR	PACKING	MOQ	PVP
145-50840	5207227304668	107,1	180	6500	3000x80x70mm	6,18kg	WHITE	1	1	472,10€
145-50841	5207227304675	107,1	180	4000	3000x80x70mm	6,18kg	WHITE	1	1	472,10€
145-50842	5207227304682	107,1	180	3000	3000x80x70mm	6,18kg	WHITE	1	1	472,10€
145-50843	5207227304699	107,1	180	6500	3000x80x70mm	6,18kg	BLACK	1	1	472,10€
145-50844	5207227304705	107,1	180	4000	3000x80x70mm	6,18kg	BLACK	1	1	472,10€
145-50845	5207227304712	107,1	180	3000	3000x80x70mm	6,18kg	BLACK	1	1	472,10€

ACCESORIOS ACCESSORIES

COLGANTES PARA PERFIL DE ALUMINIO 2 und
HANGING SET 2 PCS



CODE	BARCODE	PACKING	MOQ	PVP
145-79800	5207227259029	1/1	1	8,30€


CLIPS PARA PERFILES DE ALUMINIO EMPOTRAR
PLASTERBOARD CLIPS FOR ALUMINUM PROFILE



Material: Metal

CODE	BARCODE	PACKING	MOQ	PVP
145-79809	5207227334252	1/1	1	1,75€

ÁNGULO EXTERNO DE 90° E INTERNO DE 90°
& ENLACE PARA LINEA CONTINUA 180°
EXTERIOR & INTERIOR CORNER 90° METAL
JOINER & DIRECT LINK 180° METAL JOINER



Material: Metal

CODE	BARCODE	PACKING	MOQ	PVP
145-79802	5207227259043	1/1	1	1,45€
145-79803	5207227259050	1/1	1	1,45€
145-79804	5207227259067	1/1	1	1,15€
145-79810	5207227334269	1/1	1	2,45€
145-79811	5207227334276	1/1	1	2,15€

TAPA METÁLICA PARA PERFIL EMPOTRAR
END CAP FOR RECESSED LIGHT FIXTURES



Material: Metal

CODE	BARCODE	PACKING	MOQ	PVP
145-79812	5207227334245	1/1	1	35,75€


BASE METÁLICA PARA TECHO
CEILING BASE



Material: Metal

CODE	BARCODE	PACKING	MOQ	PVP
145-79801	5207227259036	1/1	1	8,40€

TAPA DE PLÁSTICO PARA PERFIL SUPERFICIE
PLASTIC END CAP FOR SURFACE MOUNTED LIGHT FIXTURES



65x45mm

Material: Plástico / Plastic

CODE	BARCODE	COLOR	PACKING	MOQ	PVP
145-79805	5207227259074	WHITE	1/1	1	1,75€
145-79807	5207227259098	BLACK	1/1	1	1,75€

80x70mm

Material: Plástico / Plastic

CODE	BARCODE	COLOR	PACKING	MOQ	PVP
145-79806	5207227259081	WHITE	1/1	1	2,80€
145-79808	5207227259104	BLACK	1/1	1	2,80€

Luces LED de Carril & Carril Magnético

Track Spot LED Lights
& Magnetic Track




FOCO DE CARRIL MAGNÉTICO ULTRA SLIM 3CCT CON TRIAC
MAGNETIC TRACK SPOT ULTRA SLIM 3CCT WITH TRIAC



114,5x94,mm130x7

Volt: **40V DC** • LED Type: **COB**
Amperage: **130mA**
Ángulo de Apertura / Beam Angle: **24°**
Clase Energética / Energy Class: **G**
Start Time: **0,5sec** • PF > **0,50** • CRI > **90**
Material: **Aluminio & Plástico / Aluminium & Plastic**
Conexión / Connection: **Copper spot connector**




CODE	BARCODE	WATT		KELVIN	LUMEN/WATT	COLOR	PACKING	MOQ	PVP
145-59500	5207227286759	5	3CCT	2700 / 4300 / 6000K	80	BLACK	1/30	1	39,25€
145-59501	5207227286766	5	3CCT	2700 / 4300 / 6000K	80	WHITE	1/30	1	39,25€
145-59502	5207227286773	5	3CCT	2700 / 4300 / 6000K	80	BRONZE	1/30	1	41,60€



114,5x94,mm130x7

Volt: **40V DC** • LED Type: **COB**
Amperage: **250mA**
Ángulo de Apertura / Beam Angle: **24°**
Clase Energética / Energy Class: **G**
Start Time: **0,5sec** • PF > **0,50** • CRI > **90**
Material: **Aluminio & Plástico / Aluminium & Plastic**
Conexión / Connection: **Copper spot connector**



CODE	BARCODE	WATT		KELVIN	LUMEN/WATT	COLOR	PACKING	MOQ	PVP
145-59503	5207227286780	10	3CCT	2700 / 4300 / 6000K	80	BLACK	1/30	1	65,10€

FOCO DE CARRIL MAGNÉTICO ULTRA SLIM 3CCT CON TRIAC


MAGNETIC TRACK SPOT ULTRA SLIM 3CCT WITH TRIAC



114,5x144,8xØ31mm

Volt: **40V DC** • LED Type: **COB**
Amperage: **170mA**
Ángulo de Apertura / Beam Angle: **24°**
Clase Energética / Energy Class: **G**
Start Time: **0,5sec** • PF > **0,50** • CRI > **90**
Material: **Aluminio & Plástico / Aluminium & Plastic**
Conexión / Connection: **Copper spot connector**

-20 | +45 °C **TRIAC DIMMING** **0,215kg** **30.000h** **ON OFF 15.000** **IP20** **3 YEARS WARRANTY**




CODE	BARCODE	WATT		KELVIN	LUMEN/WATT	COLOR	PACKING	MOQ	PVP
145-59504	5207227286797	7	3CCT	2700 / 4300 / 6000K	80	BLACK	1/30	1	43,50€
145-59505	5207227286803	7	3CCT	2700 / 4300 / 6000K	80	WHITE	1/30	1	43,50€
145-59506	5207227286810	7	3CCT	2700 / 4300 / 6000K	80	BRONZE	1/30	1	46,15€



114,5x144,8xØ31mm

Volt: **40V DC** • LED Type: **COB**
Amperage: **350mA**
Ángulo de Apertura / Beam Angle: **24°**
Clase Energética / Energy Class: **G**
Start Time: **0,5sec** • PF > **0,50** • CRI > **90**
Material: **Aluminio & Plástico / Aluminium & Plastic**
Conexión / Connection: **Copper spot connector**

-20 | +45 °C **TRIAC DIMMING** **0,331kg** **30.000h** **ON OFF 15.000** **IP20** **3 YEARS WARRANTY**



CODE	BARCODE	WATT		KELVIN	LUMEN/WATT	COLOR	PACKING	MOQ	PVP
145-59507	5207227286827	14	3CCT	2700 / 4300 / 6000K	80	BLACK	1/30	1	73,80€

FOCO DE CARRIL MAGNÉTICO ULTRA SLIM 3CCT CON TRIAC

MAGNETIC TRACK SPOT ULTRA SLIM 3CCT WITH TRIAC



114,5x170,2xØ45mm

Volt: **40V DC** • LED Type: **COB**

Amperage: **400mA**


Ángulo de Apertura / Beam Angle: **36°**

Clase Energética / Energy Class: **G**

Start Time: **0,5sec** • PF > **0,50** • CRI > **90**

Material: **Aluminio & Plástico / Aluminium & Plastic**

Conexión / Connection: **Copper spot connector**



CODE	BARCODE	WATT		KELVIN	LUMEN/WATT	COLOR	PACKING	MOQ	PVP
145-59508	5207227286834	15	3CCT	2700 / 4300 / 6000K	80	BLACK	1/30	1	56,70€
145-59509	5207227286841	15	3CCT	2700 / 4300 / 6000K	80	WHITE	1/30	1	56,70€
145-59510	5207227286858	15	3CCT	2700 / 4300 / 6000K	80	BRONZE	1/30	1	61,00€

LUMINARIA GLOBO DE CARRIL MAGNÉTICO ULTRA SLIM 3CCT CON TRIAC

SPHERICAL LIGHTING FIXTURE FOR MAGNETIC TRACK ULTRA SLIM 10W 3CCT WITH TRIAC



114,5x118xØ100mm

Volt: **40V DC** • LED Type: **COB**

Amperage: **250mA**


Ángulo de Apertura / Beam Angle: **128°**

Clase Energética / Energy Class: **G**

Start Time: **0,5sec** • PF > **0,50** • CRI > **90**

Material: **Aluminio & Plástico / Aluminium & Plastic**


Conexión / Connection: **Copper spot connector**



CODE	BARCODE	WATT		KELVIN	LUMEN/WATT	COLOR	PACKING	MOQ	PVP
145-59511	5207227286865	10	3CCT	2700 / 4300 / 6000K	80	BLACK	1/20	1	100,55€

FOCO DE CARRIL MAGNÉTICO ULTRA SLIM 3CCT CON TRIAC

MAGNETIC TRACK SPOT ULTRA SLIM 3CCT WITH TRIAC




114,5x134x42mm

Volt: **40V DC** • LED Type: **COB**
Amperage: **200mA**
Ángulo de Apertura / Beam Angle: **36°**
Clase Energética / Energy Class: **G**
Start Time: **0,5sec** • PF > **0,50** • CRI > **90**
Material: **Aluminio & Plástico / Aluminium & Plastic**
Conexión / Connection: **Copper spot connector**

-20 | +45 °C **TRIAC DIMMING** **0,237kg** **30.000h** **ON OFF 15.000** **IP20** **3 YEARS WARRANTY**

CODE	BARCODE	WATT	KELVIN		LUMEN/WATT	COLOR	PACKING	MOQ	PVP
145-59512	5207227286872	8	3CCT	2700 / 4300 / 6000K	80	BLACK	1/30	1	61,05€




114,5x243x42mm

Volt: **40V DC** • LED Type: **COB**
Amperage: **400mA**
Ángulo de Apertura / Beam Angle: **36°**
Clase Energética / Energy Class: **G**
Start Time: **0,5sec** • PF > **0,50** • CRI > **90**
Material: **Aluminio & Plástico / Aluminium & Plastic**
Conexión / Connection: **Copper spot connector**

-20 | +45 °C **TRIAC DIMMING** **0,398kg** **30.000h** **ON OFF 15.000** **IP20** **3 YEARS WARRANTY**

CODE	BARCODE	WATT	KELVIN		LUMEN/WATT	COLOR	PACKING	MOQ	PVP
145-59513	5207227286889	16	3CCT	2700 / 4300 / 6000K	80	BLACK	1/30	1	104,80€

LÁMPARA COLGANTE ULTRA SLIM MAGNÉTICO NEGRO 3CCT CON TRIAC
HANGING LIGHTING FIXTURE FOR MAGNETIC TRACK ULTRA SLIM 3CCT WITH TRIAC




114,5x1000x32mm

Volt: **40V DC** • LED Type: **COB**
Amperage: **170mA**
Ángulo de Apertura / Beam Angle: **24°**
Clase Energética / Energy Class: **G**
Start Time: **0,5sec** • PF > **0,50** • CRI > **90**
Material: **Aluminio & Plástico / Aluminium & Plastic**
Conexión / Connection: **Copper spot connector**

-20 | +45 °C **TRIAC DIMMING** **0,416kg** **30.000h** **ON OFF 15.000** **IP20** **3 YEARS WARRANTY**

CODE	BARCODE	WATT		KELVIN	LUMEN/WATT	COLOR	PACKING	MOQ	PVP
145-59514	5207227286896	7	3CCT	2700 / 4300 / 6000K	80	BLACK	1/30	1	56,85€
145-59515	5207227286902	7	3CCT	2700 / 4300 / 6000K	80	WHITE	1/30	1	56,85€

FOCO DE CARRIL MAGNÉTICO ULTRA SLIM 3CCT CON TRIAC
MAGNETIC TRACK SPOT ULTRA SLIM 3CCT WITH TRIAC



Ø50x70mm

Volt: **40V DC** • LED Type: **COB**
Amperage: **200mA**
Ángulo de Apertura / Beam Angle: **36°**
Clase Energética / Energy Class: **G**
Start Time: **0,5sec** • PF > **0,50** • CRI > **90**
Material: **Aluminio & Plástico / Aluminium & Plastic**
Conexión / Connection: **Copper spot connector**

-20 | +45 °C **TRIAC DIMMING** **0,19kg** **30.000h** **ON OFF 15.000** **IP20** **3 YEARS WARRANTY**

CODE	BARCODE	WATT		KELVIN	LUMEN/WATT	COLOR	PACKING	MOQ	PVP
145-59516	5207227286919	8	3CCT	2700 / 4300 / 6000K	80	BLACK	1/30	1	39,80€
145-59517	5207227286926	8	3CCT	2700 / 4300 / 6000K	80	WHITE	1/30	1	39,80€


FOCO DE CARRIL MAGNÉTICO ULTRA SLIM 3CCT CON TRIAC

MAGNETIC TRACK SPOT ULTRA SLIM 3CCT WITH TRIAC



114,5x142xØ105mm

Volt: **40V DC** • LED Type: **COB**
Amperage: **400mA**
Ángulo de Apertura / Beam Angle: **36°**
Clase Energética / Energy Class: **G**
Start Time: **0,5sec** • PF > **0,50** • CRI > **90**
Material: **Aluminio & Plástico / Aluminium & Plastic**
Conexión / Connection: **Copper spot connector**



CODE	BARCODE	WATT		KELVIN	LUMEN/WATT	COLOR	PACKING	MOQ	PVP
145-59518	5207227286933	15	3CCT	2700 / 4300 / 6000K	80	BLACK	1/30	1	98,65€
145-59519	5207227286940	15	3CCT	2700 / 4300 / 6000K	80	WHITE	1/30	1	98,65€


LÁMPARA COLGANTE 3CCT DE CARRIL MAGNÉTICO ULTRA SLIM CON TRIAC

LIGHTING FUXTURE FOR MAGNETIC TRACK ULTRA SLIM 3CCT WITH TRIAC



114,5x22x1070mm

Volt: **40V DC** • LED Type: **SMD2835**
Amperage: **450mA**
Ángulo de Apertura / Beam Angle: **360°**
Clase Energética / Energy Class: **G**
Start Time: **0,5sec** • PF > **0,50** • CRI > **90**
Material: **Aluminio & Plástico / Aluminium & Plastic**
Conexión / Connection: **Copper spot connector**




CODE	BARCODE	WATT		KELVIN	LUMEN/WATT	COLOR	PACKING	MOQ	PVP
145-59520	5207227286957	18	3CCT	2700 / 4300 / 6000K	70	WHITE	1/10	1	82,85€

FOCO LINEAL DE CARRIL MAGNÉTICO ULTRA SLIM 3CCT CON TRIAC
LIGHTING FIXTURE FOR MAGNETIC TRACK ULTRA SLIM 3CCT WITH TRIAC



114,5x25x27,5mm

Volt: 40V DC • LED Type: SMD2835
Amperage: 150mA
Ángulo de Apertura / Beam Angle: 100°
Clase Energética / Energy Class: G
Start Time: 0,5sec • PF > 0,50 • CRI > 90
Material: Aluminio & Plástico / Aluminium & Plastic
Conexión / Connection: Copper spot connector



- 20 | +45 °C
- TRIAC DIMMING
- 0,096kg
- 30.000h
- ON OFF 15.000
- IP20
- 3 YEARS WARRANTY




CODE	BARCODE	WATT		KELVIN	LUMEN/WATT	COLOR	PACKING	MOQ	PVP
145-59522	5207227286964	6	3CCT	2700 / 4300 / 6000K	50	BLACK	1/50	1	25,15€
145-59529	5207227287039	6	3CCT	2700 / 4300 / 6000K	50	WHITE	1/50	1	25,15€



222x25x27,5mm

Volt: 40V DC • LED Type: SMD2835
Amperage: 300mA
Ángulo de Apertura / Beam Angle: 100°
Clase Energética / Energy Class: G
Start Time: 0,5sec • PF > 0,50 • CRI > 90
Material: Aluminio & Plástico / Aluminium & Plastic
Conexión / Connection: Copper spot connector



- 20 | +45 °C
- TRIAC DIMMING
- 0,175kg
- 30.000h
- ON OFF 15.000
- IP20
- 3 YEARS WARRANTY




CODE	BARCODE	WATT		KELVIN	LUMEN/WATT	COLOR	PACKING	MOQ	PVP
145-59523	5207227286971	12	3CCT	2700 / 4300 / 6000K	50	BLACK	1/50	1	33,80€
145-59530	5207227287046	12	3CCT	2700 / 4300 / 6000K	50	WHITE	1/50	1	33,80€

FOCO LINEAL DE CARRIL MAGNÉTICO ULTRA SLIM 3CCT CON TRIAC
LIGHTING FIXTURE FOR MAGNETIC TRACK ULTRA SLIM 3CCT WITH TRIAC



330,3x25x27,5mm

Volt: 40V DC • LED Type: SMD2835
Amperage: 400mA
Ángulo de Apertura / Beam Angle: 100°
Clase Energética / Energy Class: G
Start Time: 0,5sec • PF > 0,50 • CRI > 90
Material: Aluminio & Plástico / Aluminium & Plastic
Conexión / Connection: Copper spot connector



- 20 | +45 °C
- TRIAC DIMMING
- 0,26kg
- 30.000h
- ON OFF 15.000
- IP20
- 3 YEARS WARRANTY




CODE	BARCODE	WATT	KELVIN	LUMEN/WATT	COLOR	PACKING	MOQ	PVP
145-59524	5207227286988	16	3CCT 2700 / 4300 / 6000K	50	BLACK	1/50	1	46,50€



114,5x25x27,5mm

Volt: 40V DC • LED Type: SMD3030
Amperage: 150mA
Ángulo de Apertura / Beam Angle: 36°
Clase Energética / Energy Class: G
Start Time: 0,5sec • PF > 0,50 • CRI > 90
Material: Aluminio & Plástico / Aluminium & Plastic
Conexión / Connection: Copper spot connector



- 20 | +45 °C
- TRIAC DIMMING
- 0,103kg
- 30.000h
- ON OFF 15.000
- IP20
- 3 YEARS WARRANTY




CODE	BARCODE	WATT	KELVIN	LUMEN/WATT	COLOR	PACKING	MOQ	PVP
145-59525	5207227286995	6	3CCT 2700 / 4300 / 6000K	80	BLACK	1/50	1	27,00€
145-59531	5207227287053	6	3CCT 2700 / 4300 / 6000K	80	WHITE	1/50	1	27,00€

FOCO LINEAL DE CARRIL MAGNÉTICO ULTRA SLIM 3CCT CON TRIAC
LIGHTING FIXTURE FOR MAGNETIC TRACK ULTRA SLIM 3CCT WITH TRIAC



222x25x27,5mm

Volt: 40V DC • LED Type: SMD3030
Amperage: 300mA
Ángulo de Apertura / Beam Angle: 36°
Clase Energética / Energy Class: G
Start Time: 0,5sec • PF > 0,50 • CRI > 90
Material: Aluminio & Plástico / Aluminium & Plastic
Conexión / Connection: Copper spot connector




- 20 | +45 °C
- TRIAC DIMMING
- 0,188kg
- 30.000h
- ON OFF 15.000
- IP20
- 3 YEARS WARRANTY

CODE	BARCODE	WATT		KELVIN	LUMEN/WATT	COLOR	PACKING	MOQ	PVP
145-59526	5207227287008	12	3CCT	2700 / 4300 / 6000K	80	BLACK	1/50	1	37,55€
145-59532	5207227287060	12	3CCT	2700 / 4300 / 6000K	80	WHITE	1/50	1	37,55€



330,3x25x27,5mm

Volt: 40V DC • LED Type: SMD3030
Amperage: 400mA
Ángulo de Apertura / Beam Angle: 36°
Clase Energética / Energy Class: G
Start Time: 0,5sec • PF > 0,50 • CRI > 90
Material: Aluminio & Plástico / Aluminium & Plastic
Conexión / Connection: Copper spot connector



- 20 | +45 °C
- TRIAC DIMMING
- 0,27kg
- 30.000h
- ON OFF 15.000
- IP20
- 3 YEARS WARRANTY

CODE	BARCODE	WATT		KELVIN	LUMEN/WATT	COLOR	PACKING	MOQ	PVP
145-59527	5207227287015	16	3CCT	2700 / 4300 / 6000K	80	BLACK	1/50	1	55,05€


FOCO LINEAL DE CARRIL MAGNÉTICO ULTRA SLIM 3CCT CON TRIAC

LIGHTING FIXTURE FOR MAGNETIC TRACK ULTRA SLIM 3CCT WITH TRIAC




222x25x27,5mm

Volt: **40V DC** • LED Type: **SMD2835**
Amperage: **300mA**
Ángulo de Apertura / Beam Angle: **36°**
Clase Energética / Energy Class: **G**
Start Time: **0,5sec** • PF > **0,50** • CRI > **90**
Material: **Aluminio & Plástico / Aluminium & Plastic**
Conexión / Connection: **Copper spot connector**



- 20 | +45 °C
- TRIAC
DIMMING
- 0,27kg
- 30.000h
- ON
OFF
15.000
- IP20
- 3
YEARS
WARRANTY

CODE	BARCODE	WATT		KELVIN	LUMEN/WATT	COLOR	PACKING	MOQ	PVP
145-59528	5207227287022	12	3CCT	2700 / 4300 / 6000K	45	BLACK	50	1	100,55€
145-59533	5207227287077	12	3CCT	2700 / 4300 / 6000K	45	WHITE	50	1	100,55€



CARRIL MAGNÉTICO ULTRA SLIM Y ACCESORIOS MAGNETIC TRACK ULTRA SLIM & ACCESSORIES

CARRIL MAGNÉTICO ULTRA SLIM
MAGNETIC TRACK ULTRA SLIM




Material: **Aluminio / Aluminium**

V
220-240V

-20 | +45 °C

IP20

3 YEARS WARRANTY



CODE	BARCODE	DIMENSIONS	WEIGHT	COLOR	PACKING	MOQ	PVP
145-59561	5207227287251	1000x25x5,5mm	0,253kg	WHITE	1/10	1	26,80€
145-59562	5207227287268	1500x25x5,5mm	0,384kg	WHITE	1/10	1	35,60€
145-59550	5207227287145	1000x25x5,5mm	0,253kg	BLACK	1/10	1	17,85€
145-59551	5207227287152	1500x25x5,5mm	0,384kg	BLACK	1/10	1	26,80€
145-59552	5207227287169	2000x25x5,5mm	0,512kg	BLACK	1/10	1	35,60€

TAPA FINAL
END CUP



Material: **PVC / PVC**

0,001kg

-20 | +45 °C

IP20

3 YEARS WARRANTY

CODE	BARCODE	COLOR	PACKING	MOQ	PVP
145-59563	5207227287275	WHITE	1/10	1	1,75€
145-59553	5207227263798	BLACK	1/20	1	1,75€

UNIÓN ÁNGULO 90°
CONJUNCTION ANGLE 90°



Material: **PVC / PVC**

0,001kg

V
220-240V

-20 | +45 °C

IP20

5 YEARS WARRANTY

CODE	BARCODE	COLOR	PACKING	MOQ	PVP
145-59564	5207227287282	WHITE	1/20	1	7,45€
145-59554	5207227287183	BLACK	1/20	1	7,45€

UNIÓN TIPO "T"

CONJUNCTION TYPE "T"



Material: **PVC / PVC**



0,026kg



220-240V



-20 | +45 °C



IP20



3 YEARS WARRANTY

CODE	BARCODE	COLOR	PACKING	MOQ	PVP
145-59565	5207227287299	WHITE	1/20	1	10,25€
145-59555	5207227287190	BLACK	1/20	1	10,25€

UNIÓN TIPO "X"

CONJUNCTION TYPE "CROSS"



Material: **PVC / PVC**



0,032kg



220-240V



-20 | +45 °C



IP20



3 YEARS WARRANTY

CODE	BARCODE	COLOR	PACKING	MOQ	PVP
145-59566	5207227287305	WHITE	1/20	1	12,75€
145-59556	5207227287206	BLACK	1/20	1	12,75€

UNIÓN VERTICAL "IN JOINTED"

CONJUNCTION TYPE "IN JOINTED"



Material: **PVC / PVC**



0,015kg



220-240V



-20 | +45 °C



IP20




3 YEARS WARRANTY

CODE	BARCODE	COLOR	PACKING	MOQ	PVP
145-59567	5207227287312	WHITE	1/20	1	8,20€
145-59557	5207227287213	BLACK	1/20	1	8,20€

UNIÓN RECTA "I JOINTED"

TYPE "I JOINTED"



Material: **PVC / PVC**



0,005kg



220-240V



-20 | +45 °C



IP20



3 YEARS WARRANTY

CODE	BARCODE	COLOR	PACKING	MOQ	PVP
145-59568	5207227287329	WHITE	1/20	1	4,45€
145-59558	5207227287220	BLACK	1/20	1	4,45€

CONECTOR AJUSTABLE 6W

ADJUSTABLE CONNECTOR 6W



Material: **PVC / PVC**



0,078kg



220-240V



-20 | +45 °C



IP20



3 YEARS WARRANTY

CODE	BARCODE	COLOR	PACKING	MOQ	PVP
145-59559	5207227287237	BLACK	1/20	1	19,50€

CONECTOR AJUSTABLE 12W

ADJUSTABLE CONNECTOR 12W



Material: **PVC / PVC**



0,135kg



220-240V



-20 | +45 °C



IP20



3 YEARS WARRANTY

CODE	BARCODE	COLOR	PACKING	MOQ	PVP
145-59560	5207227287244	BLACK	1/20	1	21,85€

DRIVER PARA CARRIL MAGNÉTICO ULTRA SLIM ON-OFF
DRIVER FOR MAGNETIC TRACK ULTRA SLIM ON-OFF



Material: **Aluminio & Plástico / Aluminium & Plastic**
Conexión / Connection: **Copper spot connector**

-20 | +45 °C **30.000h** **ON OFF** 15.000 **IP20** **3 YEARS WARRANTY**

CODE	BARCODE	WATT	VOLT	DIMENSIONS	WEIGHT	COLOR	PACKING	MOQ	PVP
145-59540	5207227287084	100	40V DC	290x25x27,6mm	0,40kg	BLACK	1/30	1	55,10€
145-59541	5207227287091	200	40V DC	290x25x27,6mm	0,42kg	BLACK	1/30	1	77,90€

DRIVER PARA CARRIL MAGNÉTICO ULTRA SLIM CON TRIAC
DRIVER FOR MAGNETIC TRACK ULTRA SLIM WITH TRIAC



Material: **Aluminio & Plástico / Aluminium & Plastic**
Conexión / Connection: **Copper spot connector**

-20 | +45 °C **TRIAC DIMMING** **30.000h** **ON OFF** 15.000 **IP20** **3 YEARS WARRANTY**

CODE	BARCODE	WATT	VOLT	DIMENSIONS	WEIGHT	COLOR	PACKING	MOQ	PVP
145-59542	5207227287107	100	40V DC	290x25x27,6mm	0,418kg	BLACK	1/30	1	102,25€
145-59543	5207227287114	200	40V DC	345x25x27,6mm	0,540kg	BLACK	1/30	1	145,85€

DRIVER PARA CARRIL MAGNÉTICO ULTRA SLIM CON DALI
DRIVER FOR MAGNETIC TRACK ULTRA SLIM WITH DALI



Material: **Aluminio & Plástico / Aluminium & Plastic**
Conexión / Connection: **Copper spot connector**

-20 | +45 °C **30.000h** **ON OFF** 15.000 **IP20** **3 YEARS WARRANTY**

CODE	BARCODE	WATT	VOLT	DIMENSIONS	WEIGHT	COLOR	PACKING	MOQ	PVP
145-59544	5207227287121	100	40V DC	290x25x27,6mm	0,46kg	BLACK	1/30	1	105,65€
145-59545	5207227287138	200	40V DC	345x25x27,6mm	0,545kg	BLACK	1/30	1	151,95€



Carril Magnético 48V


Magnetic Track 48V

FOCO DE CARRIL MAGNÉTICO LED LED TRACKING SPOT LIGHT



Volt: **48V DC 50/60Hz** • LED Type: **COB**
Ángulo de Apertura / Beam Angle: **24°**
Clase Energética / Energy Class: **F**
Start Time: **0,5sec** • PF > **0,50** • CRI > **90**
Material: **Aluminio / Aluminium**
Conexión / Connection: **Copper spot connector**

-20 | +45 °C **NON DIMMABLE** **FLICKER FREE** **COLOR BLACK** **25.000h** **ON OFF 15.000** **IP20** **3 YEARS WARRANTY**




CODE	BARCODE	WATT	KELVIN	LUMEN/WATT	AMPERAGE	DIMENSIONS	WEIGHT	PACKING	MOQ	PVP
145-59930	5207227151538	12	4000	69	300mA	Ø45x100xmm	0,525kg	1/20	1	48,95€
145-59931	5207227151545	18	4000	83	450mA	Ø65x140xmm	0,525kg	1/20	1	54,30€
145-59934	5207227259210	12	3000	69	300mA	Ø45x100xmm	0,525kg	1/20	1	30,50€
145-59935	5207227259227	18	3000	83	450mA	Ø65x140xmm	0,525kg	1/20	1	42,45€

FOCO BASCULANTE DE CARRIL MAGNÉTICO LED ADJUSTABLE LED TRACKING SPOT LIGHT




Volt: **48V DC 50/60Hz** • LED Type: **SMD3030**
Ángulo de Apertura / Beam Angle: **24°**
Clase Energética / Energy Class: **G**
Start Time: **0,5sec** • PF > **0,50** • CRI > **80**
Material: **Aluminio / Aluminium**

-20 | +45 °C **NON DIMMABLE** **FLICKER FREE** **COLOR BLACK** **25.000h** **ON OFF 15.000** **IP20** **3 YEARS WARRANTY**



CODE	BARCODE	WATT	KELVIN	LUMEN/WATT	AMPERAGE	DIMENSIONS	WEIGHT	PACKING	MOQ	PVP
145-59932	5207227151552	6	4000	80	300mA	115x25x133mm	0,23kg	1/20	1	62,05€
145-59933	5207227151569	12	4000	80	600mA	115x25x133mm	0,45kg	1/20	1	87,05€
145-59936	5207227259234	6	3000	66	300mA	115x25x133mm	0,23kg	1/20	1	45,10€
145-59937	5207227259241	12	3000	66	600mA	115x25x133mm	0,45kg	1/20	1	57,05€

FOCO DE CARRIL MAGNÉTICO LED ADJUSTABLE LED TRACKING SPOT LIGHT



Volt: **48V DC 50/60Hz** • LED Type: **COB1304 3CCT**:
2700K/4000K/6000K
Ángulo de Apertura / Beam Angle: **24°**
Clase Energética / Energy Class: **G**
Start Time: **0,5sec** • PF > **0,50** • CRI >**90**
Material: **Aluminio / Aluminium**
Conexión / Connection: **Copper spot connector**

-20 | +45 °C

NON DIMMABLE

FLICKER FREE

COLOR BLACK

50.000h

ON OFF 15.000

IP20


3 YEARS WARRANTY



CODE	BARCODE	WATT	KELVIN	LUMEN/WATT	AMPERAGE	DIMENSIONS	WEIGHT	PACKING	MOQ	PVP
145-59938	5207227263378	7	3000	50	150mA	100x35mm	0,165kg	1/20	1	36,95€
145-59939	5207227263392	7	4000	50	150mA	100x35mm	0,165kg	1/20	1	36,95€
145-59942 *	5207227264719	7	3CCT	50	150mA	100x35mm	0,165kg	1/20	1	43,60€

* DISPONIBLE DESPUÉS DE QUE 145-59938 Y 145-59939 ESTÉN AGOTADOS / AVAILABLE AFTER THE STOCK OUT OF 145-59938 & 145-59939

COLGANTE DE CARRIL MAGNÉTICO DE UNA LUZ LED NEGRO LED PENDANT SPOT LIGHT BLACK



Volt: **48V DC 50/60Hz** • LED Type: **COB SMD1313**
Ángulo de Apertura / Beam Angle: **24°**
Clase Energética / Energy Class: **F**
Start Time: **0,5sec** • PF > **0,50** • CRI >**80**
Material: **Aluminio & Plástico / Aluminium & Plastic**
Conexión / Connection: **Copper spot connector**

-20 | +45 °C

NON DIMMABLE

FLICKER FREE

50.000h

ON OFF 15.000

IP20

3 YEARS WARRANTY




CODE	BARCODE	WATT	KELVIN	LUMEN/WATT	AMPERAGE	DIMENSIONS	WEIGHT	PACKING	MOQ	PVP
145-59940	5207227151576	10	4000	80	200mA	Ø50x300mm	0,200kg	1/30	1	52,25€
145-59941	5207227151583	7	4000	80	150mA	Ø80x900mm	0,240kg	1/30	1	59,80€

FOCO LED LINEAL DE CARRIL MAGNÉTICO LED LINEAR FLOOD LIGHT LED



Volt: **48V DC 50/60Hz** • LED Type: **SMD2835**
Clase Energética / Energy Class: **F**
Ángulo de Apertura / Beam Angle: **120°**
Start Time: **0,5sec** • PF > **0,50** • CRI > **80**
Material: **Aluminio & Plástico / Aluminium & Plastic**
Conexión / Connection: **Copper spot connector**




- 20 | +45 °C**
- NON DIMMABLE**
- FLICKER FREE**
- 0,300kg**
- COLOR BLACK**
- 50.000h**
- ON OFF 15.000**
- IP20**
- 3 YEARS WARRANTY**



CODE	BARCODE	WATT	KELVIN	LUMEN/W	AMPERAGE	DIMENSIONS	WEIGHT	PACKING	MOQ	PVP
145-59950	5207227151507	20	4000	80	400mA	600x22x40mm	0,300kg	1/50	1	45,70€
145-59954	5207227259166	20	3000	80	500mA	600x22x24.5mm	11,65kg	1/25	1	29,85€



Volt: **48V DC 50/60Hz**
Ángulo de Apertura / Beam Angle: **24°**
Clase Energética / Energy Class: **F**
LED Type: **SMD2835**
Start Time: **0,5sec** • PF > **0,50** • CRI > **80**
Material: **Aluminio & Plástico / Aluminium & Plastic**
Conexión / Connection: **Copper spot connector**



- 20 | +45 °C**
- NON DIMMABLE**
- FLICKER FREE**
- COLOR BLACK**
- 50.000h**
- ON OFF 15.000**
- IP20**
- 3 YEARS WARRANTY**



CODE	BARCODE	WATT	KELVIN	LUMEN/W	AMPERAGE	DIMENSIONS	WEIGHT	PACKING	MOQ	PVP
145-59952	5207227151514	18	4000	80	350mA	320x22x40mm	0,18kg	1/25	1	59,80€
145-59953	5207227151521	24	4000	80	500mA	433x22x40mm	0,24kg	1/25	1	74,00€
145-59955	5207227259180	18	3000	80	350mA	320x22x40mm	0,15kg	1/25	1	38,45€
145-59956	5207227259203	24	3000	80	500mA	433x22x40mm	0,25kg	1/25	1	37,15€

CARRIL MAGNÉTICO EMPOTRADO, COLGANTE, DE SUPERFICIE Y ACCESORIOS

RECESSED, PENDANT, SURFACE MOUNTED MAGNETIC TRACK & ACCESSORIES

CARRIL MAGNÉTICO EMPOTRADO

RECESSED MAGNETIC TRACK




Volt: **DC 48V**
Material:
Aluminio & PVC / Aluminium & PVC

-20 | +45 °C **IP20** **5 YEARS WARRANTY**

CODE	BARCODE	DIMENSIONS	WEIGHT	COLOR	PACKING	MOQ	PVP
145-59900	5207227157165	1000x64x43mm	1,2kg	BLACK	1/5	1	45,25€
145-59901	5207227151590	2000x64x43mm	2,4kg	BLACK	1/5	1	86,35€

CARRIL MAGNÉTICO COLGANTE Y SUPERFICIE

PENDANT & SURFACE MOUNTED MAGNETIC TRACK



Volt: **DC 48V**
Material:
Aluminio & PVC / Aluminium & PVC

-20 | +45 °C **IP20** **5 YEARS WARRANTY**

CODE	BARCODE	DIMENSIONS	WEIGHT	COLOR	PACKING	MOQ	PVP
145-59902	5207227157172	1000x53x26mm	0,92kg	BLACK	1/9	1	40,40€
145-59903	5207227151606	2000x53x26mm	1,85kg	BLACK	1/5	1	80,75€

DRIVER 48V DC

DRIVER 48V DC



220x22x25mm

Volt: **100W DC 48V**

Material: **Aluminio & PVC / Aluminium & PVC**

 **-20 | +45 °C**  **0,23kg**  **IP20**  **3 YEARS WARRANTY**

CODE	BARCODE	COLOR	PACKING	MOQ	PVP
145-59907	5207227151637	BLACK	1/30	1	90,50€

DRIVER 48V DC

DRIVER 48V DC



310x22x37mm

Volt: **200W DC 48V**

Material: **Aluminio & PVC / Aluminium & PVC**

 **-20 | +45 °C**  **0,35kg**  **IP20**  **3 YEARS WARRANTY**

CODE	BARCODE	COLOR	PACKING	MOQ	PVP
145-59908	5207227151644	BLACK	1/30	1	160.10€

FUENTE DE ALIMENTACIÓN

INPUT POWER CONNECTOR



520x18x18mm

Volt: **DC 48V (απαιτείται / is required)**

Material: **Aluminio & PVC / Aluminium & PVC**

 **-20 | +45 °C**  **0,08kg**  **IP20**  **5 YEARS WARRANTY**

CODE	BARCODE	COLOR	PACKING	MOQ	PVP
145-59904	5207227151613	BLACK	1/100	1	12.30€

UNIÓN CON ALIMENTACIÓN

POWER CONNECTOR



365x18x18mm

Volt: **DC 48V**

Material: **Aluminio & PVC / Aluminium & PVC**

 **-20 | +45 °C**  **0,08kg**  **IP20**  **5 YEARS WARRANTY**

CODE	BARCODE	COLOR	PACKING	MOQ	PVP
145-59906	5207227190971	BLACK	1/50	1	19,95€

UNIÓN FLEXIBLE

FLEXIBLE POWER CONNECTOR



365x18x18mm

Volt: **DC 48V**

Material: **Aluminio & PVC / Aluminium & PVC**

 **-20 | +45 °C**  **0,08kg**  **IP20**  **5 YEARS WARRANTY**

CODE	BARCODE	COLOR	PACKING	MOQ	PVP
145-59905	5207227151620	BLACK	1/50	1	19,95€

CONECTOR LINEAL

CONJUNCTION STRAIGHT RECESSED STL-RA



70x7x2mm

Material: **Aluminio & PVC / Aluminium & PVC**

 **-20 | +45 °C**  **0,01kg**  **IP20**  **5 YEARS WARRANTY**

CODE	BARCODE	COLOR	PACKING	MOQ	PVP
145-59915	5207227151705	BLACK	1/100	1	0,70€

ÁNGULO 90° EMPOTRADO STL-RLC01

RECESSED CORNER 90° STL-RLC01



100x100x43mm

Volt: **DC 48V**

Material: **Aluminio & PVC / Aluminium & PVC**

-20 | +45 °C
 0,12kg
 IP20
 5 YEARS WARRANTY

CODE	BARCODE	COLOR	PACKING	MOQ	PVP
145-59910	5207227151651	BLACK	1/30	1	23,00€

ÁNGULO 90° EMPOTRADO STL-RC02

RECESSED CORNER 90° STL-RC02



100x100x43mm

Volt: **DC 48V**

Material: **Aluminio & PVC / Aluminium & PVC**

-20 | +45 °C
 0,12kg
 IP20
 5 YEARS WARRANTY

CODE	BARCODE	COLOR	PACKING	MOQ	PVP
145-59911	5207227151668	BLACK	1/30	1	23,00€

ÁNGULO 90° EMPOTRADO STL-RC03

RECESSED CORNER 90° STL-RC03



100x100x43mm

Volt: **DC 48V**

Material: **Aluminio & PVC / Aluminium & PVC**

-20 | +45 °C
 0,12kg
 IP20
 5 YEARS WARRANTY

CODE	BARCODE	COLOR	PACKING	MOQ	PVP
145-59912	5207227151675	BLACK	1/30	1	23,00€

ÁNGULO 90° SUPERFICIE STL-RC02

CORNER 90° STL-SLC02



100x100x64mm

Volt: **DC 48V**

Material: **Aluminio & PVC / Aluminium & PVC**

-20 | +45 °C
 0,12kg
 IP20
 5 YEARS WARRANTY

CODE	BARCODE	COLOR	PACKING	MOQ	PVP
145-59913	5207227151682	BLACK	1/30	1	23,00€

ÁNGULO 90° SUPERFICIE STL-RC01

SURFACE CORNER 90° STL-SLC01



100x100x64mm

Volt: **DC 48V**

Material: **Aluminio & PVC / Aluminium & PVC**

-20 | +45 °C
 0,12kg
 IP20
 5 YEARS WARRANTY

CODE	BARCODE	COLOR	PACKING	MOQ	PVP
145-59914	5207227151699	BLACK	1/30	1	23,00€

UNIÓN SUPERFICIE LINEAL STL-SA

CONJUNCTION STRAIGHT SURFACE STL-SA



50x20x2mm

Material: **Aluminio & PVC / Aluminium & PVC**

-20 | +45 °C
 0,02kg
 IP20
 5 YEARS WARRANTY

CODE	BARCODE	COLOR	PACKING	MOQ	PVP
145-59916	5207227151712	BLACK	1/100	1	1,40€

CABLE DE SUSPENSIÓN STL-SAB

SUSPENDING WIRE STL-SAB



2000x1.5x1.5mm

Material: **Aluminio & PVC / Aluminium & PVC**

 **-20 | +45 °C**
 **0,15kg**
 **IP20**
 **5 YEARS WARRANTY**

CODE	BARCODE	COLOR	PACKING	MOQ	PVP
145-59917	5207227151729	BLACK	1/100	1	9,05€

VARILLA DE SUSPENSIÓN ET-TSR NEGRO

SUSPENSION ROD STABLE ET-TSR BLACK



102,20€

102,20€

134,45€

134,45€

50x20x2mm

Material: **Aluminio & PVC / Aluminium & PVC**

 **-20 | +45 °C**
 **0,02kg**
 **IP20**
 **5 YEARS WARRANTY**

CODE	BARCODE	COLOR	PACKING	MOQ	PVP
145-59918	5207227190988	BLACK	1/100	1	48,75€

TAPA FINAL PARA EMPOTRAR SET 2 UD.

CAP FOR RECESSED SET 2 PCS



50x20x2mm

Material: **Aluminio & PVC / Aluminium & PVC**

 **-20 | +45 °C**
 **0,02kg**
 **IP20**
 **5 YEARS WARRANTY**

CODE	BARCODE	COLOR	PACKING	MOQ	PVP
145-59919	5207227190995	BLACK	1/100	1	1,40€

TAPA FINAL PARA SUPERFICIE SET 2 UD.

CAP FOR SURFACE SET 2 PCS



50x20x2mm

Material: **Aluminio & PVC / Aluminium & PVC**

 **-20 | +45 °C**
 **0,02kg**
 **IP20**
 **5 YEARS WARRANTY**

CODE	BARCODE	COLOR	PACKING	MOQ	PVP
145-59920	5207227191008	BLACK	1/100	1	1,40€

BASE DE TECHO PARA CARRIL MAGNÉTICO

CEILING BASE FOR MAGNETIC TRACK



50x20x2mm

Material: **Aluminio & PVC / Aluminium & PVC**

 **-20 | +45 °C**
 **0,02kg**
 **IP20**
 **5 YEARS WARRANTY**

CODE	BARCODE	COLOR	PACKING	MOQ	PVP
145-59921	5207227205675	BLACK	1/100	1	2,80€

Carril Monofásico

Track Spot LED Lights
2 lines



COLGANTE PARA CARRIL MONOFÁSICO LINEAR TRACK LIGHT LED SINGLE 2 LINE



Volt: **100-265V 50/60Hz** • LED Type: **RNS 1350**
Ángulo de Apertura / Beam Angle: **24°**
Clase Energética / Energy Class: **F**
Start Time: **1sec** • PF > **0,50** • CRI > **80**
Material:
Aluminio & Plástico / Aluminium & Plastic

-20 | +45 °C

NON DIMMABLE

FLICKER FREE


0,520kg

15.000h

ON OFF
15.000

IP20

2 YEARS WARRANTY



CODE	OLD CODE	BARCODE	WATT	KELVIN	LUMEN/W	DIMENSIONS	COLOR	PACKING	MOQ	PVP
145-59040	145-55086 *	5207227264191	10	4000	90	Ø55x300mm	WHITE	1/24	1	48,85€
145-59041	145-55087 *	5207227151583	10	4000	90	Ø55x300mm	BLACK	1/24	1	48,85€

* DISPONIBLE HASTA AGOTAR EXISTENCIAS / AVAILABLE WHILE STOCKS LAST

FOCO CARRIL MONOFÁSICO TRACK LIGHT SINGLE



Volt: **230V 50/60Hz** • LED Type: **COB GU10**
Ángulo de Apertura / Beam Angle: **24°** Clase
Energética / Energy Class: **G**
Start Time: **0,5sec** • PF > **0,50** • CRI > **80**
Material:
Aluminio & Plástico / Aluminium & Plastic

-20 | +45 °C

NON DIMMABLE

FLICKER FREE

1,200kg

50.000h

ON OFF
15.000

IP20

2 YEARS WARRANTY




CODE	BARCODE	WATT	KELVIN	LUMEN/WATT	DIMENSIONS	COLOR	PACKING	MOQ	PVP
145-59058	5207227151156	12	4000	85	Ø100x100mm	WHITE	1/20	1	59,60€
145-59059	5207227151163	12	4000	85	Ø100x100mm	BLACK	1/20	1	59,60€



FOCO CARRIL MONOFÁSICO TRACK LIGHT LED SINGLE 2 LINE



Volt: **100-265V 50/60Hz** • LED Type: **COB1919**
Ángulo de Apertura / Beam Angle: **24°**
Clase Energética / Energy Class: **F**
Start Time: **1sec** • PF > **0,50** • CRI > **80**
Material:
Aluminio & Plástico / Aluminium & Plastic



-20 | +45 °C

NON DIMMABLE

FLICKER FREE

Lm/W 90

15.000h

ON OFF 15.000

IP20

2 YEARS WARRANTY

CODE	OLD CODE	BARCODE	WATT	KELVIN	DIMENSIONS	WEIGHT	COLOR	PACKING	MOQ	PVP
145-59050	145-55082 *	5207227205781	20	4000	Ø70x160mm	0,480kg	WHITE	1/30	1	33,15€
145-59051	145-55083 *	5207227205804	20	4000	Ø70x160mm	0,480kg	BLACK	1/30	1	33,15€
145-59052		5207227158407	20	3000	Ø70x160mm	0,480kg	WHITE	1/24	1	34,15€
145-59053		5207227158414	20	3000	Ø70x160mm	0,480kg	BLACK	1/24	1	34,15€
145-59054	145-55084 *	5207227220272	30	4000	Ø80x180mm	0,720kg	WHITE	1/40	1	41,80€
145-59055	145-55085 *	5207227264238	30	4000	Ø80x180mm	0,720kg	BLACK	1/20	1	41,80€
145-59056		5207227158421	30	3000	Ø80x180mm	0,720kg	WHITE	1/20	1	41,80€
145-59057		5207227158438	30	3000	Ø80x180mm	0,720kg	BLACK	1/20	1	41,80€

* DISPONIBLE HASTA AGOTAR EXISTENCIAS / AVAILABLE WHILE STOCKS LAST




FOCO CARRIL MONOFÁSICO GU10 TRACK LIGHT LED 2 LINE



Ø53x200x180mm


Potencia Nominal / Nominal Power: **max 7W led**
Material: **Aluminio & Plástico / Aluminium & Plastic**



CODE	BARCODE	OPERATING TEMPERATURE	TYPE	COLOR	PACKING	MOQ	PVP
145-59075	5207227151118	-20/+45°C	GU10	WHITE	1/20	1	35,55€
145-59085	5207227151125	-20/+45°C	GU10	BLACK	1/20	1	35,55€

Ø34x55.5x120mm

Potencia Nominal / Nominal Power: **max 7W led - Led**
Material: **Aluminio & Plástico / Aluminium & Plastic**




CODE	OLD CODE	BARCODE	OPERATING TEMPERATURE	TYPE	COLOR	PACKING	MOQ	PVP
145-59070	145-55050 *	5207227220296	-20/+45°C	GU10	WHITE	1/100	1	17,55€
145-59080	145-55060 *	5207227264283	-20/+45°C	GU10	BLACK	1/100	1	17,55€

* DISPONIBLE HASTA AGOTAR EXISTENCIAS / AVAILABLE WHILE STOCKS LAST



Ø60x103mm

Potencia Nominal / Nominal Power: **max 7W led - Led**
Material: **Aluminio & Plástico / Aluminium & Plastic**



CODE	OLD CODE	BARCODE	OPERATING TEMPERATURE	TYPE	COLOR	PACKING	MOQ	PVP
145-59073	145-55053 *	5207227264269	-20/+45°C	GU10	WHITE	1/24	1	39,55€
145-59083	145-55063 *	5207227264306	-20/+45°C	GU10	BLACK	1/24	1	39,55€

* DISPONIBLE HASTA AGOTAR EXISTENCIAS / AVAILABLE WHILE STOCKS LAST

FOCO CARRIL MONOFÁSICO GU10 TRACK LIGHT LED 2 LINE




34x55.5x120mm

Potencia Nominal / Nominal Power: **max 7W led - Led**
Material:
Aluminio & Plástico / Aluminium & Plastic

0,148kg

IP20

2 YEARS WARRANTY



CODE	OLD CODE	BARCODE	OPERATING TEMPERATURE	TYPE	COLOR	PACKING	MOQ	PVP
145-59071	145-55051 *	5207227264245	-20/+45°C	GU10	WHITE	1/100	1	17,55€
145-59081	145-55061 *	5207227264290	-20/+45°C	GU10	BLACK	1/100	1	17,55€

* DISPONIBLE HASTA AGOTAR EXISTENCIAS / AVAILABLE WHILE STOCKS LAST




35x55.5x190mm

Potencia Nominal / Nominal Power: **max 7W led - Led/Halogen**
Material:
Aluminio & Plástico / Aluminium & Plastic

0,211kg

IP20

2 YEARS WARRANTY



CODE	OLD CODE	BARCODE	OPERATING TEMPERATURE	TYPE	COLOR	PACKING	MOQ	PVP
145-59072	145-55052 *	5207227264252	-20/+45°C	GU10	WHITE	1/20	1	16,80€

* DISPONIBLE HASTA AGOTAR EXISTENCIAS / AVAILABLE WHILE STOCKS LAST



CARRIL MONOFÁSICO Y ACCESORIOS 2 LINE TRACK & ACCESSORIES

CARRIL MONOFÁSICO UNIVERSAL

UNIVERSAL TRACK 2 LINES




Material: Aluminio & PVC / Aluminium & PVC

V
220-240V

°C
-20 | +45 °C

IP20

5
YEARS
WARRANTY



CODE	BARCODE	DIMENSIONS	WEIGHT	COLOR	PACKING	MOQ	PVP
145-59000	5207227264467	973x34x17mm	0,455kg	WHITE	1/20	1	12,60€
145-59001	5207227220258	1973x34x17mm	0,500kg	WHITE	1/20	1	25,20€
145-59020	5207227220210	973x34x17mm	0,455kg	BLACK	1/20	1	12,60€
145-59021	5207227220234	1973x34x17mm	0,630kg	BLACK	1/20	1	25,20€



ALIMENTACIÓN UNIVERSAL

POWER TRACK UNIVERSAL



Conexión / Connection: Κλέμμα / Terminal Block

Material: Aluminio & PVC / Aluminium & PVC



0,052kg



220-240V



-20 | +45 °C



IP20



5 YEARS WARRANTY

102,20€

102,20€


134,45€

134,45€

CODE	BARCODE	COLOR	PACKING	MOQ	PVP
145-59002	5207227263712	WHITE	1/20	1	4,40€
145-59022	5207227263798	BLACK	1/20	1	4,40€

UNIÓN UNIVERSAL

CONJUNCTION UNIVERSAL STRAIGHT



Material: Aluminio & PVC / Aluminium & PVC



0,027kg



220-240V



-20 | +45 °C



IP20




5 YEARS WARRANTY

CODE	BARCODE	COLOR	PACKING	MOQ	PVP
145-59003	5207227263729	WHITE	1/20	1	3,45€
145-59023	5207227240959	BLACK	1/20	1	3,45€

UNIÓN UNIVERSAL ANGULO 90°

CONJUNCTION UNIVERSAL ANGLE 90°



Material: Aluminio & PVC / Aluminium & PVC



0,027kg



220-240V



-20 | +45 °C



IP20



5 YEARS WARRANTY

CODE	BARCODE	COLOR	PACKING	MOQ	PVP
145-59004	5207227263736	WHITE	1/20	1	4,20€
145-59024	5207227263804	BLACK	1/20	1	4,20€

UNIÓN UNIVERSAL FLEXIBLE ESPIRAL

CONJUNCTION UNIVERSAL SPIRAL ANGLE



Material: Aluminio & PVC / Aluminium & PVC



0,113kg



220-240V



-20 | +45 °C



IP20




5 YEARS WARRANTY

CODE	BARCODE	COLOR	PACKING	MOQ	PVP
145-59005	5207227263743	WHITE	1/300	1	18,10€
145-59025	5207227263811	BLACK	1/300	1	18,10€

UNIÓN UNIVERSAL TIPO "T"

CONJUNCTION UNIVERSAL TYPE "T"



Material: Aluminio & PVC / Aluminium & PVC



0,033kg



220-240V



-20 | +45 °C



IP20




5 YEARS WARRANTY

CODE	BARCODE	COLOR	PACKING	MOQ	PVP
145-59006	5207227263750	WHITE	1/50	1	5,55€
145-59026	5207227263828	BLACK	1/50	1	5,55€

UNIÓN UNIVERSAL TIPO "X"

CONJUNCTION UNIVERSAL TYPE "CROSS"



Material: Aluminio & PVC / Aluminium & PVC



0,040kg



220-240V



-20 | +45 °C



IP20



5 YEARS WARRANTY

CODE	BARCODE	COLOR	PACKING	MOQ	PVP
145-59007	5207227263767	WHITE	1/50	1	5,55€
145-59027	5207227263835	BLACK	1/50	1	5,55€

TAPA FINAL CARRIL UNIVERSAL

UNIVERSAL TERMINAL



Material: **Aluminio & PVC / Aluminium & PVC**

0,033kg **-20 | +45 °C** **IP20** **5 YEARS WARRANTY**

CODE	BARCODE	COLOR	PACKING	MOQ	PVP
145-59008	5207227263774	WHITE	1/50	1	0,70€
145-59028	5207227263842	BLACK	1/50	1	0,70€

CABLE DE SUSPENSIÓN CON ROSETA 2m

SUSPENDING WIRE FOR LIGHT FIXTURE WITH ROSETTE 2m



Material: **Aluminio & PVC / Aluminium & PVC**

0,006kg **-20 | +45 °C** **IP20** **5 YEARS WARRANTY**

CODE	BARCODE	COLOR	PACKING	MOQ	PVP
145-59009	5207227263781	WHITE	1/50	1	10.65€
145-59029	5207227263859	BLACK	1/50	1	10.65€

ADAPTADOR CON CABLE 2m 08mm

ADAPTOR WITH WIRE 2m Ø8mm



Material: **PVC & Χαλκός / PVC & Copper**

0,210kg **V** **220-240V** **-20 | +45 °C** **IP20** **5 YEARS WARRANTY**

CODE	BARCODE	COLOR	PACKING	MOQ	PVP
145-59010	5207227191435	WHITE	1/300	1	10.65€
145-59030	5207227191442	BLACK	1/300	1	10.65€

Carril Trifásico

Track Spot LED Lights
4 lines



FOCO CARRIL TRIFÁSICO TRACK LIGHT LED SINGLE 4 LINE



Ø75x160mm

Volt: **220-240V 50/60Hz** • LED Type: **COB 1919**
Ángulo de Apertura / Beam Angle: **24°**
Clase Energética / Energy Class: **F**
Start Time: **0,5sec** • PF > **0,50** • CRI > **80** • Amperage: **220mA**
Material: **Aluminio & Plástico / Aluminium & Plastic**
Conexión / Connection: **Adaptador Trifásico / 4 Wire Adaptor**

-20 | +45 °C

NON DIMMABLE

CLASS I


Lm/W 85

15.000h

ON OFF 10.000

IP20

3 YEARS WARRANTY



CODE	OLD CODE	BARCODE	WATT	KELVIN	DIMENSIONS	WEIGHT	COLOR	PACKING	MOQ	PVP
145-59300	145-55000 *	5207227263866	20	4000	Ø75x160mm	0,650kg	WHITE	1/24	1	55,70€
145-59301	145-55001 *	5207227220357	20	4000	Ø75x160mm	0,650kg	BLACK	1/24	1	55,70€
145-59302	-	5207227158964	20	3000	Ø75x160mm	0,650kg	WHITE	1/24	1	55,70€
145-59303	-	5207227158995	20	3000	Ø75x160mm	0,650kg	BLACK	1/24	1	55,70€

* DISPONIBLE HASTA AGOTAR EXISTENCIAS / AVAILABLE WHILE STOCKS LAST



Ø84x160mm

Volt: **220-240V 50/60Hz** • LED Type: **COB 1919**
Ángulo de Apertura / Beam Angle: **24°**
Clase Energética / Energy Class: **F**
Start Time: **0,5sec** • PF > **0,50** • CRI > **80** • Amperage: **300mA**
Material: **Aluminio & Plástico / Aluminium & Plastic**
Conexión / Connection: **Adaptador Trifásico / 4 Wire Adaptor**

-20 | +45 °C

NON DIMMABLE

CLASS I


Lm/W 85

15.000h

ON OFF 10.000

IP20

3 YEARS WARRANTY




CODE	OLD CODE	BARCODE	WATT	KELVIN	DIMENSIONS	WEIGHT	COLOR	PACKING	MOQ	PVP
145-59304	145-55002 *	5207227263880	30	4000	Ø84x160mm	0,840kg	WHITE	1/20	1	59,70€
145-59305	145-55003 *	5207227263897	30	4000	Ø84x160mm	0,840kg	BLACK	1/20	1	59,70€
145-59306	-	5207227159022	30	3000	Ø84x160mm	0,840kg	WHITE	1/20	1	59,70€
145-59307	-	5207227159046	30	3000	Ø84x160mm	0,840kg	BLACK	1/20	1	59,70€

* DISPONIBLE HASTA AGOTAR EXISTENCIAS / AVAILABLE WHILE STOCKS LAST



FOCO CARRIL TRIFÁSICO TRACK LIGHT LED SINGLE 4 LINE



Ø100x156.5x196mm

Volt: **100-265V 50/60Hz** • LED Type: **COB 1919**

Amperage: **700mA**


Ángulo de Apertura / Beam Angle: **38°**

Clase Energética / Energy Class: **F**

Start Time: **0,5sec** • PF > **0,90** • CRI > **80**


Material: **Aluminio & Plástico / Aluminium & Plastic**

Conexión / Connection: **Adaptador Trifásico / 4 Wire Adaptor**



CODE	OLD CODE	BARCODE	KELVIN	DIMENSIONS	WEIGHT	COLOR	PACKING	MOQ	PVP
145-59315	145-55034 *	5207227263934	4000	Ø100x156,5x196mm	0,900kg	WHITE	1/10	1	124,00€
145-59316	145-55035 *	5207227233784	4000	Ø100x156,5x196mm	0,900kg	BLACK	1/10	1	124,00€

* DISPONIBLE HASTA AGOTAR EXISTENCIAS / AVAILABLE WHILE STOCKS LAST



Ø100x150x210mm

Volt: **170-265V 50/60Hz** • LED Type: **COB 1919**

Amperage: **270mA**

Ángulo de Apertura / Beam Angle: **35°**

Clase Energética / Energy Class: **F**

Start Time: **0,5sec** • PF > **0,50** • CRI > **80**

Material: **Aluminio & Plástico / Aluminium & Plastic**

Conexión / Connection: **Adaptador Trifásico / 4 Wire Adaptor**



CODE	BARCODE	WATT	KELVIN	DIMENSIONS	WEIGHT	COLOR	PACKING	MOQ	PVP
145-59310	5207227233760	30	4000	Ø100x150x210mm	1,250kg	WHITE	1/12	1	59.65€
145-59311	5207227233777	30	4000	Ø100x150x210mm	1,250kg	BLACK	1/12	1	59.65€



FOCO PARA CARRIL TRIFÁSICO TRACK LIGHT LED SINGLE 4 LINE



Ø197x173mm

Volt: **230V 50/60Hz** • LED Type: **SMD2835**

Amperage: **450mA**


Ángulo de Apertura / Beam Angle: **120°**

Clase Energética / Energy Class: **G**

Start Time: **0,5sec** • PF > **0,50** • CRI > **80**

Material: **Aluminio & Plástico / Aluminium & Plastic**

Conexión / Connection: **Adaptador Trifásico / 4 Wire Adaptor**



-20 | +45 °C **NON DIMMABLE** **FLICKER FREE** **Lm/W 85** **50.000h** **ON OFF 15.000** **IP20** **3 YEARS WARRANTY**

CODE	BARCODE	WATT	KELVIN	DIMENSIONS	WEIGHT	COLOR	PACKING	MOQ	PVP
145-59400	5207227150999	18	4000	Ø196x173mm	1,450kg	WHITE	1/20	1	121,65€
145-59401	5207227151002	18	4000	Ø196x173mm	1,450kg	BLACK	1/20	1	121,65€
145-59402	5207227151019	18	3000	Ø196x173mm	1,450kg	WHITE	1/20	1	121,65€
145-59403	5207227151026	18	3000	Ø196x173mm	1,450kg	BLACK	1/20	1	121,65€



Ø197x128.5mm

Volt: **230V 50/60Hz** • LED Type: **SMD2835**

Amperage: **450mA**


Ángulo de Apertura / Beam Angle: **120°**

Clase Energética / Energy Class: **G**

Start Time: **0,5sec** • PF > **0,50** • CRI > **80**

Material: **Aluminio & Plástico / Aluminium & Plastic**

Conexión / Connection: **Adaptador Trifásico / 4 Wire Adaptor**



-20 | +45 °C **NON DIMMABLE** **FLICKER FREE** **Lm/W 85** **50.000h** **ON OFF 15.000** **IP20** **3 YEARS WARRANTY**

CODE	BARCODE	WATT	KELVIN	DIMENSIONS	WEIGHT	COLOR	PACKING	MOQ	PVP
145-59404	5207227151033	18	4000	Ø197x128,5mm	1,7kg	WHITE	1/16	1	150,30€
145-59405	5207227151040	18	4000	Ø197x128,5mm	1,7kg	BLACK	1/16	1	150,30€
145-59406	5207227151057	18	3000	Ø197x128,5mm	1,7kg	WHITE	1/16	1	150,30€
145-59407	5207227151064	18	3000	Ø197x128,5mm	1,7kg	BLACK	1/16	1	150,30€

FOCO CARRIL TRIFÁSICO TRACK LIGHT LED SINGLE 4 LINE



Ø160x89mm / Ø140x65mm

Volt: 230V 50/60Hz • LED Type: SMD2835

Amperage: 450mA

Ángulo de Apertura / Beam Angle: 120°

Clase Energética / Energy Class: G


Start Time: 0,5sec • PF > 0,50 • CRI > 80

Material: Aluminio & Plástico / Aluminium & Plastic

Conexión / Connection: Adaptador Trifásico / 4 Wire Adaptor

Ø160x89mm

Ø140x65mm



-20 | +45 °C

NON DIMMABLE

FLICKER FREE

Lm/W
85

50.000h

ON OFF
15.000

IP20

3 YEARS WARRANTY



CODE	BARCODE	WATT	KELVIN	DIMENSIONS	WEIGHT	COLOR	PACKING	MOQ	PVP
145-59408	5207227151071	18	4000	Ø160x89mm *	1,530kg	WHITE	1/20	1	108,40€
145-59409	5207227151088	18	4000	Ø160x89mm *	1,530kg	BLACK	1/20	1	108,40€
145-59410	5207227151095	18	3000	Ø160x89mm *	1,530kg	WHITE	1/20	1	108,40€
145-59411	5207227151101	18	3000	Ø160x89mm *	1,530kg	BLACK	1/20	1	108,40€

* Dimensiones últimas unidades recibidas Ø140x65mm / * DIMENSIONS OF THE NEW ARRIVALS Ø140x65mm



FOCO CARRIL TRIFÁSICO TRACK LIGHT LED SINGLE 4 LINE



Ø90x260mm

Volt: **220-240V 50/60Hz** • LED Type: **COB 1919**

Amperage: **700mA**



Ángulo de Apertura / Beam Angle: **38°**

Clase Energética / Energy Class: **F**

Start Time: **0,5sec** • PF > **0,90** • CRI > **80**

Material: **Aluminio & Plástico / Aluminium & Plastic**

Conexión / Connection: **Adaptador Trifásico / 4 Wire Adaptor**



CODE	OLD CODE	BARCODE	KELVIN	DIMENSIONS	WEIGHT	COLOR	PACKING	MOQ	PVP
145-59312	145-55044 *	5207227263910	4000	Ø90x260mm	0,900kg	WHITE	1/15	1	140,60€
145-59313	145-55045 *	5207227240973	4000	Ø90x260mm	0,900kg	BLACK	1/15	1	140,60€

* DISPONIBLE HASTA AGOTAR EXISTENCIAS / AVAILABLE WHILE STOCKS LAST

PERSIANA PARA FOCO BLIND FOR SPOT LIGHT

Material: **Metal / Metallic**



CODE	OLD CODE	BARCODE	DIMENSIONS	PACKING	MOQ	PVP
145-59314	145-55046 *	5207227263927	Ø233x83x83mm	1/30	1	24,10€

* DISPONIBLE HASTA AGOTAR EXISTENCIAS / AVAILABLE WHILE STOCKS LAST



FOCO CARRIL TRIFÁSICO PARA PAR30 TRACK LIGHT FIXTURE SINGLE 4 LINE PAR30



Ø120x150x200mm



Volt: **220-240V**

Potencia Nominal / Nominal Power:

max 15W led

Material: **Aluminio & Plástico / Aluminium & Plastic**


Conexión / Connection: **Adaptador Trifásico / 4 Wire Adaptor**



CODE	OLD CODE	BARCODE	OPERATING TEMPERATURE	TYPE	COLOR	PACKING	MOQ	PVP
145-59380	145-55032 *	5207227263958	-20 / +45°C	E27	BLACK	1/24	1	31,60€
145-59381	145-55033 *	5207227263965	-20 / +45°C	E27	WHITE	1/24	1	31,60€

* DISPONIBLE HASTA AGOTAR EXISTENCIAS / AVAILABLE WHILE STOCKS LAST

FOCO CARRIL AJUSTE ANGULO 3CCT ADJUSTABLE TRACK LIGHT LED SINGLE 4 LINE



Ø80x181mm

Volt: 220-240V 50/60Hz • LED Type: COB1919

3CCT: 3000K/4000K/6000K

Amperage: 700mA

Ángulo de Apertura / Beam Angle: 20°-60°

Clase Energética / Energy Class: F

Start Time: 0,5sec • PF > 0,90 • CRI > 80

Material: Aluminio / Aluminium

Conexión / Connection: Adaptador Trifásico / 4 Wire Adaptor




With adjustable light angle

Con ángulo de iluminación ajustable




-20 | +45 °C NON DIMMABLE W 30W Lm/W 90 30.000h ON OFF 10.000 IP20 3 YEARS WARRANTY



CODE	OLD CODE	BARCODE	KELVIN	DIMENSIONS	WEIGHT	COLOR	PACKING	MOQ	PVP
145-59350	145-55030 *	5207227263941	3CCT	Ø80x181mm	0,950kg	WHITE	1/8	1	132,60€
145-59351	145-55031 *	5207227240980	3CCT	Ø80x181mm	0,950kg	BLACK	1/15	1	132,60€

* DISPONIBLE HASTA AGOTAR EXISTENCIAS / AVAILABLE WHILE STOCKS LAST

FOCO DE CARRIL TRIFÁSICO REGULABLE TRIAC TRACK LIGHT DIMMING LED SINGLE 4 LINE WITH TRIAC



Volt: 220-240V 50/60Hz • LED Type: COB

3CCT: 3000K/4000K/6000K

Amperage: 700mA

Ángulo de Apertura / Beam Angle: 12°/24°/36°/45°/60°


Clase Energética / Energy Class: G

Start Time: 0,5sec • PF > 0,90 • CRI > 90

Material: Aluminio & Plástico / Aluminium & Plastic

Conexión / Connection: Copper spot connector

-20 | +45 °C TRIAC DIMMING FLICKER FREE Lm/W 85 30.000h ON OFF 15.000 IP20 3 YEARS WARRANTY



CODE	BARCODE	WATT	KELVIN	DIMENSIONS	WEIGHT	COLOR	PACKING	MOQ	PVP
145-59330	5207227298493	30	3CCT	Ø90x206x240mm	0,850kg	WHITE	1/15	1	118,05€
145-59331	5207227298516	30	3CCT	Ø90x206x240mm	0,850kg	BLACK	1/15	1	118,05€

FOCO DE CARRIL TRIFÁSICO LINEAL LINEAR TRACK LIGHT LED 4 LINE



567x42x63mm / 1122x42x63mm

Volt: **230V 50/60Hz** • LED Type: **SMD2835**

Ángulo de Apertura / Beam Angle: **120°**

Clase Energética / Energy Class: **G**

Start Time: **0,5sec** • PF > **0,50** • CRI > **80**

Material: **Aluminio & Plástico / Aluminium & Plastic**

Conexión / Connection: **Adaptador Trifásico / 4 Wire Adaptor**

 **-20 | +45 °C**

 **NON DIMMABLE**

 **FLICKER FREE**

Lm/W
85

 **50.000h**

ON OFF
15.000

 **IP20**

 **3 YEARS WARRANTY**

 **3-4m**
INSTALLATION HEIGHT

CODE	BARCODE	WATT	KELVIN	AMPERAGE	DIMENSIONS	WEIGHT	COLOR	PACKING	MOQ	PVP
145-59602	5207227151170	24	4000	600mA	567x42x63mm	1,500kg	WHITE	1/10	1	134,10€
145-59603	5207227151187	24	4000	600mA	567x42x63mm	1,500kg	BLACK	1/10	1	134,10€
145-59604	5207227151194	48	4000	600mA	1122x42x63mm	3,100kg	WHITE	1/8	1	134,10€
145-59605	5207227151200	48	4000	600mA	1122x42x63mm	3,100kg	BLACK	1/8	1	134,10€



FOCO CARRIL TRIFÁSICO LINEAL LINEAR TRACK LIGHT LED SINGLE 4 LINE



145-55090



145-55091

495x33x58mm

Volt: **220-240V 50/60Hz** • LED Type: **SMD2835**
Clase Energética / Energy Class: **F**
Start Time: **0,5sec** • PF > **0,50** • CRI > **80**
Material: **Aluminio & Plástico / Aluminium & Plastic**
Conexión / Connection: **Adaptador Trifásico / 4 Wire Adaptor**

-20 | +45 °C

NON DIMMABLE

FLICKER FREE

Lm/W
90

25.000h

ON OFF
10.000

IP20

3 YEARS WARRANTY




CODE	BARCODE	WATT	KELVIN	BEAM ANGLE	AMPERAGE	WEIGHT	COLOR	PACKING	MOQ	PVP
145-55090	5207227061622	15	4000	24°	60mA	0,425kg	WHITE/BLACK	1/20	1	86,55€
145-55091	5207227061646	20	4000	100°	100mA	0,480kg	WHITE	1/20	1	76,95€



CARRIL EMPOTRADO TRIFÁSICO Y ACCESORIOS RECESSED 4 LINE TRACK & ACCESSORIES

CARRIL EMPOTRADO TRIFÁSICO RECESSED 4 LINE TRACK



Material: **Aluminio & Plástico/ Aluminium & Plastic**

V
100-265V


°C
-20 | +45 °C

IP20

2 YEARS WARRANTY

CODE	BARCODE	DIMENSIONS	WEIGHT	COLOR	PACKING	MOQ	PVP
145-59240	5207227151330	910x56x35,5mm	0,910kg	WHITE	1/8	1	43,80€
145-59241	5207227151347	1910x56x35,5mm	1,860kg	WHITE	1/8	1	86,20€
145-59250	5207227151422	910x56x35,5mm	0,910kg	BLACK	1/8	1	43,80€
145-59251	5207227151439	1910x56x35,5mm	1,860kg	BLACK	1/8	1	86,20€

ALIMENTACIÓN POWER



Material: **PVC & Copper**

0,060kg

V
220-240V


°C
-20 | +45 °C

IP20

1 YEAR WARRANTY

CODE	BARCODE	COLOR	PACKING	MOQ	PVP
145-59242	5207227151354	WHITE	1/50	1	9,95€
145-59252	5207227151446	BLACK	1/50	1	9,95€

UNIÓN INTERIOR RECTA STRAIGHT CONJUNCTION



Material: **PVC & Copper**

0,060kg

V
220-240V

°C
-20 | +45 °C


IP20

1 YEAR WARRANTY

CODE	BARCODE	COLOR	PACKING	MOQ	PVP
145-59243	5207227151361	WHITE	1/500	1	6,65€
145-59253	5207227151453	BLACK	1/500	1	6,65€

UNIÓN ÁNGULO 90°

CONJUNCTION ANGLE 90°




Material: **PVC & Copper**

0,110kg
 220-240V
 -20 | +45 °C
 IP20
 1 YEAR WARRANTY

CODE	BARCODE	COLOR	PACKING	MOQ	PVP
145-59245	5207227151378	WHITE	1/50	1	15,25€
145-59255	5207227151460	BLACK	1/50	1	15,25€

UNIÓN TIPO "T"

CONJUNCTION TYPE "T"




Material: **PVC & Copper**

0,163kg
 220-240V
 -20 | +45 °C
 IP20
 1 YEAR WARRANTY

CODE	BARCODE	COLOR	PACKING	MOQ	PVP
145-59246	5207227151385	WHITE	1/25	1	24,55€
145-59256	5207227151477	BLACK	1/25	1	24,55€

UNIÓN TIPO "X"

CONJUNCTION TYPE "CROSS"




Material: **PVC & Copper**

0,210kg
 220-240V
 -20 | +45 °C
 IP20
 1 YEAR WARRANTY

CODE	BARCODE	COLOR	PACKING	MOQ	PVP
145-59247	5207227151392	WHITE	1/25	1	30,50€
145-59257	5207227151484	BLACK	1/25	1	30,50€

TAPA FINAL

TERMINAL




Material: **PVC**

0,008kg
 -20 | +45 °C
 IP20
 1 YEAR WARRANTY

CODE	BARCODE	COLOR	PACKING	MOQ	PVP
145-59248	5207227151408	WHITE	1/500	1	2,00€
145-59258	5207227151491	BLACK	1/500	1	2,00€

ACCESORIO SOPORTE EMPOTRAR

SUPPORTING ACCESSORY




Material: **Μεταλλικό / Metal**

0,01kg
 -20 | +45 °C
 IP20
 1 YEAR WARRANTY

CODE	BARCODE	COLOR	PACKING	MOQ	PVP
145-59249	5207227151415	METAL	1/500	1	4,00€

CARRIL TRIFÁSICO SUPERFICIE Y ACCESORIOS 4 LINE TRACK UNIVERSAL & ACCESSORIES

CARRIL TRIFÁSICO SUPERFICIE
UNIVERSAL TRACK 4 LINES



Material: Aluminio & PVC / Aluminium & PVC

V
220-240V

-20 | +45 °C

IP20

5 YEARS WARRANTY

CODE	BARCODE	DIMENSIONS	WEIGHT	COLOR	PACKING	MOQ	PVP
145-59200	5207227263972	990x38x29mm	0,816kg	WHITE	1/10	1	36,50€
145-59201	5207227263989	2000x38x29mm	1,630kg	WHITE	1/10	1	72,95€
145-59215	5207227258398	2973x38x29mm	2,450kg	WHITE	1/10	1	125,05€
145-59220	5207227264085	990x38x29mm	0,816kg	BLACK	1/10	1	36,50€
145-59221	5207227264092	2000x38x29mm	1,630kg	BLACK	1/10	1	72,95€
145-59235	5207227258404	2973x38x29mm	2,450kg	BLACK	1/10	1	125,05€



ALIMENTACIÓN

POWER TRACK UNIVERSAL



Conexión / Connection: Κλέμμα / Terminal Block

Material: **Aluminio & PVC / Aluminium & PVC**

0,053kg
 220-240V
 -20 | +45 °C
 IP20
 5 YEARS WARRANTY

CODE	BARCODE	COLOR	PACKING	MOQ	PVP
145-59202	5207227263996	WHITE	1/20	1	8,00€
145-59222	5207227264108	BLACK	1/20	1	8,00€

UNIÓN INTERIOR RECTA

CONJUNCTION UNIVERSAL STRAIGHT



Material: **Aluminio & PVC / Aluminium & PVC**

0,027kg
 220-240V
 -20 | +45 °C
 IP20
 5 YEARS WARRANTY

CODE	BARCODE	COLOR	PACKING	MOQ	PVP
145-59203	5207227263996	WHITE	1/100	1	7,30€
145-59223	5207227233753	BLACK	1/100	1	7,30€

UNIÓN ÁNGULO 90° CON ALIMENTACIÓN

CONJUNCTION UNIVERSAL ANGLE 90° WITH POWER SUPPLY



Material: **Aluminio & PVC / Aluminium & PVC**

0,101kg
 220-240V
 -20 | +45 °C
 IP20
 5 YEARS WARRANTY

CODE	BARCODE	COLOR	PACKING	MOQ	PVP
145-59204	5207227240997	WHITE	1/20	1	13,30€
145-59224	5207227220319	BLACK	1/20	1	13,30€

UNIÓN FLEXIBLE CON ESPIRAL

CONJUNCTION UNIVERSAL SPIRAL ANGLE



Material: **Aluminio & PVC / Aluminium & PVC**

0,125kg
 220-240V
 -20 | +45 °C
 IP20
 5 YEARS WARRANTY

CODE	BARCODE	COLOR	PACKING	MOQ	PVP
145-59205	5207227264016	WHITE	1/100	1	23,90€
145-59225	5207227264115	BLACK	1/100	1	23,90€

UNIÓN FLEXIBLE EN L CON ALIMENTACIÓN

FLEXIBLE L-SHAPE CONJUNCTION UNIVERSAL WITH POWER SUPPLY



Material: **Aluminio & PVC / Aluminium & PVC**

0,130kg
 220-240V
 -20 | +45 °C
 IP20
 5 YEARS WARRANTY

CODE	BARCODE	COLOR	PACKING	MOQ	PVP
145-59206	5207227264023	WHITE	1/100	1	27,95€
145-59226	5207227264122	BLACK	1/100	1	27,95€

UNIÓN TIPO "T" CON ALIMENTACIÓN

CONJUNCTION UNIVERSAL TYPE "T" WITH POWER SUPPLY



Material: **Aluminio & PVC / Aluminium & PVC**

0,142kg
 220-240V
 -20 | +45 °C
 IP20
 5 YEARS WARRANTY

CODE	BARCODE	COLOR	PACKING	MOQ	PVP
145-59207	5207227264030	WHITE	1/1	1	21,25€
145-59227	5207227264139	BLACK	1/1	1	21,25€

UNIÓN TIPO "X" CON ALIMENTACIÓN

CONJUNCTION UNIVERSAL TYPE "CROSS" WITH POWER SUPPLY



Material: **Aluminio & PVC / Aluminium & PVC**

0,189kg **V** 220-240V **-20 | +45 °C** **IP20** **5 YEARS WARRANTY**

CODE	BARCODE	COLOR	PACKING	MOQ	PVP
145-59208	5207227264047	WHITE	1/1	1	27,85€
145-59228	5207227264146	BLACK	1/1	1	27,85€

TAPA FINAL

UNIVERSAL TERMINAL



Material: **Aluminio & PVC / Aluminium & PVC**

0,005kg **V** 220-240V **-20 | +45 °C** **IP20** **5 YEARS WARRANTY**

CODE	BARCODE	COLOR	PACKING	MOQ	PVP
145-59210	5207227264054	WHITE	1/1	1	0,80€
145-59230	5207227264153	BLACK	1/1	1	0,80€

ADAPTADOR PARA CABLE

ADAPTOR FOR CABLE



82x31x82mm

Conexión / Connection: **Κλέμμα / Terminal Block**

Material: **Aluminio & PVC / Aluminium & PVC**

0,075kg **V** 220-240V **-20 | +45 °C** **IP20** **5 YEARS WARRANTY**

CODE	BARCODE	COLOR	PACKING	MOQ	PVP
145-59209	5207227264054	WHITE	1/100	1	13,95€
145-59229	5207227220333	BLACK	1/100	1	13,95€

ADAPTADOR CON CABLE DE 2M

ADAPTOR WITH CABLE



82x31x82mm

Conexión / Connection: **Κλέμμα / Terminal Block**

Material: **Aluminio & PVC / Aluminium & PVC**

0,075kg **V** 220-240V **-20 | +45 °C** **IP20** **5 YEARS WARRANTY**

CODE	BARCODE	COLOR	PACKING	MOQ	PVP
145-59212	5207227158537	WHITE	1/100	1	23,25€
145-59232	5207227158551	BLACK	1/100	1	23,25€

UNIÓN RECTA CON ALIMENTACIÓN

CONJUNCTION UNIVERSAL STRAIGHT WITH POWER SUPPLY



Material: **Aluminio & PVC / Aluminium & PVC**

0,038kg **V** 220-240V **-20 | +45 °C** **IP20** **5 YEARS WARRANTY**

CODE	BARCODE	COLOR	PACKING	MOQ	PVP
145-59214	5207227264078	WHITE	1/1	1	15,65€
145-59234	5207227264160	BLACK	1/1	1	15,65€

CABLE SUSPENSIÓN CON ROSETA 2M (4P)

SUSPENDING WIRE FOR LIGHT FIXTURE WITH ROSETTE 2M (4P)



Material: **Aluminio & PVC / Aluminium & PVC**

0,050kg **V** 220-240V **-20 | +45 °C** **IP20** **5 YEARS WARRANTY**

CODE	BARCODE	COLOR	PACKING	MOQ	PVP
145-59211	5207227153983	WHITE	1/100	1	23,25€
145-59231	5207227153990	BLACK	1/100	1	23,25€

Luminarias LED para uso interior

Lighting LED fixtures
indoor use



LUMINARIA LED CON DETECTOR DE MOVIMIENTO

LIGHTING LED FIXTURE WITH MOTION SENSOR

220x45x25mm

Ángulo de Apertura / Beam Angle: Horizontal **120°**, Vertical **60°**
Clase Energética / Energy Class: **F**
Start Time: **0,5sec** • PF > **0,50** • CRI > **80**
Tipo de Detector/ Detection type: **PIR & CDS**
Distancia de detección / Detection distance: **3m**
Pilas / Batteries: **4xAA 1,5V**
Material: **Plástico & ABS / Plastic & ABS**



-20 | +50 °C

MOTION SENSOR

AUTO ON/OFF

NON DIMMABLE

0,110kg

15.000h

ON OFF 10.000

IP20

2 YEARS WARRANTY

CODE	BARCODE	WATT	KELVIN	LUMEN/WATT	COLOR	PACKING	MOQ	PVP
145-55320	5207227150418	3	3000	73,3	WHITE	1/60	1	19,50€

190x30x15mm

Ángulo de Apertura / Beam Angle: Horizontal **120°**, Vertical **60°**
Clase Energética / Energy Class: **G**
Start Time: **0,5sec** • PF > **0,50** • CRI > **80**
Tipo Detector / Detection type: **PIR & CDS**
Distancia de detección / Detection distance: **3m**
Pilas / Batteries: **3xAAA 1,5V**
Material: **Plástico & ABS / Plastic & ABS**



-20 | +50 °C

MOTION SENSOR

AUTO ON/OFF

NON DIMMABLE

0,050kg

15.000h

ON OFF 10.000

IP20

2 YEARS WARRANTY

CODE	BARCODE	WATT	KELVIN	LUMEN/WATT	COLOR	PACKING	MOQ	PVP
145-55322	5207227150425	1,5	3000	53,3	WHITE	1/60	1	15,70€

mm03x070

Ángulo de Apertura / Beam Angle: Horizontal **120°**, Vertical **60°**
Clase Energética / Energy Class: **F**
Start Time: **0,5sec** • PF > **0,50** • CRI > **80**
Tipo de Detector / Detection type: **PIR & CDS**
Distancia de detección / Detection distance: **3m**
Pilas / Batteries: **3xAAA 1,5V**
Material: **Plástico & ABS / Plastic & ABS**



-20 | +50 °C

MOTION SENSOR

AUTO ON/OFF

NON DIMMABLE

0,048kg

15.000h

ON OFF 10.000

IP20

2 YEARS WARRANTY

CODE	BARCODE	WATT	KELVIN	LUMEN/WATT	COLOR	PACKING	MOQ	PVP
145-55324	5207227150449	1	3000	60	WHITE	1/60	1	15,70€

LUMINARIA LED CON INTERRUPTOR LIGHTING LED FIXTURE WITH SWITCH

200x33x20mm

Ángulo de Apertura / Beam Angle: Horizontal **120°**, Vertical **60°**
Clase Energética / Energy Class: **G**
Start Time: **0,5sec** • PF > **0,50** • CRI > **80**
Tipo de Detector / Detection type: **PIR & CDS**
Pilas / Batteries: **3xAAA 1,5V**
Material: **Plástico & ABS / Plastic & ABS**



-20 | +50 °C **SWITCH ON/OFF** **NON DIMMABLE** **0,064kg** **15.000h** **ON OFF 10.000** **IP20** **2 YEARS WARRANTY**

CODE	BARCODE	WATT	KELVIN	LUMEN/WATT	COLOR	PACKING	MOQ	PVP
145-55323	5207227150432	2	3000	53,3	WHITE	1/60	1	8,05€



LUMINARIA LED LED CON INTERRUPTOR LIGHTING LED TUBE FIXTURE



Volt: **85-265V 50/60Hz** • LED Type: **SMD2835**

Ángulo de Apertura / Beam Angle: **160°**


Clase Energética / Energy Class: **F**

Start Time: **0,5sec** • PF > **0,70** • CRI > **80**

Material: **PC**

Conexión / Connection: **Cable con conector / Wire**

with plug




COLOR
WHITE

Lm/W
100



ON
OFF
15.000



CODE	BARCODE	WATT	KELVIN	AMPERAGE	DIMENSIONS	WEIGHT	PACKING	MOQ	PVP
147-55300	5207227122743	4	6500	50mA	304x36x22mm	0,160kg	1/30	1	12,25€
147-55301	5207227111273	4	4000	50mA	304x36x22mm	0,160kg	1/30	1	12,25€
147-55303	5207227111297	8	6500	75mA	574x36x22mm	0,190kg	1/30	1	13,95€
147-55304	5207227111310	8	4000	75mA	574x36x22mm	0,190kg	1/30	1	13,95€
147-55306	5207227111334	12	6500	85mA	874x36x22mm	0,240kg	1/30	1	17,00€
147-55307	5207227111358	12	4000	85mA	874x36x22mm	0,240kg	1/30	1	17,00€
147-55309	5207227111372	16	6500	105mA	1184x36x22mm	0,390kg	1/30	1	19,55€
147-55310	5207227111396	16	4000	105mA	1184x36x22mm	0,390kg	1/30	1	19,55€
147-55312	5207227111419	20	6500	120mA	1474x36x22mm	0,490kg	1/30	1	26,20€
147-55313	5207227111433	20	4000	120mA	1474x36x22mm	0,490kg	1/30	1	26,20€

LUMINARIA CERRADA CON TIRAS LED CLOSED TYPE LIGHTS WITH LED TAPES



Volt: **200-240V 50/60Hz** • LED Type: **SMD2835**

Ángulo de Apertura / Beam Angle: **120°**

Clase Energética / Energy Class: **E**

3CCT: **3000K/4000K/6500K**

Start Time: **1,0sec** • CRI > **80**

Material: **Aluminio & Plástico / Aluminium & Plastic**

Conexión / Connection: **Cable / Wire**




COLOR
WHITE

Lm/W
120



ON
OFF
15.000



CODE	BARCODE	WATT	KELVIN	DIMENSIONS	PF	WEIGHT	PACKING	MOQ	PVP
147-55320	5207227288425	9	3CCT	320x75x25mm	>0,70	0,145kg	1/30	1	14,60€
147-55321	5207227288449	18	3CCT	620x75x25mm	>0,70	0,250kg	1/30	1	17,25€
147-55322	5207227288463	27	3CCT	920x75x25mm	>0,90	0,335kg	1/30	1	20,25€
147-55323	5207227288487	36	3CCT	1220x75x25mm	>0,90	0,460kg	1/30	1	23,25€
147-55324	5207227288500	45	3CCT	1520x75x25mm	>0,90	0,575kg	1/30	1	28,20€

REGLETA INDUSTRIAL SLIM PARA TUBO LED BATTEN LUMINAIRES EMPTY SLIM FOR LED TUBE



CONEXIÓN 1 LADO 1-SIDE POWER

Volt: **80-270V 50/60Hz**

Ángulo de Apertura / Beam Angle: **120°**

Material: **Hierro / Iron**

Conexión / Connection: **Cable / Wire**



T8 TYPE **G13** BASE GROUNDING -20 | +50 °C **COLOR** WHITE **IP20** **2 YEARS WARRANTY**

CODE	BARCODE	WATT	DIMENSIONS	WEIGHT	PACKING	MOQ	PVP
147-56550	5207227018725	max 9W	600x35x18mm	0,134kg	1/50	1	2,70€
147-56551	5207227018749	max 18W	1200x32x16mm	0,240kg	1/25	1	3,05€
147-56556	5207227031595	max 24W	1500x30x45mm	0,273kg	1/50	1	4,40€
147-56553	5207227018763	max 2x9W	600x40x200mm	0,205kg	1/32	1	3,05€
147-56554	5207227018787	max 2x18W	1200x45x25mm	0,354kg	1/25	1	3,35€
147-56557	5207227031625	max 2x24W	1500x75x48mm	0,300kg	1/32	1	5,05€

CONEXIÓN 2 LADOS 2-SIDE POWER

CODE	BARCODE	WATT	DIMENSIONS	WEIGHT	PACKING	MOQ	PVP
147-56560	5207227288777	max 10W	610x34x15mm	0,315kg	1/25	1	2,70€
147-56561	5207227288791	max 18W	1200x34x15mm	0,190kg	1/25	1	3,05€
147-56562	5207227288814	max 24W	1500x34x15mm	0,250kg	1/25	1	4,40€
147-56563	5207227288838	max 2x10W	610x34x15mm	0,260kg	1/25	1	3,05€
147-56564	5207227288852	max 2x18W	1200x34x15mm	0,390kg	1/25	1	3,35€
147-56565	5207227288876	max 2x24W	1500x34x15mm	0,450kg	1/25	1	5,05€

PANTALLA PARA TUBOS LED BATTEN LUMINAIRES EMPTY FOR LED TUBE



OVAL DIFUSOR MATE OVAL COVER MATT

Volt: **80-270V 50/60Hz**

Ángulo de Apertura / Beam Angle: **120°** Material: **Hierro &**

Plástico / Iron & Plastic Conexión / Connection: **Cable / Wire**



T8 TYPE **G13** BASE GROUNDING -20 | +50 °C **COLOR** WHITE **IP20** **2 YEARS WARRANTY**

CODE	BARCODE	WATT	DIMENSIONS	WEIGHT	PACKING	MOQ	PVP
147-56020	5207227004124	max 2x9W	600x130x45mm	0,500kg	1/12	1	13,75€
147-56021	5207227004148	max 2x18W	1200x125x42mm	0,907kg	1/10	1	16,80€

OVAL CON GRILL OVAL WITH GRILLES

CODE	BARCODE	WATT	DIMENSIONS	WEIGHT	PACKING	MOQ	PVP
147-56022	5207227004162	max 2x9W	600x130x45mm	0,513kg	1/12	1	19,70€
147-56023	5207227004186	max 2x18W	1200x125x42mm	0,911kg	1/10	1	16,80€

LÁMPARA DE TECHO TUBO CIRCULAR CEILING LIGHT FLUORESCENT ROUND



Volt: 220-240V 50/60Hz
Material: **Metallic**
Conexión / Connection: **Terminal Block**

T9 **G10Q**   **COLOR**  
TYPE BASE GROUNDING -20 | +50 °C WHITE IP20 YEARS WARRANTY



CODE	BARCODE	WATT	AMPERAGE	DIMENSIONS	WEIGHT	PACKING	MOQ	PVP
147-56050	5207227073816	32	430mA	Φ340x35mm	0,982kg	1/2	1	22,40€



Volt: 220-240V 50/60Hz
Material: **Metallic**
Conexión / Connection: **Terminal Block**

T9 **G10Q**   **COLOR**  
TYPE BASE GROUNDING -20 | +50 °C WHITE IP20 YEARS WARRANTY



CODE	BARCODE	WATT	AMPERAGE	DIMENSIONS	WEIGHT	PACKING	MOQ	PVP
147-56051	5206139470515	40	430mA	Φ340x35mm	0,982kg	1/2	1	23,50€



Volt: 220-240V 50/60Hz
Material: **Metallic**
Conexión / Connection: **Terminal Block**

T9 **G10Q**   **COLOR**  
TYPE BASE GROUNDING -20 | +50 °C WHITE IP20 YEARS WARRANTY



CODE	BARCODE	WATT	AMPERAGE	DIMENSIONS	WEIGHT	PACKING	MOQ	PVP
147-56052	5206139470522	72	430mA	Φ340x35mm	0,982kg	1/2	1	34,10€

Pantallas Estancas para uso profesional

LED Linear Lighting
for professional use

The complete solution on waterproof LED luminaires

La solución Completa para Pantallas Estancas LED



Estas luminarias estancas son la inversión segura para la iluminación de locales comerciales. ¡Construcción que resiste los desafíos más difíciles y una flexibilidad increíble!

Waterproof luminaires are the safe investment for the lighting of business spaces. Construction that withstands the toughest challenges and incredible flexibility!

- Una luminaria, múltiples soluciones combinadas. Gestión de temperatura de color 3CCT. Elección de tres modos de potencia de funcionamiento diferentes (potencia) y versiones con función de detector de movimiento o función de iluminación de emergencia.

One luminaires, multiple solutions combined. 3CCT color temperature management. Choice of three different operating power modes (wattage) and versions with motion detector function or backup lighting function.

- Alto rendimiento de luminosidad de 140 a 160 lúmenes por cada Watt de potencia según modelo.

Incomparable brightness output in proportion to consumption with performance 140/160Lm/W



LUMINARIA LED LINEAL SLIM LINEAR LIGHT FIXTURE LED SLIM



Volt: **220-240V 50/60Hz**

Clase Energética / Energy Class: **F**

Ángulo de Apertura / Beam Angle: **120°**

LED Type: **SMD2835**

Start Time: **0,5sec** • PF > **0,90** • CRI > **80** • IK **08**

Material: **Plástico / Plastic**

Base Blanca - Difusor Opal / White Base - Milky Cover

Con 2 Prensaestopas / With 2 cable glands

Conexión / Connection: **Conexión a red por ambos lados / 2 Way Connection**



CODE	BARCODE	WATT	KELVIN	LUMEN/W	AMPERAGE	DIMENSIONS	WEIGHT	PACKING	MOQ	PVP
147-56610	5207227068249	18	6500	100	80mA	640x58x37mm	0,150kg	1/20	1	19,90€
147-56611	5207227068263	18	4000	100	80mA	640x58x37mm	0,150kg	1/20	1	19,90€
147-56613	5207227068287	36	6500	100	162mA	1280x55x35mm	0,300kg	1/24	1	26,55€
147-56614	5207227068300	36	4000	100	162mA	1280x55x35mm	0,300kg	1/24	1	26,55€
147-56616	5207227068324	45	6500	100	205mA	1580x55x35mm	0,400kg	1/24	1	33,55€
147-56617	5207227068348	45	4000	100	205mA	1540x55x35mm	0,400kg	1/24	1	33,55€

LUMINARIA LED LINEAL NANO PC LINEAR LIGHT FIXTURE LED SLIM NANO PC



Volt: **220-240V 50/60Hz** • LED Type: **SMD2835**

Clase Energética / Energy Class: **F**

Ángulo de Apertura / Beam Angle: **120°**


Start Time: **0,5sec** • PF > **0,90** • CRI > **80** • IK **06**

Material: **Nano PC**

Difusor Opal / Milky Cover

Con 2 prensaestopas / With 2 cable glands

Conexión / Connection: **Conexión a red por ambos lados / 2 Way Connection**



CODE	BARCODE	WATT	LUMEN	KELVIN	AMPERAGE	DIMENSIONS	WEIGHT	PACKING	MOQ	PVP
147-56620	5207227068362	18	1800	6500	80mA	625x43x33mm	0,23kg	1/24	1	29,85€
147-56621	5207227068386	18	1800	4000	80mA	625x43x33mm	0,23kg	1/24	1	29,85€
147-56623	5207227068409	24	2400	6500	109mA	1225x43x33mm	0,35kg	1/24	1	41,35€
147-56624	5207227068423	24	2400	4000	109mA	1225x43x33mm	0,35kg	1/24	1	41,35€
147-56626	5207227068447	36	3600	6500	162mA	1525x43x33mm	0,43kg	1/24	1	53,30€
147-56627	5207227068461	36	3600	4000	162mA	1525x43x33mm	0,43kg	1/24	1	53,30€

PANTALLA ESTANCA LED INTEGRADO LINEAR LUMINAIRE WATERPROOF LIGHT



Volt: **220-240V 50/60Hz** • LED Type: **SMD2835**
Clase Energética / Energy Class: **E**
Ángulo de Apertura / Beam Angle: **120°**
Start Time: **0,5sec** • PF > **0,90** • CRI > **80** • IK08
Material: **Plástico / Plastic**
Base Gris - Difusor Opal / Grey Base - Milky Cover
Con 2 prensaestopas / With 2 cable glands
Conexión / Connection: **Conexión a red por ambos lados / 2 Way Connection**

-20 | +45 °C **CLASS I** **NON DIMMABLE** **GROUNDING** **30.000h** **ON OFF 15.000** **IP65** **2 YEARS WARRANTY**



CODE	BARCODE	WATT	LUMEN	KELVIN	AMPERAGE	DIMENSIONS	WEIGHT	PACKING	MOQ	PVP
147-56600	5207227059568	24	2880	4000	165mA	600x92x60mm	0,8kg	1/15	1	46,65€
147-56603	5207227059582	48	5760	4000	216mA	1200x92x60mm	1,5kg	1/8	1	80,95€
147-56606	5207227059605	56	6720	4000	243mA	1500x92x60mm	1,8kg	1/8	1	101,10€
147-56607	5207227069888	56	6720	5700	243mA	1500x92x60mm	1,8kg	1/8	1	101,10€

ILUMINACIÓN LINEAL LED SLIM CON DETECTOR DE MOVIMIENTO
LINEAR LIGHT FIXTURE LED SLIM WITH MOVEMENT SENSOR



Volt: **220-240V 50/60Hz**
Clase Energética / Energy Class: **E**
Ángulo de Apertura / Beam Angle: **120°**
LED Type: **SMD2835**
Start Time: **0,5sec** • PF > **0,90** • CRI > **80** • IK 08
Material: **Aluminio & Plástico / Aluminium & Plastic**
Base blanca - Difusor Opal / Black Base - Milky Cover
Con 2 prensaestopas / With 2 cable glands
Conexión / Connection: **Conexión a red por ambos lados / 2 Way Connection**

MICROWAVE SENSOR **-20 | +45 °C** **CLASS I** **NON DIMMABLE** **GROUNDING** **50.000h** **ON OFF 25.000** **IP65** **2 YEARS WARRANTY**



CODE	BARCODE	WATT	KELVIN	LUMEN/W	AMPERAGE	DIMENSIONS	WEIGHT	PACKING	MOQ	PVP
147-56633	5207227119132	40	6500	125	220mA	1225x74x67mm	1,600kg	1/6	1	129,35€
147-56634	5207227119149	40	4000	125	220mA	1225x74x67mm	1,600kg	1/6	1	129,35€
147-56636	5207227119156	60	6500	125	330mA	1525x74x67mm	2,000kg	1/6	1	150,70€
147-56637	5207227119163	60	4000	125	330mA	1525x74x67mm	2,000kg	1/6	1	150,70€

PANTALLA ESTANCA PARA TUBO LED "DICHT" LUMINAIRE WATERPROOF FOR LED TUBE

PE-INOX
OPTIONAL INOX CLIPS
CLIPS INOX OPCIONALES




CON 2 PRENSAESTOPAS
WITH 2 CABLE GLANDS

Volt: 80-270V 50/60Hz
Ángulo de Apertura / Beam Angle: 180°
Material: Base PC Gris y Difusor Transparente PC / Grey PC base & Transparent PC Diffuser
Conexión / Connection: Conexión a red por ambos lados / 2 Way Connection

T8 TYPE **G13** BASE  GROUNDING  -20 | +50 °C **COLOR** GREY  **IP65**  **2 YEARS WARRANTY**



CODE	BARCODE	WATT	DIMENSIONS	Nº CLIPS	COLOR	PACKING	MOQ	PVP
PE1060	8434067005487	max 9W LED	655x68x90mm	6	GREY	1/12	12	16,35 €
PE1120	8434067005494	max 18W LED	1263x68x90mm	10	GREY	1/12	12	21,95 €
PE1150	8434067005500	max 24W LED	1564x66x90mm	12	GREY	1/8	8	30,75 €
PE060	8434067005470	max 2x9W LED	655x108x90mm	6	GREY	1/8	8	19,70 €
PE120	8434067000598	max 2x18W LED	1263x108x90mm	10	GREY	1/8	8	27,55 €
PE150	8434067000604	max 2x24W LED	1564x109x90mm	12	GREY	1/8	8	37,30 €
PE-INOX	8434067183901	-	-	-	-	1/2000	1	0,45 €



PANTALLA ESTANCA PARA TUBO LED LUMINAIRE WATERPROOF FOR LED TUBE



Volt: **80-270V 50/60Hz**
Ángulo de Apertura / Beam Angle: **180°**
Material: **Plástico / Plastic**
Conexión / Connection: **Conexión a red por ambos lados / 2 Way Connection**

T8 TYPE **G13** BASE  GROUNDING  **-20 | +50 °C** **COLOR** GREY  **IP65**  **2 YEARS WARRANTY**



CODE	BARCODE	WATT	DIMENSIONS	WEIGHT	PACKING	MOQ	PVP
147-56060	5206139084279	max 9W	670x68x74mm	0,670kg	1/6	1	18,85€
147-56061	5206139084293	max 18W	1270x68x74mm	1,200kg	1/6	1	29,65€
147-56062	5206139084309	max 24W	1570x68x74mm	1,500kg	1/6	1	37,25€
147-56063	5206139084316	max 2x9W	670x104x74mm	0,950kg	1/6	1	26,75€
147-56064	5206139084323	max 2x18W	1270x104x74mm	1,520kg	1/6	1	39,95€
147-56065	5206139078131	max 2x24W	1570x104x74mm	1,900kg	1/6	1	47,20€



PANTALLA ESTANCA CON TUBO LED LUMINAIRE WATERPROOF WITH LED TUBE



Volt: **175-265V 50/60Hz**

Clase Energética / Energy Class: **E**

Ángulo de Apertura / Beam Angle: **300°**

LED Type: **SMD2835**

Start Time: **0,5sec** • PF > **0,50** • CRI > **80** • IK **08**

Material: **Cristal & Base de Plástico / Glass & plastic base**

Difusor transparente y base blanca / Transparent Cover & Milky White base

Conexión / Connection: **Conexión a red por ambos lados / 2 Way Connection**

T8
TYPE

G13
BASE



-20 | +40 °C

NON
DIMMABLE

25.000h

ON
OFF
50.000

IP65

2
YEARS
WARRANTY



CODE	BARCODE	WATT	KELVIN	LUMEN/W	DIMENSIONS	WEIGHT	PACKING	MOQ	PVP
147-56070	5207227274824	18	4000	110	1272x66x73mm	1,19kg	1/8	1	33,15€
147-56071	5207227274848	36	4000	110	1272x102x73mm	1,83kg	1/10	1	47,70€
147-56072	5207227274862	24	4000	110	1572x66x73mm	1,48kg	1/10	1	42,40€
147-56073	5207227275494	48	4000	110	1572x102x73mm	2,17kg	1/9	1	58,30€

EXPOSITOR PARA PANTALLAS ESTANCAS CON TUBOS LED

1,20m y 1,50m

DISPLAY
FOR WATERPROOF
LUMINAIRE WITH LED TUBE
1,20m & 1,50m



DIMENSIONES / DIMENSIONS	Unidades / PCS
1x1,2m	110pcs
2x1,2m	70pcs
1x1,5m	110pcs
2x1,5m	70pcs

CODE	BARCODE	DIMENSIONS	WEIGHT	PACKING	MOQ	PVP
147-56078	5207227275500	For Display 1,20m - 1340x820x880mm	1,48kg	1/10	1	44,70€
147-56079	5207227275517	For Display 1,50m - 1610x740x1090mm	2,17kg	1/9	1	51,85€

PANTALLA ESTANCA LED INTEGRADO CCT LUMINAIRE WATERPROOF LED LIGHT



Wattage
3 options

Volt: **220-240V 50/60Hz** • LED Type: **SMD2835**
3CCT: **3000K/4000K/6000K**
Clase Energética / Energy Class: **D**
Ángulo de Apertura / Beam Angle: **120°**
Start Time: **0,5sec** • PF > **0.90** • CRI > **80** • IK08
Material: **Policarbonato / Polycarbonate**
DIP switch
Base Gris - Difusor Opal / Grey Base - Milky Cover
Conexión / Connection: **Conexión a red por ambos lados / 2 Way Connection**



-20 | +45 °C **CLASS I** **NON DIMMABLE** **GROUNDING** **Lm/W 140** **50.000h** **ON OFF 30.000** **IP66** **3 YEARS WARRANTY**



CODE	BARCODE	WATT	KELVIN	AMPERAGE	DIMENSIONS	WEIGHT	PACKING	MOQ	PVP
147-56660	5207227302411	10/15/20	3CCT	50-80-100mA	600x80x72mm	0,85kg	1/9	1	72,95€
147-56661	5207227274541	20/30/40	3CCT	106-160-205mA	1200x80x72mm	1,90kg	1/9	1	97,50€
147-56662	5207227274565	30/40/50	3CCT	116-159-197mA	1500x80x72mm	2,15kg	1/9	1	129,95€

PANTALLA ESTANCA LED CON DETECTOR DE MOVIMIENTO LUMINAIRE WATERPROOF WITH MOVEMENT DETECTOR LED



Wattage
3 options

Volt: **220-240V 50/60Hz** • LED Type: **SMD2835**
3CCT: **3000K/4000K/6000K**
Clase Energética / Energy Class: **D**
Ángulo de Apertura / Beam Angle: **120°**
Start Time: **0,5sec** • PF > **0.90** • CRI > **80** • IK08
Material: **Policarbonato / Polycarbonate**
DIP switch
Base gris - Difusor Opal / Grey Base - Milky Cover
Conexión / Connection: **Conexión a red por ambos lados / 2 Way Connection**



Distancia de detección / Detection Distance: **12m**

-20 | +45 °C **CLASS I** **NON DIMMABLE** **GROUNDING** **Lm/W 140** **50.000h** **ON OFF 30.000** **IP66** **3 YEARS WARRANTY**



CODE	BARCODE	WATT	KELVIN	AMPERAGE	DIMENSIONS	WEIGHT	PACKING	MOQ	PVP
147-56675	5207227302244	10/15/20	3CCT	50-80-100mA	600x80x72mm	1.10kg	1/9	1	112,70€
147-56676	5207227274589	20/30/40	3CCT	106-160-205mA	1200x80x72mm	1.91kg	1/9	1	137,25€

PANTALLA ESTANCA LED INTEGRADO CCT CON LUZ DE EMERGENCIA
LUMINAIRE WATERPROOF WITH EMERGENCY LIGHT LED



Wattage
3 options

Volt: **220-240V 50/60Hz** • LED Type: **SMD2835**
3CCT: **3000K/4000K/6000K**
Clase Energética / Energy Class: **D**
Ángulo de Apertura / Beam Angle: **120°**
Start Time: **0,5sec** • PF > **0.90** • CRI > **80** • **IK08**
Material: **Polycarbonato / Polycarbonate**
DIP switch
Base Gris - Difusor Opal / Grey Base - Milky Cover
Conexión / Connection: **Conexión a red por ambos lados / 2 Way Connection**

Tipo de Batería / Battery type: **Lithium 2000mAh**
Tiempo de carga/ Battery Charging Time: **>24h**
Tiempo de descarga: **3h, 450lm**



-20 | +45 °C **CLASS I** **NON DIMMABLE** **GROUNDING** **Lm/W 140** **50.000h** **ON OFF 30.000** **IP66** **3 YEARS WARRANTY**



CODE	BARCODE	WATT	KELVIN	AMPERAGE	DIMENSIONS	WEIGHT	PACKING	MOQ	PVP
147-56670	5207227302237	10/15/20	3CCT	50-80-100mA	600x80x72mm	0.85kg	1/9	1	225,40€
147-56671	5207227274602	20/30/40	3CCT	106-160-205mA	1200x80x72mm	2.15kg	1/9	1	249,95€



PANTALLA ESTANCA LED INTEGRADO LUMINAIRE WATERPROOF LED LIGHT



Volt: **220-240V 50/60Hz** • LED Type: **SMD2835**
3CCT: **3000K/4000K/6000K**
Clase Energética / Energy Class: **D**
Ángulo de Apertura / Beam Angle: **120°**
Start Time: **0,5sec** • PF > **0.90** • CRI > **80** • IK08
Material: **Polycarbonato / Polycarbonate**
Con 2 prensaestopas / With 2 cable glands
Conexión / Connection: **Conexión a red por ambos lados / 2 Way Connection**

-20 | +40 °C **CLASS I** **NON DIMMABLE** **GROUNDING** **Lm/W 140** **30.000h** **ON OFF 15.000** **IP65** **3 YEARS WARRANTY**



CODE	BARCODE	WATT	KELVIN	AMPERAGE	DIMENSIONS	WEIGHT	PACKING	MOQ	PVP
147-56640	5207227288890	18	3CCT	210mA	600x80x72mm	0,96kg	1/9	1	42,45€
147-56642	5207227288913	36	3CCT	230mA	1200x80x72mm	1,47kg	1/9	1	63,65€
147-56644	5207227288937	48	3CCT	300mA	1500x80x72mm	1,80kg	1/9	1	79,60€



Volt: **220-240V 50/60Hz** • LED Type: **SMD2835**
Clase Energética / Energy Class: **C**
Ángulo de Apertura / Beam Angle: **120°**
Start Time: **0,5sec** • PF > **0.90** • CRI > **80** • IK08
Material: **Polycarbonato / Polycarbonate**
Con 2 prensaestopas / With 2 cable glands
Conexión / Connection: **Conexión a red por ambos lados / 2 Way Connection**

-20 | +40 °C **CLASS I** **NON DIMMABLE** **GROUNDING** **Lm/W 160** **30.000h** **ON OFF 15.000** **IP65** **3 YEARS WARRANTY**



CODE	BARCODE	WATT	KELVIN	AMPERAGE	DIMENSIONS	WEIGHT	PACKING	MOQ	PVP
147-56653	5207227288951	36	6000	230mA	1200x80x72mm	1,32kg	1/9	1	61,00€
147-56654	5207227288975	36	4000	230mA	1200x80x72mm	1,32kg	1/9	1	61,00€
147-56656	5207227288999	48	6000	300mA	1500x80x72mm	1,70kg	1/9	1	73,40€
147-56657	5207227289019	48	4000	300mA	1500x80x72mm	1,70kg	1/9	1	73,40€

ILUMINACIÓN LED DE TECHO LINEAL DE PASILLO LINEAR LIGHT CORRIDOR TRI-PROOF LED



Volt: **220-240V 50/60Hz** • LED Type: **SMD2835**
Clase Energética / Energy Class: **C**
Ángulo de Apertura / Beam Angle: **40°/100°**
Start Time: **0,5sec** • PF > **0.95** • CRI > **70** • IK08
Material: **Aluminio & PC / Aluminium & PC**
Color: **Negro y Rojo / Black & Red**
Cable / Wire: **300mm 3x1mm²**

 **-30 | +45 °C**

 **FLICKER FREE**

 **CLASS I**

 **NON DIMMABLE**

 **GROUNDING**

 **Lm/W 180**

 **50.000h**

 **ON OFF 15.000**

 **IP65**

 **5 YEARS WARRANTY**

 **6-12m
INSTALLATION
HEIGHT**

CODE	BARCODE	WATT	KELVIN	AMPERAGE	DIMENSIONS	WEIGHT	PACKING	MOQ	PVP
147-56680	5207227302428	50	6000	200mA	385x165x195mm	2,4kg	1/1	1	251,95€
147-56681	5207227302497	50	4000	200mA	385x165x195mm	2,4kg	1/1	1	251,95€
147-56682	5207227302442	100	6000	420mA	650x165x195mm	3,2kg	1/1	1	321,55€
147-56683	5207227302480	100	4000	420mA	650x165x195mm	3,2kg	1/1	1	321,55€
147-56684	5207227302435	150	6000	680mA	920x165x195mm	4,3kg	1/1	1	411,05€
147-56685	5207227302473	150	4000	680mA	920x165x195mm	4,3kg	1/1	1	411,05€
147-56686	5207227302466	200	6000	890mA	1185x165x195mm	5,5kg	1/1	1	505,85€
147-56687	5207227302503	200	4000	890mA	1185x165x195mm	5,5kg	1/1	1	505,85€




Proyectores LED de Exterior para uso doméstico

Flood Lights LED
for outdoor domestic use



PROYECTOR LED SMD BASE 360° PROJECTOR LED SMD BASE 360°




127x113x22mm

Volt: **220-240V 50/60Hz** • LED Type: **SMD2835**
Amperage: **50mA**
Ángulo de Apertura / Beam Angle: **100°**
Clase Energética / Energy Class: **F**
Start Time: **0,5sec** • PF > **0,90** • CRI > **80** • IK06
Cable / Wire: **300mm 3x1mm²**
Material: **Aluminio & Cristal / Aluminium & Glass**



CODE	BARCODE	WATT	KELVIN	LUMEN/WATT	COLOR	PACKING	MOQ	PVP
147-69310	5207227061752	10	6500	110	WHITE	1/60	1	10,45€
147-69311	5207227083112	10	4000	110	WHITE	1/60	1	10,45€
147-69312	5207227061790	10	3000	110	WHITE	1/60	1	10,45€
147-69313	5207227061813	10	6500	110	BLACK	1/60	1	10,45€
147-69314	5207227061837	10	4000	110	BLACK	1/60	1	10,45€
147-69315	5207227061851	10	3000	110	BLACK	1/60	1	10,45€




162x136x24mm

Volt: **220-240V 50/60Hz** • LED Type: **SMD2835**
Amperage: **100mA**
Ángulo de Apertura / Beam Angle: **100°**
Clase Energética / Energy Class: **F**
Start Time: **0,5sec** • PF > **0,90** • CRI > **80** • IK06
Cable / Wire: **300mm 3x1mm²**
Material: **Aluminio & Cristal / Aluminium & Glass**



CODE	BARCODE	WATT	KELVIN	LUMEN/WATT	COLOR	PACKING	MOQ	PVP
147-69316	5207227061875	20	6500	110	WHITE	1/40	1	17,85€
147-69317	5207227061899	20	4000	110	WHITE	1/40	1	17,85€
147-69318	5207227061912	20	3000	110	WHITE	1/40	1	17,85€
147-69319	5207227061936	20	6500	110	BLACK	1/40	1	17,85€
147-69320	5207227061950	20	4000	110	BLACK	1/40	1	17,85€
147-69321	5207227061974	20	3000	110	BLACK	1/40	1	17,85€



192x157x25mm

Volt: **220-240V 50/60Hz** • LED Type: **SMD2835**

Amperage: **150mA**

Ángulo de Apertura / Beam Angle: **100°**

Clase Energética / Energy Class: **F**

Start Time: **0,5sec** • PF > **0,90** • CRI > **80** • IK06

Cable / Wire: **300mm 3x1mm²**

Material: **Aluminio & Cristal / Aluminium & Glass**



GROUNDING



-40 | +50 °C



CLASS I



0,480kg



30.000h



ON OFF
25.000




IP65



2 YEARS WARRANTY

CODE	BARCODE	WATT	KELVIN	LUMEN/WATT	COLOR	PACKING	MOQ	PVP
147-69322	5207227061998	30	6500	110	WHITE	1/20	1	25,90€
147-69323	5207227062018	30	4000	110	WHITE	1/20	1	25,90€
147-69324	5207227062032	30	3000	110	WHITE	1/20	1	25,90€
147-69325	5207227062056	30	6500	110	BLACK	1/20	1	25,90€
147-69326	5207227062070	30	4000	110	BLACK	1/20	1	25,90€
147-69327	5207227062094	30	3000	110	BLACK	1/20	1	25,90€



227x185x26mm

Volt: **220-240V 50/60Hz** • LED Type: **SMD2835**

Amperage: **250mA**

Ángulo de Apertura / Beam Angle: **100°**

Clase Energética / Energy Class: **E**

Start Time: **0,5sec** • PF > **0,90** • CRI > **80** • IK06

Cable / Wire: **300mm 3x1mm²**

Material: **Aluminio & Cristal / Aluminium & Glass**



GROUNDING



-40 | +50 °C



CLASS I



0,670kg



30.000h



ON OFF
25.000




IP65



2 YEARS WARRANTY

CODE	BARCODE	WATT	KELVIN	LUMEN/WATT	COLOR	PACKING	MOQ	PVP
147-69328	5207227062117	50	6500	110	WHITE	1/20	1	32,05€
147-69329	5207227062131	50	4000	110	WHITE	1/20	1	32,05€
147-69330	5207227062155	50	3000	110	WHITE	1/20	1	32,05€
147-69331	5207227062179	50	6500	110	BLACK	1/20	1	32,05€
147-69332	5207227062193	50	4000	110	BLACK	1/20	1	32,05€
147-69333	5207227062216	50	3000	110	BLACK	1/20	1	32,05€

PROYECTOR LED SMD BASE 360° PROJECTOR LED SMD BASE 360°




316x245x33mm

Volt: **220-240V 50/60Hz** • LED Type: **SMD2835**
Amperage: **350mA**
Ángulo de Apertura / Beam Angle: **100°**
Clase Energética / Energy Class: **F**
Start Time: **0,5sec** • PF > **0,90** • CRI > **80** • IK06
Cable / Wire: **300mm 3x1mm²**
Material: **Aluminio & Cristal / Aluminium & Glass**



CODE	BARCODE	WATT	KELVIN	LUMEN/WATT	COLOR	PACKING	MOQ	PVP
147-69338	5207227120640	70	4000	110	BLACK	1/20	1	75,95€




316x245x33mm

Volt: **220-240V 50/60Hz** • LED Type: **SMD2835**
Amperage: **500mA**
Ángulo de Apertura / Beam Angle: **100°**
Clase Energética / Energy Class: **E**
Start Time: **0,5sec** • PF > **0,90** • CRI > **80** • IK07
Cable / Wire: **300mm 3x1mm²**
Material: **Aluminio & Cristal / Aluminium & Glass**



CODE	BARCODE	WATT	KELVIN	LUMEN/WATT	COLOR	PACKING	MOQ	PVP
147-69350	5207227062230	100	6500	110	BLACK	1/10	1	73,40€
147-69351	5207227062254	100	4000	110	BLACK	1/10	1	73,40€
147-69352	5207227062278	100	3000	110	BLACK	1/10	1	73,40€



396x308x33mm

Volt: **220-240V 50/60Hz** • LED Type: **SMD2835**
Amperage: **750mA**
Ángulo de Apertura / Beam Angle: **100°**
Clase Energética / Energy Class: **G**
Start Time: **0,5sec** • PF > **0,90** • CRI > **80** • IK07
Cable / Wire: **300mm 3x1mm²**
Material: **Aluminio & Cristal / Aluminium & Glass**



GROUNDING



-40 | +50 °C



CLASS I



3,400kg



30.000h



ON
OFF
25.000



IP65




2
YEARS
WARRANTY

CODE	BARCODE	WATT	KELVIN	LUMEN/WATT	COLOR	PACKING	MOQ	PVP
147-69353	5207227062292	150	6500	110	BLACK	1/4	1	117,25€
147-69354	5207227062315	150	4000	110	BLACK	1/4	1	117,25€



PROYECTOR LED SMD SLIM BASE 360° PROJECTOR LED SMD SLIM BASE 360°




382x317x35mm

Volt: **220-240V 50/60Hz** • LED Type: **SMD2835**
Amperage: **1000mA**
Ángulo de Apertura / Beam Angle: **100°**
Clase Energética / Energy Class: **G**
Start Time: **0,5sec** • PF > **0,90** • CRI > **80** • IK07
Cable / Wire: **300mm 3x1mm²**
Material: **Aluminio & Cristal / Aluminium & Glass**



CODE	BARCODE	WATT	KELVIN	LUMEN/WATT	COLOR	PACKING	MOQ	PVP
147-69356	5207227120664	200	6500	110	BLACK	1/5	1	119,05€
147-69357	5207227120688	200	4000	110	BLACK	1/5	1	119,05€




450x370x35mm

Volt: **220-240V 50/60Hz** • LED Type: **SMD2835**
Amperage: **1500mA**
Ángulo de Apertura / Beam Angle: **100°**
Clase Energética / Energy Class: **G**
Start Time: **0,5sec** • PF > **0,90** • CRI > **80** • IK07
Cable / Wire: **300mm 3x1,5mm²**
Material: **Aluminio & Cristal / Aluminium & Glass**



CODE	BARCODE	WATT	KELVIN	LUMEN/WATT	COLOR	PACKING	MOQ	PVP
147-69358	5207227120701	300	6500	110	BLACK	1/4	1	209,60€
147-69359	5207227120725	300	4000	110	BLACK	1/4	1	209,60€

PROYECTOR LED SMD BASE 360° PROJECTOR LED SMD BASE 360°



Cable / Wire
600mm

127x113x22mm / 162x136x24mm*

Volt: **220-240V 50/60Hz** • LED Type: **SMD2835**
Ángulo de Apertura / Beam Angle: **100°**
Clase Energética / Energy Class: **E**
Start Time: **0,5sec** • **IK06**
Cable / Wire: **600mm 3x1mm²**
Material: **Aluminio & Cristal / Aluminium & Glass**



Lm/W
95




ON OFF
25.000



2
YEARS WARRANTY

CODE	BARCODE	WATT	KELVIN	AMPERAGE	PF	CRI	WEIGHT	COLOR	PACKING	MOQ	PVP
147-69701	5207227077203	10	4000	50mA	>80	>70	0,230kg	GRAPHITE	1/60	1	12,20€
147-69702	5207227077234	10	3000	50mA	>80	>70	0,230kg	GRAPHITE	1/60	1	12,20€
147-69704 *	5207227077258	20	4000	100mA	>90	>80	0,350kg	GRAPHITE	1/40	1	21,60€
147-69705 *	5207227077272	20	3000	100mA	>90	>80	0,350kg	GRAPHITE	1/40	1	21,60€



Cable / Wire
600mm

192x157x25mm / 227x185x26mm*

Volt: **220-240V 50/60Hz** • LED Type: **SMD2835**
Ángulo de Apertura / Beam Angle: **100°**
Clase Energética / Energy Class: **E**
Start Time: **0,5sec** • **IK06**
Cable / Wire: **600mm 3x1mm²**
Material: **Aluminio & Cristal / Aluminium & Glass**



Lm/W
95



ON OFF
25.000



2
YEARS WARRANTY

CODE	BARCODE	WATT	KELVIN	AMPERAGE	PF	CRI	WEIGHT	COLOR	PACKING	MOQ	PVP
147-69707	5207227077296	30	4000	150mA	>90	>70	0,480kg	GRAPHITE	1/20	1	26,45€
147-69708	5207227077326	30	3000	150mA	>90	>70	0,480kg	GRAPHITE	1/20	1	26,45€
147-69710 *	5207227077357	50	4000	250mA	>90	>80	0,670kg	GRAPHITE	1/20	1	34,70€
147-69711 *	5207227077371	50	3000	250mA	>90	>80	0,670kg	GRAPHITE	1/20	1	34,70€

PROYECTOR LED SMD CON DETECTOR DE MOVIMIENTO
PROJECTOR LED SMD WITH ROTATED MOVEMENT DETECTOR



160x115x50mm

Volt: 220-240V 50/60Hz • LED Type: SMD2835
Tipo de Detector/ Detector Type: PIR
Amperage: 50mA
Ángulo de Apertura / Beam Angle: 100°
Clase Energética / Energy Class: F
Start Time: 0,5sec • PF > 0,90 • CRI > 80 • IK06
Cable / Wire: 300mm 3x1mm²
Tiempo de funcionamiento del sensor /
Sensor Working Time: 10sec - 8min
Distancia de detección / Detection Distance: 10m
Material: Aluminio & PC / Aluminium & PC




Table with 9 columns: CODE, BARCODE, WATT, KELVIN, LUMEN/WATT, COLOR, PACKING, MOQ, PVP. It lists four product variants with their respective specifications and prices.



180x137x50mm

Volt: 220-240V 50/60Hz • LED Type: SMD2835
Tipo Detector / Detector Type: PIR
Amperage: 100mA
Ángulo de Apertura / Beam Angle: 100°
Clase Energética / Energy Class: F
Start Time: 0,5sec • PF > 0,90 • CRI > 80 • IK06
Cable / Wire: 300mm 3x1mm²
Tiempo de funcionamiento del sensor /
Sensor Working Time: 10sec - 8min
Distancia de detección / Detection Distance: 10m
Material: Aluminio & PC / Aluminium & PC





Table with 9 columns: CODE, BARCODE, WATT, KELVIN, LUMEN/WATT, COLOR, PACKING, MOQ, PVP. It lists four product variants with their respective specifications and prices.



215x180x50mm

Volt: **220-240V 50/60Hz** • LED Type: **SMD2835**

Amperage: **150mA**

Ángulo de Apertura / Beam Angle: **100°**

Clase Energética / Energy Class: **F**

Start Time: **0,5sec** • PF > **0,90** • CRI > **80** • IK06

Cable / Wire: **300mm 3x1mm²**

Tiempo de funcionamiento del sensor /

Sensor Working Time: **10sec - 8min**

Distancia de detección / Detection Distance: **10m**


Material: **Aluminio & PC / Aluminium & PC**

Max **10m** at **25°C**
DETECTION DISTANCE

3-5m
INSTALLATION
HEIGHT



CODE	BARCODE	WATT	KELVIN	LUMEN/WATT	COLOR	PACKING	MOQ	PVP
147-69636	5207227058448	30	6500	105	BLACK	1/20	1	45,15€
147-69637	5207227058462	30	4000	105	BLACK	1/20	1	45,15€



250x227x50mm

Volt: **220-240V 50/60Hz** • LED Type: **SMD2835**

Amperage: **250mA**

Ángulo de Apertura / Beam Angle: **100°**

Clase Energética / Energy Class: **F**

Start Time: **0,5sec** • PF > **0,90** • CRI > **80** • IK06

Cable / Wire: **300mm 3x1mm²**

Tiempo de funcionamiento del sensor/

Sensor Working Time: **10sec - 8min**

Distancia de detección / Detection Distance: **10m**

Material: **Aluminio & PC / Aluminium & PC**

Max **10m** at **25°C**
DETECTION DISTANCE

3-5m
INSTALLATION
HEIGHT



CODE	BARCODE	WATT	KELVIN	LUMEN/WATT	COLOR	PACKING	MOQ	PVP
147-69659	5207227109775	50	6500	105	WHITE	1/10	1	52,80€
147-69660	5207227109799	50	4000	105	WHITE	1/10	1	52,80€
147-69642	5207227058509	50	6500	105	BLACK	1/10	1	48,90€
147-69643	5207227058523	50	4000	105	BLACK	1/10	1	48,90€



PROYECTOR LED SMD CON SENSOR CREPUSCULAR

PROJECTOR LED SMD WITH DAY / NIGHT DETECTOR



- Se enciende automáticamente cuando la luz ambiental es inferior a 30 LUX/
Turns on automatically when the light of the surrounding area is below 30 LUX
- Se apaga automáticamente cuando la luz ambiental supera los 50 LUX/
Turns off automatically when the light of the surrounding area is over 50 LUX

Volt: **220-240V 50/60Hz** • LED Type: **SMD2835**
 Ángulo de Apertura / Beam Angle: **100°**
 Clase Energética / Energy Class: **F**
 Start Time: **0,5sec** • PF > **0,90** • CRI > **80** • IK06
 Cable / Wire: **300mm 3x1mm²**
 Material:
Aluminio & Cristal / Aluminium & Glass



Lm/W
85

-40 | +50 °C

CLASS I

30.000h



ON OFF
25.000

IP65

2 YEARS WARRANTY

CODE	BARCODE	WATT	AMPERAGE	KELVIN	DIMENSIONS	WEIGHT	COLOR	PACKING	MOQ	PVP
147-69360	5207227067518	20	100mA	6500	162x144x28mm	0.410kg	DARK GREY	1/30	1	33,85€
147-69361	5207227067532	20	100mA	4200	162x144x28mm	0.410kg	DARK GREY	1/30	1	33,85€
147-69362	5207227067556	30	150mA	6500	200x180x28mm	0.620kg	DARK GREY	1/20	1	41,35€
147-69363	5207227067570	30	150mA	4200	200x180x28mm	0.620kg	DARK GREY	1/20	1	41,35€
147-69364	5207227067594	50	250mA	6500	245x210x31mm	0.920kg	DARK GREY	1/10	1	53,60€

PROYECTOR LED SMD 10-30W PROJECTOR LED SMD 10-30W



12V/24V

Volt: **12V/24V DC** • LED Type: **SMD2835**
 Ángulo de Apertura / Beam Angle: **100°**
 Clase Energética / Energy Class: **F**
 Start Time: **0,5sec** • PF > **0,90** • CRI > **80** • IK06 Cable /
 Wire: **300mm 3x1mm²**
 Material: **Aluminio & Cristal / Aluminium & Glass**

Lm/W
85

-40 | +50 °C

CLASS II

36.000h


ON OFF
25.000

IP65

2 YEARS WARRANTY

CODE	BARCODE	WATT	AMPERAGE	KELVIN	DIMENSIONS	WEIGHT	COLOR	PACKING	MOQ	PVP
147-69380	5207227070174	10	1000mA	4000	136x120x30mm	0.587kg	BLACK	1/20	1	28,85€
147-69381	5207227070198	20	2000mA	4000	171x155x37mm	0.587kg	BLACK	1/20	1	54,10€
147-69382	5207227070211	30	3000mA	4000	207x176x38mm	0.875kg	BLACK	1/10	1	76,75€
147-69383	5207227149474	10	1000mA	6500	136x120x30mm	0.587kg	BLACK	1/20	1	35,95€
147-69384	5207227149481	20	2000mA	6500	171x155x37mm	0.587kg	BLACK	1/20	1	56,00€
147-69385	5207227149498	30	3000mA	6500	207x176x38mm	0.875kg	BLACK	1/10	1	74,35€

PROYECTOR LED SMD 50-150W PROJECTOR LED SMD 50-150W



42V

Volt: **42V DC** • LED Type: **SMD2835**

Ángulo de Apertura / Beam Angle: **120°**

Clase Energética / Energy Class: **F**

Start Time: **0,5sec** • CRI **70** • IK**06**

Cable / Wire (147-69386): **150mm 2x1mm²**

Cable / Wire (147-69387): **300mm 2x1mm²**

Material: **Aluminio & Cristal / Aluminium & Glass**

Lm/W
100

-20 | +40 °C

CLASS III

COLOR
BLACK


36.000h

ON OFF
18.000

IP65

2 YEARS WARRANTY

CODE	BARCODE	WATT	AMPERAGE	KELVIN	DIMENSIONS	WEIGHT	PACKING	MOQ	PVP
147-69386	5207227257407	50	1200mA	6500	205x170x22mm	0.5kg	1/20	1	40,00€
147-69387	5207227257421	100	2400mA	6500	295x246x30mm	1.25kg	1/10	1	76,05€



80-265V

Volt: **80-265V 50/60Hz** • LED Type: **SMD2835**

Ángulo de Apertura / Beam Angle: **120°** Clase

Energética / Energy Class: **E**

Start Time: **0,5sec** • PF **≥ 0,90** • CRI **70** • IK**08**

Cable / Wire (147-69386): **300mm 3x1mm²**

Material:

Aluminio & Cristal / Aluminium & Glass

GROUNDING

Lm/W
130

-40 | +50 °C

CLASS I

COLOR
BLACK

36.000h


ON OFF
18.000

IP66

3 YEARS WARRANTY

CODE	BARCODE	WATT	AMPERAGE	KELVIN	DIMENSIONS	WEIGHT	PACKING	MOQ	PVP
147-69300	5207227257452	50	250mA	6500	237x210x38mm	1.30kg	1/10	1	65,40€
147-69302	5207227257476	100	500mA	6500	327x268x48mm	2.56kg	1/5	1	123,15€
147-69304	5207227257490	150	750mA	6500	370x310x49mm	3.66kg	1/4	1	187,95€

PROYECTOR LED SMD RGB PROJECTOR LED SMD RGB



RGB

Volt: **100-265V 50/60Hz** • LED Type: **SMD2835**

Ángulo de Apertura / Beam Angle: **120°**

Clase Energética / Energy Class: **G**

Start Time: **0,5sec** • PF > **0,90** • CRI > **80** • IK07

Cable / Wire: **300mm 2x0,75mm²**

Material:

Aluminio & Cristal / Aluminium & Glass

Con mando a distancia (Pilas Incluidas) / With remote control (batteries included)



Lm/W
80



COLOR
BLACK




ON OFF
15.000



CODE	BARCODE	WATT	AMPERAGE	KELVIN	DIMENSIONS	WEIGHT	PACKING	MOQ	PVP
147-69390	5207227068782	50	560mA	RGB	240x210x44mm	1.253kg	1/10	1	53,10€

PROYECTOR LED SMD VERDE & AZUL PROJECTOR LED SMD GREEN & BLUE



Green
Blue

Volt: **220-240V 50/60Hz** • LED Type: **SMD2835**

Ángulo de Apertura / Beam Angle: **100°**

Start Time: **0,5sec** • CRI **70** • IK06

Cable / Wire (147-69386): **300mm 3x1mm²**

Material: **Aluminio & Cristal / Aluminium & Glass**



Lm/W
70



COLOR
BLACK



ON OFF
25.000



CODE	BARCODE	WATT	Lm/W	AMPERAGE	PF	KELVIN	DIMENSIONS	WEIGHT	PACKING	MOQ	PVP
147-69270	5206139014351	10	70	50mA	>0.80	GREEN	127x113x22mm	0.230kg	1/60	1	12,55€
147-69271	5206139014368	20	70	100mA	>0.80	GREEN	162x136x24mm	0.350kg	1/40	1	21,05€
147-69273	5207227149504	30	60	150mA	>0.90	BLUE	192x157x25mm	0.480kg	1/20	1	29,45€

PROYECTOR LED COB PORTÁTIL RECARGABLE PROJECTOR RECHARGEABLE LED COB



CAR ADAPTOR

BATTERY TYPE: 18650 Lithium 3.7V

Charging cable: 8,4V 1A

Charging Time: 3h


Discharging Time: 4-5h

Volt: 100-240V 50/60Hz • LED Type: COB30
Ángulo de Apertura / Beam Angle: 120°
Start Time: 3sec • PF > 0.60 • CRI > 80 • IK08
Cable / Wire: 2x0,75mm²
Material:
Plástico, Aluminio & Hierro /
Plastic, Aluminium & Iron

Lm/W 70 -20 | +50 °C COLOR YELLOW 25.000h ON OFF 25.000 IP65 2 YEARS WARRANTY

CODE	BARCODE	WATT	AMPERAGE	KELVIN	DIMENSIONS	WEIGHT	PACKING	MOQ	PVP
147-69240	5206139050212	10	260mA	4000	265x135x126mm	0.950kg	1/20	1	67,60€
147-69241	5206139050236	20	260mA	4000	298x160x184mm	1.500kg	1/10	1	94,60€

PROYECTOR LED SMD PORTÁTIL PROJECTOR LED SMD MOVABLE



Volt: 220-240V 50/60Hz • LED Type: SMD2835
Ángulo de Apertura / Beam Angle: 120°
Clase Energética / Energy Class: G
Start Time: 0,5sec • PF > 0,90 • CRI > 80 • IK07
Cable / Wire: 1500mm 3x1mm²
Material:
Aluminio & Cristal / Aluminium & Glass

GROUNDING Lm/W 80 -40 | +50 °C CLASS I COLOR YELLOW 30.000h ON OFF 15.000 IP65 2 YEARS WARRANTY

CODE	BARCODE	WATT	AMPERAGE	KELVIN	DIMENSIONS	WEIGHT	PACKING	MOQ	PVP
147-69370	5207227068744	10	48mA	4000	146x164x240mm	0.770kg	1/20	1	27,60€
147-69372	5207227068768	30	145mA	4000	189x183x280mm	1.169kg	1/10	1	39,00€

BASES PARA PROYECTORES PROJECTOR BASES



Material: **Aluminio / Aluminium**

CODE	BARCODE	WATT	DIMENSIONS	WEIGHT	COLOR	PACKING	MOQ	PVP
147-22420	5206139044914	20	265x205x75mm	0.500kg	YELLOW	1/20	1	11,30€
147-22421	5206139044945	50	345x280x105mm	1.020kg	YELLOW	1/10	1	20,85€
147-22422	5206139044891	10-50	960x1500mm	1.000kg	YELLOW	1/6	1	47,30€



PROYECTOR SOLAR LED SMD PROJECTOR LED SMD SOLAR




Volt: **3.2V DC** • LED Type: **SMD5050**
Ángulo de Apertura / Beam Angle: **90° • 400lm**
Start Time: **0,5sec** • CRI > **70** • IK07
Cable / Wire: **2000mm 2x0,5mm²**
Material: **ABS & Glass / Plástico & Cristal**

Con mando a distancia (Pilas Incluidas) / **With remote control** (baterries included)

Panel Solar / Solar Panel: **5V 20W**
Dimensiones / Dimensions: **210x200x17mm**
Peso / Weight: **0,500kg**

Tipo de Batería / Battery Type: **LiFePO4, 3.2V 5Ah**
Charging Time: **5-8h**
Discharging Time: **10-12h**

NEW



3-4m
INSTALLATION
HEIGHT

-25 | +45 °C **COLOR BLACK** **30.000h** **IP65** **2 YEARS WARRANTY**

CODE	BARCODE	WATT	KELVIN	DIMENSIONS	WEIGHT	PACKING	MOQ	PVP
147-69570	5207227288715	50	4000	219x253x46mm	1,800kg	1/10	1	57,70€




Volt: **3.2V DC** • LED Type: **SMD5050**
Ángulo de Apertura / Beam Angle: **90° • 800lm**
Start Time: **0,5sec** • CRI > **70** • IK07
Cable / Wire: **2000mm 2x0,5mm²**
Material: **ABS & Glass / Plástico & Cristal**

Con mando a distancia (Pilas Incluidas) / **With remote control** (baterries included)

Panel Solar / Solar Panel: **5V 20W**
Dimensiones / Dimensions: **300x205x17mm**
Peso / Weight: **0,720kg**

Tipo de Batería / Battery Type: **LiFePO4, 3.2V 10Ah**
Charging Time: **5-8h**
Discharging Time: **10-12h**

NEW



4-5m
INSTALLATION
HEIGHT

-25 | +45 °C **COLOR BLACK** **30.000h** **IP65** **2 YEARS WARRANTY**

CODE	BARCODE	WATT	KELVIN	DIMENSIONS	WEIGHT	PACKING	MOQ	PVP
147-69571	5207227288739	100	4000	243x282x46mm	2,300kg	1/5	1	82,90€

PROYECTOR SOLAR LED SMD PROJECTOR LED SMD SOLAR



NEW

Volt: **3.2V DC** • LED Type: **SMD5050**
Ángulo de Apertura / Beam Angle: **90° • 1800lm**
Start Time: **0,5sec** • CRI > **70** • **IK07**
Cable / Wire: **2000mm 2x1mm²**
Material: **ABS & Glass / Plástico & Cristal**

Con mando a distancia (Pilas Incluidas) / **With remote control** (baterries included)

Panel Solar / Solar Panel: **5V 20W**
Dimensiones / Dimensions: **390x375x17mm**
Peso / Weight: **1,0kg**

Tipo de Batería / Battery Type: **LiFePO4, 3.2V 25Ah**
Charging Time: **5-8h**
Discharging Time: **10-12h**



-25 | +45 °C **COLOR BLACK** **30.000h** **IP65** **2 YEARS WARRANTY**

CODE	BARCODE	WATT	KELVIN	DIMENSIONS	WEIGHT	PACKING	MOQ	PVP
147-69572	5207227301476	200	4000	270x306x49mm	2,900kg	1/5	1	156,50€



NEW

Volt: **3.2V DC** • LED Type: **SMD2835**
Ángulo de Apertura / Beam Angle: **90° • 2200lm**
Start Time: **0,5sec** • CRI > **70** • **IK07**
Cable / Wire: **2000mm 2x0.75mm²**
Material: **ABS & Glass / Plástico & Cristal**

Con mando a distancia (Pilas Incluidas) / **With remote control** (baterries included)

Panel Solar / Solar Panel: **5V 20W**
Dimensiones / Dimensions: **390x450x17mm**
Peso / Weight: **1,400kg**



Tipo de Batería / Battery Type: **LiFePO4, 3.2V 25Ah**
Charging Time: **5-8h**
Discharging Time: **10-12h**



-25 | +45 °C **COLOR BLACK** **30.000h** **IP65** **2 YEARS WARRANTY**

CODE	BARCODE	WATT	KELVIN	DIMENSIONS	WEIGHT	PACKING	MOQ	PVP
147-69573	5207227301490	300	4000	300x356x73mm	4.100kg	1/4	1	207,50€

PROYECTOR SOLAR LED SMD PROJECTOR LED SMD SOLAR



Volt: **3.2V DC** • LED Type: **SMD2835**
Ángulo de Apertura / Beam Angle: **90° • 2800lm**
Start Time: **0,5sec** • CRI > **70** • **IK07**
Cable / Wire: **2000mm 2x1mm²**
Material: **ABS & Glass / Plástico & Cristal**

Con mando a distancia (Pilas Incluidas) / With remote control (baterries included)

Panel Solar / Solar Panel: **5V 20W**
Dimensiones / Dimensions: **390x510x17mm**
Peso / Weight: **1,800kg**

Tipo de Batería / Battery Type: **LiFePO4, 3.2V 30Ah**
Charging Time: **5-8h**
Discharging Time: **10-12h**



Lm/W
7

-25 | +45 °C



COLOR
BLACK

30.000h

IP65

2 YEARS WARRANTY

CODE	BARCODE	WATT	KELVIN	DIMENSIONS	WEIGHT	PACKING	MOQ	PVP
147-69574	5207227301476	400	4000	348x406x79mm	5,220kg	1/2	1	254,60€



Volt: **3.2V DC** • LED Type: **SMD2835**
Ángulo de Apertura / Beam Angle: **90° • 3600lm**
Start Time: **0,5sec** • CRI > **70** • **IK07**
Cable / Wire: **2000mm 2x1.5mm²**
Material: **ABS & Glass / ABS & Cristal**

Con mando a distancia (Pilas Incluidas) / With remote control (baterries included)

Panel Solar / Solar Panel: **5V 20W**
Dimensiones / Dimensions: **390x590x20mm**
Peso / Weight: **2,200kg**

Tipo de Batería / Battery Type: **LiFePO4, 3.2V 40Ah**
Charging Time: **5-8h**
Discharging Time: **10-12h**



-25 | +45 °C

COLOR
BLACK

30.000h

IP65

2 YEARS WARRANTY

CODE	BARCODE	WATT	KELVIN	DIMENSIONS	WEIGHT	PACKING	MOQ	PVP
147-69575	5207227301490	500	4000	348x406x79mm	7,200kg	1/2	1	311,60€

PROYECTOR SOLAR LED SMD CON CÁMARA PROJECTOR LED SMD SOLAR WITH CAMERA




Volt: **5V DC** • LED Type: **SMD2835**
 Ángulo de Apertura / Beam Angle: **90° • 7300lm**
 Start Time: **0,5sec** • CRI > **80** • IK07
 Cable / Wire: **5000mm 2x0,75mm²**
 Material: **Aluminio & Plástico / Aluminium & Plastic**

Con mando a distancia (Pilas Incluidas) / With remote control (batteries included)

Panel Solar / Solar Panel: **5V 20W**
 Dimensiones / Dimensions: **350x350x15mm**
 Peso / Weight: **0,800kg**

Cámara / Camera: **200million pixels**
1080P Day & Night / 32GB Card

Tipo de Batería / Battery Type: **Lithium 12000mAh**
 Charging Time: **4-6h**
 Discharging Time: **12-18h**



COLOR
BLACK



ON OFF
15.000



2 YEARS WARRANTY

CODE	BARCODE	WATT	KELVIN	DIMENSIONS	WEIGHT	PACKING	MOQ	PVP
147-69594	5207227116735	100	6500	179x217x45mm	2.500kg	1/8	1	278,10€

PROYECTOR SOLAR LED SMD CON DETECTOR DE MOVIMIENTO PROJECTOR LED SMD SOLAR WITH MOVEMENT DETECTOR





Volt: **5V DC** • LED Type: **SMD5630**
 Tipo de Detector / Detector Type: **PIR**
 Ángulo de Apertura / Beam Angle: **120° • 1650lm**
 Start Time: **0,5sec** • CRI > **80** • IK07
 Cable / Wire: **2000mm 2x0,75mm²**
 Sensor Working Time: **10sec - 8min**
 Distancia Detección / Detection Distance: **6-8m**
 Material: **Aluminio & Cristal / Aluminium & Glass**

Con mando a distancia (Pilas Incluidas) / With remote control (batteries included)

Panel Solar / Solar Panel: **5V 25W**

Dimensiones / Dimensions: **360x400x20mm**
 Peso / Weight: **0,800kg**

Tipo de Batería / Battery Type: **Lithium 3.2V**
18000mAh Charging Time: **4-5h**
 Discharging Time: **10-20h**



Max 6-8m at 25°C
DETECTION DISTANCE



COLOR
WHITE



ON OFF
15.000



2 YEARS WARRANTY

CODE	BARCODE	WATT	KELVIN	DIMENSIONS	WEIGHT	PACKING	MOQ	PVP
147-69593	5207227068836	30	6500	275x210x80mm	4.70kg	1/5	1	229,15€

PROYECTOR SOLAR LED SMD PROJECTOR LED SMD SOLAR



Volt: **5V DC** • LED Type: **SMD2835**
Ángulo de Apertura / Beam Angle: **120°**
Start Time: **0,5sec** • CRI > **80** • IK07
Cable / Wire: **2000mm 2x1mm²**
Material: **Aluminio & Cristal / Aluminium & Glass**

Con mando a distancia (Pilas Incluidas) / With remote control (batteries included)

-25 | +45 °C **COLOR** **DARK GREY** **30.000h** **ON OFF** **15.000** **IP65** **3 YEARS WARRANTY**

CODE	BARCODE	WATT	LUMEN	KELVIN	DIMENSIONS	WEIGHT	PACKING	MOQ	PVP
147-69580	5207227158834	20	1100	4000	210x176x42mm	13.0kg	1/5	1	100,25€
147-69581	5207227158841	50	2750	4000	210x176x43mm	13.0kg	1/5	1	100,25€

Panel Solar / Solar Panel: **5V 10W** • Dimensiones / Dimensions: **250x205x15mm** • Peso / Weight: **1.200kg**
Tipo de Batería / Battery Type: **Lithium 3.2V 6000mAh** • Charging Time: **5-6h** • Discharging Time: **10-12h**

3-5m
INSTALLATION
HEIGHT

CODE	BARCODE	WATT	LUMEN	KELVIN	DIMENSIONS	WEIGHT	PACKING	MOQ	PVP
147-69582	5207227158858	100	5500	4000	270x211x43mm	20.0kg	1/5	1	143,75€

Panel Solar / Solar Panel: **5V 15W** • Dimensiones / Dimensions: **290x350x15mm** • Peso / Weight: **1.200kg**
Tipo de Batería / Battery Type: **Lithium 3.2V 15000mAh** • Charging Time: **5-6h** • Discharging Time: **10-12h**

4-6m
INSTALLATION
HEIGHT



PROYECTOR SOLAR LED SMD PROJECTOR LED SMD SOLAR



Volt: **5V DC** • LED Type: **SMD2835**
Ángulo de Apertura / Beam Angle: **120°**
Start Time: **0,5sec** • CRI > **80** • IK07
Cable / Wire: **2000mm 2x1mm²**
Material: **Aluminio & Cristal / Aluminium & Glass**

Con mando a distancia (Pilas Incluidas) / With remote control (batteries included)

-25 | +45 °C **COLOR** DARK GREY **30.000h** **ON OFF** 15.000 **IP65** **3 YEARS WARRANTY**

CODE	BARCODE	WATT	LUMEN	KELVIN	DIMENSIONS	WEIGHT	PACKING	MOQ	PVP
147-69583	5207227158865	200	11000	4000	351x284x43mm	24.0kg	1/4	1	193,45€

Panel Solar / Solar Panel: **5V 20W** • Dimensiones / Dimensions: **350x350x15mm** • Peso / Weight: **3.200kg**
Tipo de Batería / Battery Type: **Lithium 3.2V 20000mAh** • Charging Time: **5-6h** • Discharging Time: **10-12h**

4-6m
INSTALLATION
HEIGHT

CODE	BARCODE	WATT	LUMEN	KELVIN	DIMENSIONS	WEIGHT	PACKING	MOQ	PVP
147-69584	5207227158872	300	16500	4000	351x284x43mm	16.0kg	1/3	1	243,40€

Panel Solar / Solar Panel: **5V 30W** • Dimensiones / Dimensions: **350x530x15mm** • Peso / Weight: **3.500kg**
Tipo de Batería / Battery Type: **Lithium 3.2V 30000mAh** • Charging Time: **5-6h** • Discharging Time: **10-12h**

6-8m
INSTALLATION
HEIGHT

CODE	BARCODE	WATT	LUMEN	KELVIN	DIMENSIONS	WEIGHT	PACKING	MOQ	PVP
147-69585	5207227158889	400	22000	4000	395x319x63mm	19.0kg	1/2	1	337,20€

Panel Solar / Solar Panel: **5V 40W** • Dimensiones / Dimensions: **670x445x25mm** • Peso / Weight: **3.500kg**
Tipo de Batería / Battery Type: **Lithium 3.2V 40000mAh** • Charging Time: **5-6h** • Discharging Time: **10-12h**

6-8m
INSTALLATION
HEIGHT

CODE	BARCODE	WATT	LUMEN	KELVIN	DIMENSIONS	WEIGHT	PACKING	MOQ	PVP
147-69586	5207227160448	500	27500	4000	395x319x63mm	25.0kg	1/2	1	393,30€

Panel Solar / Solar Panel: **5V 50W** • Dimensiones / Dimensions: **670x445x25mm** • Peso / Weight: **3.500kg**
Tipo de Batería / Battery Type: **Lithium 3.2V 50000mAh** • Charging Time: **5-6h** • Discharging Time: **10-12h**



6-8m
INSTALLATION
HEIGHT

Proyectores LED de exterior para uso profesional

Flood Lights LED
for outdoor professional use



PROYECTOR LED SMD MODULAR PROJECTOR LED SMD MODULAR



1345x483x296mm

Volt: **100-305V 50/60Hz** • LED Type: **SMD3030**
Ángulo de Apertura / Beam Angle: **30°**
Clase Energética / Energy Class: **E** • Color:
Negro
Start Time: **0,5sec** • PF > **0.98** • CRI > **70** • IK08
Cable / Wire: **3x1.5mm²**
Material: **Aluminio / Aluminium**
Color: **Negro / Black**



Lm/W
130

-30 | +50 °C



50.000h

ON OFF
25.000



5 YEARS WARRANTY

CODE	BARCODE	WATT	AMPERAGE	KELVIN	WEIGHT	DIMMING	PACKING	MOQ	PVP
146-69100	5207227035319	250	115V/2,2A - 230V/1,1A	5700	5.960kg	1-10V	1/1	1	572,25€
146-69101	5207227035326	250	115V/2,2A - 230V/1,1A	4000	5.960kg	1-10V	1/1	1	572,25€
146-69103	5207227328503	250	115V/2,2A - 230V/1,1A	5700	5.960kg	DALI	1/1	1	629,80€
146-69104	5207227199301	250	115V/2,2A - 230V/1,1A	4000	5.960kg	DALI	1/1	1	629,80€

BRAZOS PARA PROYECTOR MODULAR BRACKET ARMS FOR MODULAR PROJECTOR



146-69110



146-69111



146-69112



146-69113



Material: **Aluminio /**
Aluminium

COLOR
BLACK



CODE	BARCODE	TYPE	WATT	WEIGHT	PACKING	MOQ	PVP
146-69110	5207227035333	SOPORTE 1 PROYECTOR / SINGLE TRUNNION	250	1.0kg	1/1	1	44,15€
146-69111	5207227035340	SOPORTE 2 PROYECTOR / DOUBLE TRUNNION	500	7.200kg	1/1	1	535,65€
146-69112	5207227035357	SOPORTE 3 PROYECTOR / TRIPLE TRUNNION	750	8.900kg	1/1	1	675,20€
146-69113	5207227035364	SOPORTE 4 PROYECTOR / QUADRUPLE TRUNNION	1000	13.650kg	1/1	1	625,10€
146-69114	5207227124242	SOPORTE 5 PROYECTOR / FIVEFOLD TRUNNION	1250	10.00kg	1/1	1	1.299,35€

BASES PARA PROYECTOR MODULAR BRACKET ARMS FOR MODULAR PROJECTOR



Material: **Aluminio / Aluminium**
COLOR BLACK
5 YEARS WARRANTY

CODE	BARCODE	TYPE	WATT	DIMENSIONS	WEIGHT	PACKING	MOQ	PVP
146-69115	5207227035371	BASE PARA POSTE / TRIPLE KNUCKLE	750	545x289x78mm	7.9kg	1/1	1	132,60€
146-69116	5207227035388	QUADRUPLE LUMOSA TINY	1000	Ø512x123mm	6.0kg	1/1	1	212,15€

LÁSER DE AJUSTE DE PROYECTOR LAZER FOR ADJUSTMENT MODULAR PROJECTOR

Volt: **3.7V DC**
Bateria / Battery: **16340**
Material: **Aluminio / Aluminium**

-10 | +50 °C
COLOR BLACK
2 YEARS WARRANTY



CODE	BARCODE	TYPE	WATT	WEIGHT	PACKING	MOQ	PVP
146-69117	5207227035395	ΠΕΝΤΑΠΛΗ / FIVEFOLD TRUNNION	250	0.230kg	1/1	1	162,45€




PROYECTOR LED SMD MODULAR PROJECTOR LED SMD MODULAR



309.5x214.5x115mm

Volt: **100-277V 50/60Hz**
LED Type: **SMD5050**
Ángulo de Apertura / Beam Angle: **60°**
Clase Energética / Energy Class: **C**
Start Time: **0,5sec / 230V AC, 1.2sec / 115V AC**
PF > **0.95** • CRI > **70** • IK10
Cable / Wire: **3x1.0mm²**
Material: **Aluminio / Aluminium**



GROUNDING



FLICKER FREE



NON DIMMABLE



-30 | +50 °C



CLASS I



3,15kg



COLOR BLACK



50.000h




ON OFF 15.000



IP66



5 YEARS WARRANTY




>8m INSTALLATION HEIGHT

CODE	BARCODE	WATT	LUMEN/WATT	AMPERAGE	KELVIN	PACKING	MOQ	PVP
146-69152	5207227275968	120	185	115V/1A - 230V/0.53A	6000	1/1	1	384,50€
146-69153	5207227275975	120	185	115V/1A - 230V/0.53A	4000	1/1	1	384,50€



358x300x155mm

Volt: **100-277V 50/60Hz**
LED Type: **SMD5050**
Ángulo de Apertura / Beam Angle: **60°**
Clase Energética / Energy Class: **C**
Start Time: **0,5sec / 230V AC, 1.2sec / 115V AC**
PF > **0.95** • CRI > **70** • IK10
Cable / Wire: **3x1.0mm²**
Material: **Aluminio / Aluminium**



GROUNDING



FLICKER FREE



NON DIMMABLE



-30 | +50 °C



CLASS I



6,85kg



COLOR BLACK



50.000h




ON OFF 15.000



IP66



5 YEARS WARRANTY



>8m INSTALLATION HEIGHT


CODE	BARCODE	WATT	LUMEN/WATT	AMPERAGE	KELVIN	PACKING	MOQ	PVP
146-69157	5207227275982	240	185	115V/2A - 230V/1.06A	6000	1/1	1	716,00€
146-69158	5207227275999	240	185	115V/2A - 230V/1.06A	4000	1/1	1	716,00€

PROYECTOR LED SMD MODULAR PROJECTOR LED SMD MODULAR



358x440x155mm

Volt: **100-277V 50/60Hz**
LED Type: **SMD5050**
Ángulo de Apertura / Beam Angle: **60°**
Clase Energética / Energy Class: **C**
Start Time: **0,5sec / 230V AC, 1.2sec / 115V AC**
PF > **0.95** • CRI > **70** • IK10
Cable / Wire: **3x1.0mm²**
Material: **Aluminio / Aluminium**



GROUNDING

FLICKER FREE

NON DIMMABLE

-30 | +50 °C

CLASS I

9,35kg

COLOR BLACK

50.000h

ON OFF 15.000

IP66

5 YEARS WARRANTY


>8m INSTALLATION HEIGHT

CODE	BARCODE	WATT	LUMEN/WATT	AMPERAGE	KELVIN	PACKING	MOQ	PVP
146-69159	5207227276002	300	185	115V/2.63A - 230V/1.32A	6000	1/1	1	1.001,05€
146-69160	5207227276019	300	185	115V/2.63A - 230V/1.32A	4000	1/1	1	1.101,05€



358x580x155mm

Volt: **100-277V 50/60Hz**
LED Type: **SMD5050**
Ángulo de Apertura / Beam Angle: **40°**
Clase Energética / Energy Class: **C**
Start Time: **0,5sec / 230V AC, 1.2sec / 115V AC**
PF > **0.95** • CRI > **70** • IK10
Cable / Wire: **3x1.0mm²**
Material: **Aluminio / Aluminium**



GROUNDING

FLICKER FREE

NON DIMMABLE

-30 | +50 °C

CLASS I

11,3kg

COLOR BLACK

50.000h

ON OFF 15.000

IP66

5 YEARS WARRANTY

>8m INSTALLATION HEIGHT

CODE	BARCODE	WATT	LUMEN/WATT	AMPERAGE	KELVIN	PACKING	MOQ	PVP
146-69163	5207227276026	480	185	115V/4A - 230V/2.12A	6000	1/1	1	1.286,10€
146-69164	5207227276033	480	185	115V/4A - 230V/2.12A	4000	1/1	1	1.286,10€

PROYECTOR LED SMD MODULAR PROJECTOR LED SMD MODULAR




NEW



596x478x188mm

Volt: **100-277V 50/60Hz** • LED Type: **SMD5050**
Ángulo de Apertura / Beam Angle: **40°**
Clase Energética / Energy Class: **C**
Start Time: **0,5sec / 230V AC, 1.2sec / 115V AC**
PF > **0.95** • CRI > **70** • IK10
Cable / Wire: **3x1.0mm²**
Material: **Aluminio / Aluminium**



GROUNDING

FLICKER FREE

NON DIMMABLE

-30 | +50 °C

CLASS I

15,85kg

COLOR BLACK

50.000h

ON OFF 15.000

IP66

5 YEARS WARRANTY

>8m INSTALLATION HEIGHT

CODE	BARCODE	WATT	LUMEN/WATT	AMPERAGE	KELVIN	PACKING	MOQ	PVP
146-69165	5207227276040	600	185	115V/5.26A - 230V/2.65A	6000	1/1	1	1.464,00€
146-69166	5207227276057	600	185	115V/5.26A - 230V/2.65A	4000	1/1	1	1.464,00€
146-69167	5207227276064	720	185	115V/6A - 230V/3.18A	6000	1/1	1	1.730,25€
146-69168	5207227276071	720	185	115V/6A - 230V/3.18A	4000	1/1	1	1.730,25€




NEW



596x627x188mm

Volt: **100-277V 50/60Hz** • LED Type: **SMD5050**
Ángulo de Apertura / Beam Angle: **25°**
Clase Energética / Energy Class: **C**
Start Time: **0,5sec / 230V AC, 1.2sec / 115V AC**
PF > **0.95** • CRI > **70** • IK10
Cable / Wire: **3x1.0mm²**
Material: **Aluminio / Aluminium**



GROUNDING

FLICKER FREE

NON DIMMABLE

-30 | +50 °C

CLASS I

20.15kg

COLOR BLACK

50.000h

ON OFF 15.000

IP66

5 YEARS WARRANTY

>8m INSTALLATION HEIGHT

CODE	BARCODE	WATT	LUMEN/WATT	AMPERAGE	KELVIN	PACKING	MOQ	PVP
146-69171	5207227276088	1000	185	115V/8.5A - 230V/4.5A	6000	1/1	1	2.254,00€
146-69172	5207227276095	1000	185	115V/8.5A - 230V/4.5A	4000	1/1	1	2.254,00€

PROYECTOR LED SMD MODULAR PROJECTOR LED SMD MODULAR




NEW



596x775x188mm

Volt: **100-277V 50/60Hz** • LED Type: **SMD5050**
Ángulo de Apertura / Beam Angle: **25°**
Clase Energética / Energy Class: **C**
Start Time: **0,5sec / 230V AC, 1.2sec / 115V AC**
PF > **0.95** • CRI > **70** • IK10
Cable / Wire: **3x1.0mm²**
Material: **Aluminio / Aluminium**



GROUNDING



FLICKER FREE



NON DIMMABLE



-30 | +50 °C



CLASS I



24.3kg



COLOR BLACK



50.000h




ON OFF 15.000



IP66



5 YEARS WARRANTY



>8m INSTALLATION HEIGHT

CODE	BARCODE	WATT	LUMEN/WATT	AMPERAGE	KELVIN	PACKING	MOQ	PVP
146-69173	5207227276101	1200	185	115V/10.6A - 230V/5.3A	6000	1/1	1	2.950,05€
146-69174	5207227276118	1200	185	115V/10.6A - 230V/5.3A	4000	1/1	1	2.950,05€




NEW



596x923x188mm

Volt: **100-277V 50/60Hz** • LED Type: **SMD5050**
Ángulo de Apertura / Beam Angle: **25°**
Clase Energética / Energy Class: **C**
Start Time: **0,5sec / 230V AC, 1.2sec / 115V AC**
PF > **0.95** • CRI > **70** • IK10
Cable / Wire: **3x1.0mm²**
Material: **Aluminio / Aluminium**



GROUNDING



FLICKER FREE



NON DIMMABLE



-30 | +50 °C



CLASS I



28.0kg



COLOR BLACK



50.000h




ON OFF 15.000



IP66




5 YEARS WARRANTY




>8m INSTALLATION HEIGHT

CODE	BARCODE	WATT	LUMEN/WATT	AMPERAGE	KELVIN	PACKING	MOQ	PVP
146-69175	5207227276125	1440	185	115V/12A - 230V/6.4A	6000	1/1	1	3.480,40€
146-69176	5207227276132	1440	185	115V/12A - 230V/6.4A	4000	1/1	1	3.480,40€



PROYECTOR LED SMD PROJECTOR LED SMD




320x285x62mm

Volt: **100-240V 50/60Hz** • LED Type: **SMD3030**
Amperage: **950mA**
Ángulo de Apertura / Beam Angle: **90°**
Clase Energética / Energy Class: **E**
Start Time: **0,5sec** • PF > **0,90** • CRI > **80** • IK06
Cable / Wire: **250mm 3x1mm²**
Material: **Aluminio & PC / Aluminium & PC**



CODE	BARCODE	WATT	KELVIN	LUMEN/WATT	COLOR	PACKING	MOQ	PVP
146-69000	5207227110900	200	6500	120	BLACK	1/2	1	288,00€
146-69001	5207227110917	200	5000	120	BLACK	1/2	1	288,00€
146-69002	5207227110924	200	4000	120	BLACK	1/2	1	288,00€




485x300x85mm

Volt: **100-240V 50/60Hz** • LED Type: **SMD3030**
Amperage: **1700mA**
Ángulo de Apertura / Beam Angle: **90°**
Clase Energética / Energy Class: **E**
Start Time: **0,5sec** • PF > **0,90** • CRI > **80** • IK06
Cable / Wire: **250mm 3x1mm²**
Material: **Aluminio & PC / Aluminium & PC**



CODE	BARCODE	WATT	KELVIN	LUMEN/WATT	COLOR	PACKING	MOQ	PVP
146-69003	5207227110931	300	6500	120	BLACK	1/2	1	448,90€
146-69004	5207227110948	300	5000	120	BLACK	1/2	1	448,90€
146-69005	5207227110955	300	4000	120	BLACK	1/2	1	448,90€

PROYECTOR LED SMD PROJECTOR LED SMD




580x337x85mm

Volt: **100-240V 50/60Hz** • LED Type: **SMD3030**
Amperage: **2100mA**
Ángulo de Apertura / Beam Angle: **90°**
Clase Energética / Energy Class: **E**
Start Time: **0,5sec** • PF > **0,90** • CRI > **80** • IK06
Cable / Wire: **250mm 3x1mm²**
Material: **Aluminio & PC / Aluminium & PC**



CODE	BARCODE	WATT	KELVIN	LUMEN/WATT	COLOR	PACKING	MOQ	PVP
146-69006	5207227110962	400	6500	120	BLACK	1/1	1	559,25€
146-69007	5207227110979	400	5000	120	BLACK	1/1	1	559,25€
146-69008	5207227110986	400	4000	120	BLACK	1/1	1	559,25€



580x420x85mm

Volt: **100-240V 50/60Hz** • LED Type: **SMD3030**
Amperage: **2400mA**
Ángulo de Apertura / Beam Angle: **90°**
Clase Energética / Energy Class: **E**
Start Time: **0,5sec** • PF > **0,90** • CRI > **80** • IK06
Cable / Wire: **250mm 3x1mm²**
Material: **Aluminio & PC / Aluminium & PC**



CODE	BARCODE	WATT	KELVIN	LUMEN/WATT	COLOR	PACKING	MOQ	PVP
146-69009	5207227110993	500	6500	120	BLACK	1/1	1	719,45€
146-69010	5207227111006	500	5000	120	BLACK	1/1	1	719,45€
146-69011	5207227111013	500	4000	120	BLACK	1/1	1	719,45€

FAROLAS LED

Street Lights LED



FAROLA LED SMD SATURN STREET LIGHT LED SMD



Volt: **85-265V 50/60Hz** • LED Type: **SMD2835**
Ángulo de Apertura / Beam Angle: **120°x70°**
Clase Energética / Energy Class: **C**
Start Time: **0,5sec** • PF > **0.90** • CRI > **70** • IK10 Material:
Aluminio & Plástico/ Aluminium & Plastic
Orificio para Soporte / Connection Hole: **Ø60mm**
Conexión / Connection: **Cable / Wire**
Cable / Wire: **200mm 3x1.0mm²**



Lm/W
160



COLOR
GREY



CODE	BARCODE	WATT	AMPERAGE	KELVIN	DIMENSIONS	WEIGHT	PACKING	MOQ	PVP
146-57050	5207227301711	20	100mA	6500	570x200x145mm	1.5kg	1/1	1	74,95€
146-57051	5207227301780	20	100mA	4000	570x200x145mm	1.5kg	1/1	1	74,95€
146-57052	5207227301766	20	100mA	3000	570x200x145mm	1.5kg	1/1	1	74,95€
146-57053	5207227301735	30	145mA	6500	570x200x145mm	1.5kg	1/1	1	74,95€
146-57054	5207227301797	30	145mA	4000	570x200x145mm	1.5kg	1/1	1	74,95€
146-57055	5207227301803	30	145mA	3000	570x200x145mm	1.5kg	1/1	1	74,95€



Volt: **85-265V 50/60Hz** • LED Type: **SMD2835**
Ángulo de Apertura / Beam Angle: **120°x70°**
Clase Energética / Energy Class: **C**
Start Time: **0,5sec** • PF > **0.90** • CRI > **70** • IK10 Material:
Aluminio & Plástico/ Aluminium & Plastic
Orificio para Soporte / Connection Hole: **Ø60mm**
Conexión / Connection: **Cable / Wire**
Cable / Wire: **200mm 3x1.0mm²**



Lm/W
160



COLOR
GREY



CODE	BARCODE	WATT	AMPERAGE	KELVIN	DIMENSIONS	WEIGHT	PACKING	MOQ	PVP
146-57056	5207227301742	40	180mA	6500	605x200x145mm	1.7kg	1/1	1	74,95€
146-57057	5207227301728	40	180mA	4000	605x200x145mm	1.7kg	1/1	1	74,95€
146-57058	5207227301773	40	180mA	3000	605x200x145mm	1.7kg	1/1	1	74,95€
146-57059	5207227301759	50	228mA	6500	605x200x145mm	1.7kg	1/1	1	92,85€
146-57060	5207227301902	50	228mA	4000	605x200x145mm	1.7kg	1/1	1	92,85€
146-57061	5207227301810	50	228mA	3000	605x200x145mm	1.7kg	1/1	1	92,85€

FAROLA LED SMD SATURN STREET LIGHT LED SMD



NEW

Volt: **85-265V 50/60Hz** • LED Type: **SMD2835**
Ángulo de Apertura / Beam Angle: **120°x70°**
Clase Energética / Energy Class: **C**
Start Time: **0,5sec** • PF > **0.90** • CRI > **70** • IK10
Material: **Aluminio & Plástico/ Aluminium & Plastic**
Orificio para Soporte / Connection Hole: **Ø60mm**
Conexión / Connection: **Cable / Wire**
Cable / Wire: **200mm 3x1.0mm²**



Lm/W
160

-40 | +50 °C



COLOR
GREY

50.000h

ON OFF
15.000

IP66

5 YEARS WARRANTY

4-10m
INSTALLATION
HEIGHT

CODE	BARCODE	WATT	AMPERAGE	KELVIN	DIMENSIONS	WEIGHT	PACKING	MOQ	PVP
146-57062	5207227301834	80	370mA	6500	630x250x145mm	2.44kg	1/1	1	132,60€
146-57063	5207227301841	80	370mA	4000	630x250x145mm	2.44kg	1/1	1	132,60€
146-57064	5207227301827	80	370mA	3000	630x250x145mm	2.44kg	1/1	1	132,60€
146-57065	5207227301889	100	460mA	6500	630x250x145mm	2.44kg	1/1	1	132,60€
146-57066	5207227301858	100	460mA	4000	630x250x145mm	2.44kg	1/1	1	132,60€
146-57067	5207227301896	100	460mA	3000	630x250x145mm	2.44kg	1/1	1	132,60€



NEW

Volt: **85-265V 50/60Hz** • LED Type: **SMD2835**
Ángulo de Apertura / Beam Angle: **120°x70°**
Clase Energética / Energy Class: **C**
Start Time: **0,5sec** • PF > **0.90** • CRI > **70** • IK10
Material: **Aluminio & Plástico/ Aluminium & Plastic**
Orificio para Soporte / Connection Hole: **Ø60mm**
Conexión / Connection: **Cable / Wire**
Cable / Wire: **200mm 3x1.0mm²**



Lm/W
160

-40 | +50 °C



COLOR
GREY

50.000h

ON OFF
15.000

IP66

5 YEARS WARRANTY

4-10m
INSTALLATION
HEIGHT

CODE	BARCODE	WATT	AMPERAGE	KELVIN	DIMENSIONS	WEIGHT	PACKING	MOQ	PVP
146-57068	5207227301872	120	550mA	6500	630x250x145mm	2.44kg	1/1	1	149,20€
146-57069	5207227301865	120	550mA	4000	630x250x145mm	2.44kg	1/1	1	149,20€
146-57070	5207227301926	120	550mA	3000	630x250x145mm	2.44kg	1/1	1	149,20€
146-57071	5207227301940	150	690mA	6500	730x240x145mm	2.44kg	1/1	1	188,95€
146-57072	5207227301933	150	690mA	4000	730x240x145mm	2.44kg	1/1	1	188,95€
146-57073	5207227301919	150	690mA	3000	730x240x145mm	2.44kg	1/1	1	188,95€

FAROLA LED SMD SOPORTE 90° STREET LIGHT LED SMD



Volt: **120-240V 50/60Hz** • LED Type: **SMD2835**
Ángulo de Apertura / Beam Angle: **150°**
Clase Energética / Energy Class: **D**
Start Time: **0,5sec** • PF > **0.95** • CRI > **80** • IK10
Material: **Aluminio & PC / Aluminium & PC**
Orificio para Soporte / Connection Hole: **Ø60mm**
Conexión / Connection: **Cable / Wire**
Cable / Wire: **300mm 3x1.0mm²**



Lm/W
140



-30 | +45 °C



CLASS I

COLOR
BLACK



50.000h

ON OFF
100.000



IP66



5 YEARS WARRANTY



4-10m
INSTALLATION
HEIGHT

CODE	BARCODE	WATT	AMPERAGE	KELVIN	DIMENSIONS	WEIGHT	PACKING	MOQ	PVP
146-57100	5207227301537	30	950mA	6500	523x146x53mm	12kg	1/5	1	253,60€
146-57101	5207227301636	30	950mA	4000	523x146x53mm	12kg	1/5	1	253,60€
146-57102	5207227301520	30	950mA	3000	523x146x53mm	12kg	1/5	1	253,60€
146-57103	5207227301575	40	1.050mA	6500	523x146x53mm	12kg	1/5	1	279,80€
146-57104	5207227301568	40	1.050mA	4000	523x146x53mm	12kg	1/5	1	279,80€
146-57105	5207227301667	40	1.050mA	3000	523x146x53mm	12kg	1/5	1	279,80€
146-57106	5207227301629	55	1.090mA	6500	523x146x53mm	12kg	1/5	1	283,75€
146-57107	5207227300028	55	1.090mA	4000	523x146x53mm	12kg	1/5	1	283,75€
146-57108	5207227301704	55	1.090mA	3000	523x146x53mm	12kg	1/5	1	283,75€
146-57109	5207227301544	75	640mA	6500	629x174x53mm	12kg	1/3	1	403,75€
146-57110	5207227300042	75	640mA	4000	629x174x53mm	12kg	1/3	1	403,75€
146-57111	5207227301599	75	640mA	3000	629x174x53mm	12kg	1/3	1	403,75€
146-57112	5207227301650	100	820mA	6500	629x174x53mm	12kg	1/3	1	408,40€
146-57113	5207227301674	100	820mA	4000	629x174x53mm	12kg	1/3	1	408,40€
146-57114	5207227301643	100	820mA	3000	629x174x53mm	12kg	1/3	1	408,40€
146-57115	5207227301698	120	1.130mA	6500	629x174x53mm	12kg	1/3	1	426,95€
146-57116	5207227301582	120	1.130mA	4000	629x174x53mm	12kg	1/3	1	426,95€
146-57117	5207227301605	120	1.130mA	3000	629x174x53mm	12kg	1/3	1	426,95€
146-57118	5207227301681	150	1.220mA	6500	724x194x82mm	15kg	1/3	1	504,50€
146-57119	5207227301612	150	1.220mA	4000	724x194x82mm	15kg	1/3	1	504,50€
146-57120	5207227301551	150	1.220mA	3000	724x194x82mm	15kg	1/3	1	504,50€

FAROLA LED SMD SOLAR SOLAR CON DETECTOR DE MOVIMIENTO

STREET LIGHTS SOLAR WITH MOVEMENT SENSOR LED SMD



Volt: **6V DC** • LED Type: **SMD5730**
 Ángulo de Apertura / Beam Angle: **120°** Start
 Time: **0,1sec** • CRI > **80** • IK07
 Sensor Working Time: **10sec** - **8min**
 Material: **Aluminio** / **Aluminium**



Polar Panel: **6V 9W**
 Orificio para Soporte / Connection Hole: **Ø48mm**

Tipo de Batería/ Battery Type: **Lithium 3.2V**
9000mAh / **12000mAh**
 Charging Time: **5-6h**
 Discharging Time: **12h**



En modo de espera
 la luz funciona al 30% y
 en caso de detección al 100% /

In Standby mode
 it functions at 30%, and
 in case of detection at 100%



Lm/W
85

-25 | +45 °C

CLASS III

COLOR
GREY

50.000h

ON OFF
25.000

IP65

2 YEARS WARRANTY

CODE	BARCODE	WATT	FULL OPERATION	STAND BY	KELVIN	DIMENSIONS	WEIGHT	PACKING	MOQ	PVP
200-57803	5207227122804	40	3400lm	1020lm	6000	495x240x70mm	1.8kg	1/5	1	109,95€
200-57804	5207227107221	40	3400lm	1020lm	4000	495x240x70mm	1.8kg	1/5	1	109,95€
200-57808	5207227107214	60	5100lm	1530lm	6000	610x260x70mm	2.5kg	1/5	1	134,20€
200-57809	5207227107238	60	5100lm	1530lm	4000	610x260x70mm	2.5kg	1/5	1	134,20€



Volt: **6V DC** • LED Type: **SMD5730**
 Ángulo de Apertura / Beam Angle: **120°**
 Start Time: **0,1sec** • CRI > **70** • IK03
 Sensor Working Time: **10sec** - **8min**
 Material: **ABS**
 Panel Solar / Solar Panel: **6V 6W / 9W / 12W**
 Orificio para Soporte / Connection Hole:
Ø48mm



Tipo de Batería/ Battery Type: **Lithium 3.2V**
5000mAh / **9000mAh** / **10000mAh**
 Charging Time: **5-7h**
 Discharging Time: **12-16h**

NEW



Σε αναμονή λειτουργίας
 το φωτιστικό λειτουργεί στο 30% και
 σε περίπτωση ανίχνευσης στο 100% /

In Standby mode
 it functions at 30%, and
 in case of detection at 100%



Lm/W
85

-25 | +45 °C

CLASS III

COLOR
GREY

50.000h

ON OFF
25.000

IP65


2 YEARS WARRANTY

CODE	BARCODE	WATT	FULL OPERATION	STAND BY	KELVIN	DIMENSIONS	WEIGHT	PACKING	MOQ	PVP
200-57810	5207227329036	80	6800lm	2040lm	6000	390x194x55mm	1.3kg	1/10	1	00,00€
200-57811	5207227122811	80	6800lm	2040lm	4000	390x194x55mm	1.3kg	1/10	1	00,00€
200-57812	5207227122828	100	8500lm	2550lm	6000	485x219x55mm	1.9kg	1/10	1	00,00€
200-57813	5207227329050	100	8500lm	2550lm	4000	485x219x55mm	1.9kg	1/10	1	00,00€
200-57814	5207227329074	120	10200lm	3060lm	6000	623x238x55mm	2.4kg	1/10	1	00,00€
200-57815	5207227329098	120	10200lm	3060lm	4000	623x238x55mm	2.4kg	1/10	1	00,00€

FAROLA LED SMD STREET LIGHT LED SMD



Volt: **220-240V 50/60Hz** • LED Type: **SMD2835**
Ángulo de Apertura / Beam Angle: **150°**
Clase Energética / Energy Class: **E**
Start Time: **0,5sec** • PF > **0.90** • CRI > **70** • **IK08**
Cable / Wire: **300mm 3x1mm²**
Material: **Aluminio & PC / Aluminium & PC**
Orificio para Soporte / Connection Hole: **Ø50mm**



Lm/W
110

-40 | +50 °C

CLASS II

COLOR
GREY

30.000h

ON OFF
25.000

IP65

2 YEARS WARRANTY


CODE	BARCODE	WATT	AMPERAGE	KELVIN	DIMENSIONS	WEIGHT	PACKING	MOQ	PVP
146-57001	5207227039423	30	150mA	4000	322x142x66mm	0.550kg	1/1	1	65,75€
146-57002	5207227039430	30	150mA	3000	322x142x66mm	0.550kg	1/1	1	65,75€
146-57003	5207227029967	50	250mA	6500	402x177x66mm	0.950kg	1/1	1	94,00€
146-57004	5207227029974	50	250mA	4000	402x177x66mm	0.950kg	1/1	1	94,00€
146-57005	5207227039447	50	250mA	3000	402x177x66mm	0.950kg	1/1	1	94,00€
146-57006	5207227029981	70	500mA	6500	493x222x67.5mm	1.600kg	1/1	1	116,05€
146-57007	5207227029998	70	500mA	4000	493x222x67.5mm	1.600kg	1/1	1	116,05€
146-57008	5207227039454	70	500mA	3000	493x222x67.5mm	1.600kg	1/1	1	116,05€
146-57009	5207227030000	100	500mA	6500	493x222x67.5mm	1.650kg	1/1	1	123,35€
146-57010	5207227030017	100	500mA	4000	493x222x67.5mm	1.650kg	1/1	1	123,35€
146-57011	5207227033100	100	500mA	3000	493x222x67.5mm	1.650kg	1/1	1	123,35€



FAROLA LED SMD STREET LIGHT LED SMD



Volt: **85-265V 50/60Hz** • LED Type: **SMD2835**
Ángulo de Apertura / Beam Angle: **120°**
Clase Energética / Energy Class: **D**
Start Time: **0,5sec** • PF > **0.90** • CRI > **80** • IK08
Cable / Wire: **300mm 3x1mm²**
Material: **Aluminio & PC / Aluminium & PC**
Orificio para Soporte / Connection Hole:
Ø40mm (30-40W) & Ø50mm (60-150W)



GROUNDING

Lm/W
140

-40 | +50 °C

CLASS I

COLOR
GREY

50.000h

ON OFF
25.000

IP65

2 YEARS WARRANTY

CODE	BARCODE	WATT	AMPERAGE	KELVIN	DIMENSIONS	WEIGHT	PACKING	MOQ	PVP
146-57031	5207227073540	30	200mA	4000	330x115x52mm	0.650kg	1/1	1	62,65€
146-57039	5207227073625	90	450mA	6500	450x150x62mm	1.150kg	1/1	1	129,20€
146-57040	5207227073632	90	450mA	4000	450x150x62mm	1.150kg	1/1	1	129,20€
146-57042	5207227073656	120	600mA	6500	565x180x72mm	1.500kg	1/1	1	164,45€
146-57043	5207227073663	120	600mA	4000	565x180x72mm	1.500kg	1/1	1	164,45€
146-57045	5207227073687	150	700mA	6500	590x180x72mm	1.850kg	1/1	1	207,90€
146-57046	5207227073694	150	700mA	4000	590x180x72mm	1.850kg	1/1	1	207,90€



FAROLA SATURN LED SMD STREET LIGHT SATURN LED SMD



Volt: **100-277V 50/60Hz** • LED Type: **SMD2835**
Ángulo de Apertura / Beam Angle: **90°**
Clase Energética / Energy Class: **D**
Start Time: **0,5sec** • PF > **0.95** • CRI > **70** • IK08
Material: **Aluminio, Plástico & Cristal / Aluminium, Plastic & Glass**
Orificio para Soporte / Connection Hole: **Ø80mm**
Cable / Wire: **500mm 3x1.0mm²**



Lm/W
150



COLOR
BLACK



ON OFF
25.000



5 YEARS WARRANTY



CODE	BARCODE	WATT	AMPERAGE	KELVIN	DIMENSIONS	WEIGHT	PACKING	MOQ	PVP
146-58000	5207227301988	30	630mA	5000	Ø422x539mm	6.8kg	1/1	1	417,65€
146-58001	5207227302053	30	630mA	4000	Ø422x539mm	6.8kg	1/1	1	417,65€
146-58002	5207227301971	30	630mA	3000	Ø422x539mm	6.8kg	1/1	1	417,65€
146-58003	5207227302015	40	840mA	5000	Ø422x539mm	6.8kg	1/1	1	417,65€
146-58004	5207227302008	40	840mA	4000	Ø422x539mm	6.8kg	1/1	1	417,65€
146-58005	5207227302039	40	840mA	3000	Ø422x539mm	6.8kg	1/1	1	417,65€
146-58006	5207227302022	60	1260mA	5000	Ø422x539mm	6.8kg	1/1	1	424,30€
146-58007	5207227301995	60	1260mA	4000	Ø422x539mm	6.8kg	1/1	1	424,30€
146-58008	5207227302046	60	1260mA	3000	Ø422x539mm	6.8kg	1/1	1	424,30€
146-58009	5207227301964	90	1880mA	5000	Ø422x539mm	6.8kg	1/1	1	444,20€
146-58010	5207227302060	90	1880mA	4000	Ø422x539mm	6.8kg	1/1	1	444,20€
146-58011	5207227302077	90	1880mA	3000	Ø422x539mm	6.8kg	1/1	1	444,20€

LUMINARIA PARA POSTE E27 TOP TREE ALUMINIUM




Volt: **90-260V**
Ángulo de Apertura / Beam Angle: **90°**
Material: **Aluminio & Plástico / Aluminium & Plastic**
Orificio para Soporte / Connection Hole: **Ø70mm**
Conexión / Connection: **Terminal Block**

E27
BASE



2 YEARS WARRANTY



CODE	BARCODE	WATT	DIMENSIONS	WEIGHT	COLOR	PACKING	MOQ	PVP
145-57550	5206139061386	Max 30 Led	380x380x370mm	2.3kg	DARK GREY	1/1	1	172,65€

LUMINARIA PARA POSTE 3CCT LED VAC POST TOP MOUNTED 3CCT LED VAC



Wattage 4 options

Volt: **100-240V 50/60Hz** • LED Type: **SMD3030**
3CCT: **3000K/4000K/5000K Selectable** Ángulo de Apertura / Beam Angle: **160°**
Clase Energética / Energy Class: **D**
Start Time: **0,5sec** • PF > **0.95** • CRI > **70** • IK09
Material: **Aluminio & PC/ Aluminium & PC**
Orificio para Soporte / Connection Hole: **Ø60mm**
Cable / Wire: **1500mm 3x1.0mm²**



GROUNDING



-30 | +50 °C



CLASS I



COLOR
BLACK



54.000h



ON
OFF
100.000



6.1kg



IP66




5
YEARS
WARRANTY

CODE	BARCODE	WATT	AMPERAGE	LUMEN/W	KELVIN	DIMENSIONS	PACKING	MOQ	PVP
146-58021	5207227301957	12/20/30/40	88mA	135	3CCT	Φ371x420mm	1/1	1	602,35€
146-58022	5207227269301	18/30/45/60	105mA	145	3CCT	Φ371x420mm	1/1	1	615,70€

FAROLA TRADICIONAL VILLA TRADITIONAL LED LIGHT



Volt: **100-277V 50/60Hz** • LED Type: **SMD3030**
Ángulo de Apertura / Beam Angle: **120°**
Clase Energética / Energy Class: **D**
Start Time: **0,5sec** • PF > **0.95** • CRI > **70** • IK08
Material: **Aluminio, Plástico & Cristal / Aluminium, Plastic & Glass**
Orificio para soporte/ Connection Hole: **Ø80mm**
Cable / Wire: **300mm 3x1.0mm²**



GROUNDING



Lm/W
140



-40 | +50 °C



CLASS I



COLOR
BLACK



50.000h



ON
OFF
25.000



IP65



5
YEARS
WARRANTY

CODE	BARCODE	WATT	AMPERAGE	KELVIN	DIMENSIONS	WEIGHT	PACKING	MOQ	PVP
146-58012	5207227302176	30	670mA	5000	400x400x701mm	7.0kg	1/1	1	450,15€
146-58013	5207227302183	30	670mA	4000	400x400x701mm	7.0kg	1/1	1	450,15€
146-58014	5207227302145	30	670mA	3000	400x400x701mm	7.0kg	1/1	1	450,15€
146-58015	5207227302121	40	900mA	5000	400x400x701mm	7.0kg	1/1	1	462,75€
146-58016	5207227302190	40	900mA	4000	400x400x701mm	7.0kg	1/1	1	462,75€
146-58017	5207227302169	40	900mA	3000	400x400x701mm	7.0kg	1/1	1	462,75€
146-58018	5207227302138	60	1350mA	5000	400x400x701mm	7.0kg	1/1	1	489,95€
146-58019	5207227302152	60	1350mA	4000	400x400x701mm	7.0kg	1/1	1	489,95€
146-58020	5207227302206	60	1350mA	3000	400x400x701mm	7.0kg	1/1	1	489,95€

LUZ DE CALLE CON BRAZO
STREET LIGHT

Volt: **220-240V 50/60Hz**
Conexión / Connection: **Cable / Cable**
Material: **Aluminio / Aluminium**



E27
BASE


GROUNDING

 **-20 | +60 °C**

 **IK06**

 **IP23**

 **2 YEARS WARRANTY**

CODE	BARCODE	WATT	DIMENSIONS	COLOR	WEIGHT	PACKING	MOQ	PVP
146-57900	5207227328954	max 30W Led	Ø300x1000x350mm	WHITE	1.2kg	1/1	1	110,55€

Volt: **220-240V 50/60Hz**
Conexión / Connection: **Cable / Wire**
Material: **Aluminio / Aluminium**



E27
BASE


GROUNDING

 **-20 | +60 °C**

COLOR
SILVER

 **IK06**

 **IP23**

 **2 YEARS WARRANTY**

CODE	BARCODE	WATT	DIMENSIONS	COLOR	WEIGHT	PACKING	MOQ	PVP
146-57901	5207227328961	max 30W Led	Ø200x1000x350mm	SILVER	1.2kg	1/1	1	92,15€

Volt: **220-240V 50/60Hz**
Conexión / Connection: **Cable / Cable**
Material: **Aluminio / Aluminium**



E27
BASE


GROUNDING

 **-20 | +60 °C**

 **IK06**

 **IP23**

 **2 YEARS WARRANTY**

CODE	BARCODE	WATT	DIMENSIONS	COLOR	WEIGHT	PACKING	MOQ	PVP
146-57902	5207227328978	max 30W Led	Ø300x1000x350mm	SILVER	1.2kg	1/1	1	86,00€

LUZ DE CALLE CON SOPORTE DE REFUERZO
STREET LIGHT WITH REINFORCEMENT BAR



Volt: **220-240V 50/60Hz**
Conexión / Connection: **Cable / Wire**
Material: **Aluminio / Aluminium**

E27
BASE


GROUNDING

 **-20 | +60 °C**

 **IK10**

 **IP23**

 **2 YEARS WARRANTY**

CODE	BARCODE	WATT	DIMENSIONS	COLOR	WEIGHT	PACKING	MOQ	PVP
146-57903	5207227328985	max 30W Led	Ø300x1000x350mm	WHITE & GREEN	1.6kg	1/1	1	152,00€

ACCESORIOS ACCESSORIES



Material: **Metal / Metallic**
Color: **Galvanizado / Galvanic Plating**

CODE	BARCODE	PRODUCT DESCRIPTION	DIMENSIONS	WEIGHT	PACKING	MOQ	PVP
147-22410	5206139394101	SOPORTE PARA ILUMINACIÓN 1M Ø42 "ERIBAN" BRACKET FOR STREET LIGHT Ø42 1m "ERIBAN"	Ø42x110mm	1,5kg	1/5	1	31,35€
147-22419	5207227256400	SOPORTE PARA ILUMINACIÓN 1M Ø48 "ERIBAN" BRACKET FOR STREET LIGHT Ø48 1m "ERIBAN"	Ø48x110mm	1,5kg	1/5	1	41,80€
147-22411	5207227072352	SOPORTE PARA ILUMINACIÓN 1M Ø60 "ERIBAN" BRACKET FOR STREET LIGHT Ø60 1m "ERIBAN"	Ø60x110mm	3,5kg	1/1	1	55,90€
147-22415	5207227123672	SOPORTE PARA ILUMINACIÓN 2M Ø42 "ERIBAN" BRACKET FOR STREET LIGHT Ø42 2m "ERIBAN"	Ø42x200mm	2,1kg	1/5	1	61,45€
147-22416	5207227123689	SOPORTE PARA ILUMINACIÓN 2M Ø60 "ERIBAN" BRACKET FOR STREET LIGHT Ø60 2m "ERIBAN"	Ø60x200mm	7,1kg	1/1	1	98,25€
147-22430	5207227330100	ADAPTADOR DE SOPORTE Ø60 A Ø60 CON ESQUINA 90° BRACKET ADAPTER Ø60 TO Ø60 WITH CORNER 90°	Ø60x255mm	0,83kg	1/1	1	46,30€
147-22432	5207227330117	ADAPTADOR DE SOPORTE Ø60 A Ø50 CON ESQUINA 90° BRACKET ADAPTER Ø60 TO Ø50 WITH CORNER 90°	Ø60x230mm	0,74kg	1/1	1	51,60€

ILUMINACIÓN LED EMPOTRABLE PARA GASOLINERAS
LED RECESSED LIGHT FOR GAS STATIONS



400x400x76mm

Volt: **100-240V 50/60Hz** • LED Type: **SMD3030**

Amperage: **1440mA**

Ángulo de Apertura / Beam Angle: **120°**

Clase Energética / Energy Class: **E**

Start Time: **1sec** • PF > **0.92** • CRI > **80** • IK07

Cable / Wire: **300mm 3x1mm²**

Material:

SPCC & Policarbonato / SPCC & Polycarbonate

360x360mm
CUTTING
DIMENSIONS

6-12m
INSTALLATION
HEIGHT



GROUNDING



FLICKER
FREE



-30 | +50 °C



CLASS I



2,450kg



50.000h



**ON
OFF**
25.000



IP65



**5
YEARS
WARRANTY**

CODE	BARCODE	WATT	KELVIN	LUMEN/WATT	COLOR	PACKING	MOQ	PVP
147-56321	5207227059155	75	5000	130	BLACK	1/1	1	304,05€

DETECTOR DE MOVIMIENTO RECESSED MOVEMENT DETECTOR



50x50mm
MOUNTING BASE
INSTALLATION
HEIGHT

Ø80x70mm

Volt: **220-240V 50/60Hz**

Ángulo de Detección / Detection Angle: **220°**

Distancia de Detección / Detection Distance: **6-12m**

Material: **Plástico & Metal / Plastic & Metallic**

Cuando se detecta movimiento, pero hay suficiente luz natural, la luz permanece apagada / When motion detected, but sufficient daylight, light remains OFF

Cuando se detecta movimiento, luz diurna insuficiente, luz se enciende / When motion detected, insufficient daylight, light ON

Después de la última detección, la luz se atenuará hasta el nivel de atenuación en espera (10 %, 20 %, 30 %, 50 %) / After last detection, the light will be dimmed down to the stand-by dimming level (10%, 20%, 30%, 50%)



TYPEPIR



MOTION
SENSOR



-35 | +70 °C



IK07



2,450kg



50.000h



**ON
OFF**
25.000



IP65



**5
YEARS
WARRANTY**

CODE	BARCODE	WATT	DIMENSIONS	COLOR	PACKING	MOQ	PVP
147-56322	5207227059162	1200	Ø80x70mm	GREY	1/1	1	148,20€

CAMPANA INDUSTRIAL LED

High Bay LED

The **reliable solution**
for demanding business spaces

La solución fiable para locales comerciales exigentes

¡La luminaria definitiva para grandes espacios comerciales! Construcción robusta, 100.000 horas de vida útil, múltiples opciones de ajuste y eficiencia energética conforman la solución confiable que cubrirá sus necesidades durante muchos años.

The ultimate light fixture for large business spaces! Robust construction, 100.000 hours of life, multiple setting options and energy efficiency make up the reliable solution that will serve your needs for many years.

- Máxima eficiencia energética y excelente luminosidad de hasta 200Lm/W de rendimiento y el entorno profesional más exigente

Top energy efficiency and excellent brightness up to 200Lm/W that covers even the most demanding professional environment

- Gestión de la temperatura del color 3CCT combinada con la elección de tres modos de potencia diferentes (W)

3CCT color temperature management combined with the choice of three different operating power modes (wattage)

- Versiones con regulación DALI para una gestión eficiente de la iluminación

Versions with DALI support for efficient light management

*DALI: Digital Addressable Lighting Interface / Interfaz Digital de Iluminación con Dirección Individual



CAMPANA INDUSTRIAL LED SMD UFO 3CCT HIGH BAY LED SMD UFO 3CCT



Wattage
3 options

Volt: 220-240V 50/60Hz • LED Type: SMD2835
3CCT: 3000K/4000K/6000K
Ángulo de Apertura / Beam Angle: 120°
Clase Energética / Energy Class: C
Start Time: 0,5sec • PF > 0.90 • CRI > 80 • IK08
Material: Aluminio & PC / Aluminium & PC
Conexión / Connection: Cable / Wire
Cable / Wire: 300mm 3x1.0mm²



GROUNDING



FLICKER
FREE

Lm/W
160



-20 | +50 °C



CLASS I

COLOR
BLACK



100.000h



ON
OFF



IP65




5
YEARS
WARRANTY



5-12m
INSTALLATION
HEIGHT

CODE	BARCODE	WATT	AMPERAGE	KELVIN	DIMENSIONS	WEIGHT	PACKING	MOQ	PVP
145-67123	5207227073717	60-80-100	435mA	3CCT	Ø253x149mm	2.5kg	1/1	1	132,60€
145-67124	5207227073724	100-120-150	435mA	3CCT	Ø253x149mm	2.5kg	1/1	1	145,85€
145-67126	5207227073731	100-150-200	650mA	3CCT	Ø308x155mm	3.1kg	1/1	1	175,70€



CAMPANA INDUSTRIAL LED SMD UFO 3CCT HIGH BAY LED SMD UFO 3CCT



Wattage
3 options

Volt: 220-240V 50/60Hz • LED Type: SMD2835
3CCT: 3000K/4000K/6000K
Ángulo de Apertura / Beam Angle: 90°
Clase Energética / Energy Class: B
Start Time: 0,5sec • PF > 0.90 • CRI > 70 • IK10
Material: Aluminio & Plástico / Aluminium & Plastic
Conexión / Connection: Cable / Wire
Cable / Wire: 300mm 3x1.5mm²



CODE	BARCODE	WATT	AMPERAGE	KELVIN	DIMENSIONS	WEIGHT	PACKING	MOQ	PVP
145-67130	5207227289507	60-80-100	480mA	3CCT	Ø310x125mm	1.9kg	1/1	1	155,80€
145-67131	5207227289514	80-120-150	690mA	3CCT	Ø330x140mm	2.3kg	1/1	1	182,35€
145-67132	5207227289521	100-150-200	920mA	3CCT	Ø380x140mm	2.8kg	1/1	1	222,10€

CAMPANA INDUSTRIAL LED SMD UFO DALI HIGH BAY LED SMD UFO DALI



Volt: 220-240V 50/60Hz • LED Type: SMD2835
Ángulo de Apertura / Beam Angle: 90°
Clase Energética / Energy Class: C
Start Time: 0,5sec • PF > 0.90 • CRI > 80 • IK10
Material: Aluminio & Plástico / Aluminium & Plastic
Conexión / Connection: Cable / Wire
Cable / Wire: 300mm 3x1.0mm²



CODE	BARCODE	WATT	AMPERAGE	KELVIN	DIMENSIONS	WEIGHT	PACKING	MOQ	PVP
145-67135	5207227289477	100	480mA	4000	Ø310x125mm	1.9kg	1/1	1	212,15€
145-67136	5207227289491	200	920mA	4000	Ø330x140mm	2.3kg	1/1	1	255,25€

CAMPANA INDUSTRIAL LED SMD UFO HIGH BAY LED SMD UFO



NEW



Volt: **220-240V 50/60Hz** • LED Type: **SMD2835**
Ángulo de Apertura / Beam Angle: **90°**
Clase Energética / Energy Class: **C**
Start Time: **0,5sec** • PF > **0.90** • CRI > **70** • IK10
Material: **Aluminio & Plástico / Aluminium & Plastic**
Conexión / Connection: **Cable / Wire**
Cable / Wire: **300mm 3x1.5mm²**



GROUNDING



FLICKER
FREE

Lm/W
160



-20 | +50 °C



CLASS I

COLOR
BLACK



100.000h

**ON
OFF**
15.000




IP65

5
YEARS
WARRANTY



5-10m
INSTALLATION
HEIGHT

CODE	BARCODE	WATT	AMPERAGE	KELVIN	DIMENSIONS	WEIGHT	PACKING	MOQ	PVP
145-67138	5207227292217	200	920mA	4000	Ø330x140mm	2.3kg	1/1	1	165,75€



ACCESORIOS PARA CAMPANA INDUSTRIAL

HIGH BAY UFO ACCESSORIES

BASE DE TECHO PARA CAMPANA INDUSTRIAL

CEILING BASE FOR HIGH BAY

Material: **Aluminio / Aluminium**

COLOR
BLACK

5
YEARS
WARRANTY



CODE	BARCODE	COLOR	WEIGHT	PACKING	MOQ	PVP
145-67143	5207227299254	BLACK	0.44kg	1/30	1	29,85€

MANDO A DISTANCIA PARA CAMPANA INDUSTRIAL CON SENSOR DE MOVIMIENTO

REMOTE CONTROL FOR HIGH BAY WITH MOVEMENT SENSOR

Tipo de Batería/ Battery type: **Ni-MH Alcaline 1.5V AAA**

Se recomiendan 7 baterías / 7 batteries is recommended

Material: **Plástico / Plastic**

COLOR
WHITE

5
YEARS
WARRANTY



CODE	BARCODE	DIMENSIONS	WEIGHT	PACKING	MOQ	PVP
145-67144	5207227299261	116,5x55x13mm	0.05kg	1/20	1	29,85€

SENSOR DE MOVIMIENTO

MOVEMENT SENSOR

Volt: **5-24V DC 5.8GHz - 75MHz**

Ángulo de detección / Detection Angle: **360°**

Distancia de detección / Detection Distance: **6m**

Material: **Plástico / Plastic**

MOTION
SENSOR

IP65

COLOR
WHITE

5
YEARS
WARRANTY



CODE	BARCODE	AMPERAGE	DIMENSIONS	WEIGHT	PACKING	MOQ	PVP
145-67145	5207227299278	33mA	Ø48x20mm	0.05kg	1/50	1	29,85€

KIT DE EMERGENCIA

EMERGENCY BATTERY SET

Tipo de Batería/ Battery Type: **Λιθίου (3 ώρες) / Li-ion (3hours)**

Material: **Plástico & Metal / Plastic & Metallic**

Conexión / Connection: **Cable / Wire**

-35 | +70 °C

CLASS II

COLOR
GREY

V
210-240V

ON
OFF
25.000

IK08


IP65

3
YEARS
WARRANTY



CODE	BARCODE	WATT	AMPERAGE	DIMENSIONS	WEIGHT	PACKING	MOQ	PVP
145-67146	5207227327650	40	200mA	280x166x100mm	1.8kg	1/50	1	676,20€

CAMPANA INDUSTRIAL LED SMD UFO HIGH BAY LED SMD UFO



Volt: **100-240V 50/60Hz** • LED Type: **SMD2835**
Ángulo de Apertura / Beam Angle: **120°**
Clase Energética / Energy Class: **E**
Start Time: **0,5sec** • PF > **0.90** • CRI > **80** • IK08
Material: **Aluminio & PC / Aluminium & PC**
Conexión / Connection: **Cable / Wire**
Cable / Wire: **300mm 3x1.0mm²**



Lm/W
120



-40 | +50 °C



CLASS II

COLOR
BLACK



30.000h

ON OFF
25.000



IP65



2 YEARS WARRANTY



5-12m
INSTALLATION HEIGHT

CODE	BARCODE	WATT	AMPERAGE	KELVIN	DIMENSIONS	WEIGHT	PACKING	MOQ	PVP
145-67100	5207227028502	50	250mA	6500	Ø220x117mm	0.7kg	1/1	1	112,10€
145-67101	5207227028519	50	250mA	4000	Ø220x117mm	0.7kg	1/1	1	112,10€
145-67103	5207227028533	100	500mA	6500	Ø280x130mm	1.2kg	1/1	1	142,85€
145-67104	5207227028540	100	500mA	4000	Ø280x130mm	1.2kg	1/1	1	142,85€
145-67106	5207227028564	150	750mA	6500	Ø360x140mm	1.7kg	1/1	1	218,15€
145-67107	5207227028571	150	750mA	4000	Ø360x140mm	1.7kg	1/1	1	218,15€
145-67109	5207227028595	200	1000mA	6500	Ø420x160mm	2.4kg	1/1	1	300,75€
145-67110	5207227028601	200	1000mA	4000	Ø420x160mm	2.4kg	1/1	1	300,75€



Luces para Piscinas

Swimming pool lights
& Underwater spot light

FOCO LED PARA PISCINA SWIMMING POOL LED LIGHT



Volt: **12V AC / DC** • LED Type: **SMD2835**
Ángulo de Apertura / Beam Angle: **90°**
Clase Energética / Energy Class: **F**
Start Time: **1sec** • PF > **0.90** • CRI > **80** • IK05
Material: **Plástico & ABS/ Plastic & ABS**
Conexión / Connection: **Cable / Wire**



NON DIMMABLE **Lm/W 100** **-30 | +50 °C** **COLOR WHITE** **30.000h** **ON OFF 15.000** **IP68** **2 YEARS WARRANTY**

CODE	BARCODE	WATT	AMPERAGE	KELVIN	DIMENSIONS	WEIGHT	PACKING	MOQ	PVP
145-55900	5206139047595	18	1875mA	6500	Ø230x58mm	0.69kg	1/10	1	162,90€
145-55904	5207227059872	18	1875mA	3000	Ø230x58mm	0.69kg	1/10	1	162,90€
145-55901	5206139047618	18	1875mA	BLUE	Ø230x58mm	0.69kg	1/10	1	162,90€
145-55902	5206139047632	18	1875mA	RGB	Ø230x58mm	0.69kg	1/10	1	201,90€

FOCO LED SUMERGIBLE UNDERWATER LED SPOT

Volt: **12V AC 50/60Hz**
Ángulo de Apertura / Beam Angle: **90°**
Clase Energética / Energy Class: **G**
PF > **0.80** • IK07
Material: **Acero Inoxidable & Cristal / Stainless Steel & Glass**
Conexión / Connection: **Terminal Block**



Bombilla incluida / Lighting Source Included

GU5.3 BASE **GROUNDING** **NON DIMMABLE** **Lm/W 80** **-30 | +50 °C** **IP68** **2 YEARS WARRANTY**

CODE	BARCODE	WATT	KELVIN	DIMENSIONS	WEIGHT	PACKING	MOQ	PVP
145-55920	5207227267024	7	6500	Ø100x86mm	0.63kg	1/20	1	55,05€

BASE PARA LUZ DE PISCINA FIXTURE FOR VINYL POOL

Material:
Plástico & ABS/ Plastic & ABS

-30 | +50 °C **IP68** **2 YEARS WARRANTY**



CODE	BARCODE	DIMENSIONS	COLOR	WEIGHT	PACKING	MOQ	PVP
145-55906	5207227147449	165x290mm	WHITE	1.524kg	1/4	1	203,30€

KIT LED SUMERGIBLE SPOT LIGHT RGB (SET 3 PIEZAS)
UNDERWATER LED KIT SPOT LIGHT RGB (SET 3 PCS)

Con mando a distancia por infrarrojos (incluye pilas)
With Infrared Remote Control (batteries included)

Volt: 4,5V • LED Type: SMD5050
Ángulo de Apertura / Beam Angle: 60°
Start Time: 0,5sec • IK08
Material: Cobre & Plástico / Copper & Plastic

DIMMABLE

-20 | +40 °C

10.000h

IP68

1 YEARS WARRANTY



CODE	BARCODE	WATT	AMPERAGE	KELVIN	DIMENSIONS	WEIGHT	PACKING	MOQ	PVP
145-55910	5207227147180	2	450mA	RGB	264x116x35mm	0.28kg	1/40	1	40,60€
145-55911	5207227147197	2	450mA	RGB	235x212x35mm	0.45kg	1/40	1	63,95€



BOLA CON ILUMINACIÓN LED RGBWW RECARGABLE GLOBE RECHARGEABLE RGBWW



Con control remoto por infrarrojos (incluye pilas)
With Infrared Remote Control (batteries included)

Volt: 100-240V 50/60Hz
StartTime:0,5sec • IK08
Material: Polietileno/ Polyethylene

Tipo de Bateria / Battery Type: Lithium 5V 2000mAh
Tiempo de carga / Charging Time: 8h
Tiempo de descarga / Discharging Time: 16h



-20 | +75 °C **COLOR** WHITE 20.000h **ON OFF** 15.000 IP67 2 YEARS WARRANTY

CODE	BARCODE	WATT	AMPERAGE	KELVIN	DIMENSIONS	WEIGHT	PACKING	MOQ	PVP
153-55350	5207227062469	5	1000mA	RGBWW	Ø300mm	1.1kg	1/2	1	158,35€
153-55351	5207227062476	5	1000mA	RGBWW	Ø400mm	1.5kg	1/1	1	178,05€
153-55352	5207227062483	5	1000mA	RGBWW	Ø500mm	2.3kg	1/1	1	279,60€



GLOBO DE PLÁSTICO CON BASE

PLASTIC GLOBE WITH BASE



Material: **PMMA & ABS**

E27
BASE

-20 | +50 °C

IP65

2 YEARS WARRANTY

CODE	BARCODE	DIMENSIONS	WEIGHT	COLOR	PACKING	MOQ	PVP
153-55300	5207227011788	Ø200x200mm	0.279kg	OPAL	1/18	1	12,75€
153-55301	5207227011818	Ø250x250mm	0.420kg	OPAL	1/12	1	19,20€
153-55302	5207227011115	Ø300x300mm	0.603kg	OPAL	1/8	1	26,90€
153-55303	5207227011153	Ø400x400mm	1.131kg	OPAL	1/4	1	83,10€
153-55305	5207227011054	Ø200x200mm	0.279kg	HONEY	1/18	1	12,75€
153-55306	5207227011092	Ø250x250mm	0.420kg	HONEY	1/12	1	19,20€
153-55307	5207227011139	Ø300x300mm	0.603kg	HONEY	1/8	1	26,90€
153-55308	5207227011177	Ø400x400mm	1.131kg	HONEY	1/4	1	83,10€

ACCESORIOS PARA GLOBOS DE PLÁSTICO

ACCESSORIES FOR PLASTIC GLOBE



153-55312

153-55313



Material: **PVC & ABS**

-20 | +50 °C

COLOR
BLACK

2 YEARS WARRANTY

CODE	BARCODE	DESCRIPTION	DIMENSIONS	WEIGHT	PACKING	MOQ	PVP
153-55310	5207227011832	COLUMNA DE SUELO/ FLOOR LIGHT COLUMN	Ø60x1000mm	1.1kg	1/12	1	21,75€
153-55311	5207227011030	COLUMNA DE SUELO / FLOOR LIGHT COLUMN	Ø60x1800mm	1.98kg	1/6	1	38,05€
153-55312	5207227011078	BASE PARA COLUMNA / BASE FOR COLUMN	Ø160x170mm	0.186kg	1/50	1	8,30€
153-55313	5207227011023	BASE DE SUELO / FLOOR LIGHT COLUMN	Ø160x120mm	0.065kg	1/50	1	4,00€

PROFESSIONAL

Iluminating

COLLECTION

CATÁLOGO DE ILUMINACIÓN
PROFESIONAL



AIMUR ILUMINACION SL
Ctra. Alicante, 251 Nave 3 C/ Álamos, 14
30007 - Murcia (SPAIN)

T: +34 968 27 13 59
F: +34 968 20 47 45
iluminacion@aimur.com

www.aimur.com